

ETHYL GASOLINE CORPORATION

MANUFACTURING AND TRAFFIC DEPARTMENT

J. H. SCHAEFER,
GENERAL MANAGER.

PLEASE ADDRESS REPLY
TO: CHRYSLER BUILDING
405 LEXINGTON AVE., NEW YORK CITY

July 31, 1940


Dr. Willard Machle
College of Medicine
University of Cincinnati
Eden & Bethesda Avenues
Cincinnati, Ohio

Dear Dr. Machle:

Thank you very much for your letter of July 25 concerning your recommendations for protective equipment to be used in connection with the repair of an Ethyl tank car at Deepwater.

I am passing along a copy of your letter to Mr. C. Wasserman at Deepwater in order that he may have this information and at the same time give you some notice as to the date that the car will be repaired so that, if possible, you may have one of your staff present.

Very truly yours,


J. H. Schaefer

3-2

KE 0007779

N9535

UNIVERSITY OF CINCINNATI
COLLEGE OF MEDICINE
GENERAL HOSPITAL

LABORATORY OF APPLIED PHYSIOLOGY

July 25, 1940

Mr. John Schaefer
Ethyl Gasoline Corporation
Chrysler Building
New York, New York

Dear John:

Dr. Kehoe has asked me to reply to your request for information concerning the repair of an Ethyl tank car.

It would seem to us that when the car is properly prepared by steaming, removal of sludge and chemical treatment, that the work could be carried out safely with proper protection of the workmen. This protection should include air-line respirators, clothes, gloves, and boots, of a type similar to those required in tank cleaning. The man should remove all clothes and bathe at the end of the shift or sooner if his clothing is contaminated with material from the walls or bottom. It would not seem practical to insist upon the use of impervious clothing for this operation, although a rubber apron could be worn to advantage.

This repair work is a type of operation which will probably have to be carried out from time to time in the future, perhaps at rare intervals, and if you will let us know when and where the work is to be done, if at all possible one of us would like to make it a point to visit the plant at the time the work is going on.

Cordially,

WM:vr

Willard Machle, M. D.

KE 0007730

N9535.01