

Test Results

Industrial Hygiene

Sample Date Range 1/1/94 12/31/94
 Concentration Range
 Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 113 P/S - SHIFT MECHANIC (58MD)									
2/2/94	19405	360	P		58MD	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19813	390	P		58MD	C-8/FC-143	<.03	MPB	5.4%
8/26/94	20160	360	P		58MD	C-8/FC-143	0.1	MPB	17.9%
12/13/94	20672	380	P		58MD	C-8/FC-143	0.09	MPB	16.1%
BTO: 08 TEFLON@									
LOC: 703 FINE POWDER PACKOUT ROOM									
1/27/94	18338	370	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 708 P/S - FINE POWDER PACKOUT (08PJ)									
1/27/94	2546	375	A			C-8/FC-143	<.03	MPB	5.4%
8/25/94	20153	390	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 717 ROOF AREA-GENERAL									
1/28/94	8845	380	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 731 A/S - INSIDE F.P. DRYER CONTROL ROOM									
1/27/94	2547	370	A			C-8/FC-143	<.03	MPB	5.4%
5/18/94	2987	390	A			C-8/FC-143	<.03	MPB	5.4%
8/23/94	3303	390	A			C-8/FC-143	<.03	MPB	5.4%
11/29/94	3635	380	A			C-8/FC-143	0.05	MPB	8.9%
BTO: 08 TEFLON@									
LOC: 768 P/S - C-8 RECOV OP CHG ROOF FLTRS (08PM)									
1/28/94	19357	380	P		08PM	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19812	390	P		08PM	C-8/FC-143	<.03	MPB	5.4%
8/25/94	20154	390	P		08PH	C-8/FC-143	0.11	MPB	19.6%
10/25/94	20396	405	P		08PM	C-8/FC-143	<.03	MPB	5.4%
12/13/94	20554	420	P		08PM	C-8/FC-143	0.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 769 C-8 RECOVERY BLDG. CR - B-124									
1/28/94	2572	380	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 770 C-8 RECOVERY BUILDING - B-124									
1/28/94	2573	380	A			C-8/FC-143	0.1	MPB	17.9%
8/25/94	3302	390	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 800 P/S - DISPERSION PACKOUT (08PH)									
5/18/94	30107	360	P	RAWSON, KEVIN WAYNE	08PH	C-8/FC-143	<.03	MPB	5.4%
8/25/94	30119	390	P	RAWSON, KEVIN WAYNE	08PH	C-8/FC-143	0.1	MPB	17.9%
10/25/94	30125	405	P	LEWIS, JEFFREY BOYD	08PH	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30133	420	P	LEWIS, JEFFREY BOYD	08PH	C-8/FC-143	0.05	MPB	8.9%
BTO: 08 TEFLON@									
LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)									
1/27/94	30065	360	P	HARDING, DARLENE J	08PI	C-8/FC-143	<.03	MPB	5.4%
5/18/94	30110	390	P		08PI	C-8/FC-143	<.03	MPB	5.4%
8/25/94	30120	390	P	PICKRELL JR, CHARLES W	08PI	C-8/FC-143	<.03	MPB	5.4%
10/25/94	30126	405	P	TOWNSEND, KEVIN L	08PI	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30134	420	P		08PI	C-8/FC-143	0.09	MPB	16.1%
BTO: 08 TEFLON@									
LOC: 805 P/S - FINE POWDER FINISHING DISPERSION OP (08PH)									
1/28/94	30066	390	P		08PH	C-8/FC-143	0.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 808 P/S - GRANULAR PK OPERATOR (08PF)									
1/18/94	30055	495	P		08PF	C-8/FC-143	0.4	MPB	71.4%
5/18/94	30104	390	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/26/94	30121	390	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
11/29/94	30129	380	P		18PA	C-8/FC-143	0.32	MPB	57.1%
BTO: 08 TEFLON@									
LOC: 809 P/S - DAY POLYMER E&I MECH (58MG)									
2/2/94	30068	360	P		58MG	C-8/FC-143	<.03	MPB	5.4%
5/17/94	30103	390	P	PRUNTY, DARRON T	58MG	C-8/FC-143	0.03	MPB	5.4%
8/26/94	30122	390	P		58MG	C-8/FC-143	<.03	MPB	5.4%
11/29/94	30130	380	P		58MG	C-8/FC-143	0.06	MPB	10.7%

Monday, January 15, 2001 4:03:54 PM

Page 2 of 5

AJP003865

EID112999

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 810 P/S - DAY POLY AREA MECH (58MC)									
5/18/94	30106	390	P		58MC	C-8/FC-143	<.03	MPB	5.4%
8/26/94	30123	390	P		58MD	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30135	390	P		58MA	C-8/FC-143	0.09	MPB	16.1%
BTO: 17 RESEARCH									
LOC: 103 P/S FP POLLYKETTLE OPERATOR (17LG)									
9/9/94	3339	360	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 149 P/S FEP FLAKE PACKOUT (WET FINISHING)									
9/13/94	20398	375	P		18PC	C-8/FC-143	0.45	MPB	80.4%
11/29/94	20516	380	P	BOWER, MICHAEL J	18PC	C-8/FC-143	0.05	MPB	8.9%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 154 #2 FLUFF BOOSTER PUMP									
1/25/94	2512	280	A			C-8/FC-143	0.21	MPB	37.5%
1/25/94	2513	280	A			C-8/FC-143	0.38	MPB	67.9%
1/27/94	2545	365	A			C-8/FC-143	0.26	MPB	46.4%
2/15/94	2694	310	A			C-8/FC-143	0.48	MPB	85.7%
8/24/94	3299	390	A			C-8/FC-143	0.31	MPB	55.4%
10/25/94	3510	405	A			C-8/FC-143	<.03	MPB	5.4%
11/3/94	3633	420	A			C-8/FC-143	0.51	MPB	91.1%
12/6/94	3801	390	A			C-8/FC-143	0.23	MPB	41.1%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 199 FEP #2 INITIATOR PLATFORM									
1/25/94	2510	285	A			C-8/FC-143	0.83	MPB	148.2% **
1/25/94	2511	285	A			C-8/FC-143	0.93	MPB	166.1% **
2/14/94	2689	97	A			C-8/FC-143	0.43	MPB	76.8%
2/14/94	2690	198	A			C-8/FC-143	0.34	MPB	60.7%
2/15/94	2695	309	A			C-8/FC-143	0.3	MPB	53.6%
8/24/94	3300	390	A			C-8/FC-143	4.06	MPB	725.0% **
9/9/94	3347	360	A			C-8/FC-143	0.42	MPB	75.0%
9/13/94	3512	375	A			C-8/FC-143	0.07	MPB	12.5%
10/25/94	3511	405	A			C-8/FC-143	0.29	MPB	51.8%
11/3/94	3634	420	A			C-8/FC-143	1.26	MPB	225.0% **
12/6/94	3802	390	A			C-8/FC-143	0.22	MPB	39.3%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 210 #1 COAGULATOR-2ND FLOOR									
1/25/94	2506	30	A			C-8/FC-143	0.46	MPB	82.1%
1/25/94	2507	60	A			C-8/FC-143	0.54	MPB	96.4%
2/14/94	2687	102	A			C-8/FC-143	0.91	MPB	162.5% **
2/14/94	2688	197	A			C-8/FC-143	1.3	MPB	232.1% **
2/15/94	2696	309	A			C-8/FC-143	0.54	MPB	96.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 211 FEP-WET FINISHING ROOM									
1/27/94	2544	340	A			C-8/FC-143	0.45	MPB	80.4%
2/14/94	2693	300	A			C-8/FC-143	1.8	MPB	321.4% **
8/24/94	3301	390	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149									
1/27/94	19337	300	P		18PC	C-8/FC-143	<.03	MPB	5.4%
2/14/94	19440	300	P		18PC	C-8/FC-143	<.03	MPB	5.4%
8/29/94	20155	360	P		18PC	C-8/FC-143	<.03	MPB	5.4%
11/29/94	20515	380	P		18PC	C-8/FC-143	0.1	MPB	17.9%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)									
1/25/94	19327	360	P		18PA	C-8/FC-143	<.03	MPB	5.4%
2/14/94	19438	300	P		18PA	C-8/FC-143	<.03	MPB	5.4%
8/29/94	20156	360	P		18PA	C-8/FC-143	<.03	MPB	5.4%
11/29/94	20517	380	P		18PA	C-8/FC-143	0.09	MPB	16.1%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 229 P/S - FEP OVEN OPERATOR (18PB)									
1/28/94	19356	375	P		18PB	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19802	390	P		18PB	C-8/FC-143	0.07	MPB	12.5%
8/29/94	20157	360	P		18PB	C-8/FC-143	0.11	MPB	19.6%
9/13/94	20397	400	P		18PB	C-8/FC-143	<.03	MPB	5.4%
10/25/94	20395	400	P		18PB	C-8/FC-143	<.03	MPB	5.4%
12/6/94	20669	390	P		18PB	C-8/FC-143	0.07	MPB	12.5%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 231 FEP-OVEN CR (VACATED 9/97)									
9/13/94	3513	400	A			C-8/FC-143	0.05	MPB	8.9%

AJP003867

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 251 FEP-HALLWAY OUTSIDE B-163 2ND FLOOR LUNCHROOM									
1/25/94	2508	295	A			C-8/FC-143	0.38	MPB	67.9%
1/25/94	2509	295	A			C-8/FC-143	0.23	MPB	41.1%
2/14/94	2691	95	A			C-8/FC-143	0.29	MPB	51.8%
2/14/94	2692	202	A			C-8/FC-143	1.19	MPB	212.5% **
2/15/94	2697	312	A			C-8/FC-143	0.16	MPB	28.6%
9/13/94	3514	375	A			C-8/FC-143	0.19	MPB	33.9%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 255 P/S - FEP EXTRUDER OPERATOR (18PB)									
1/28/94	19355	360	P		18PB	C-8/FC-143	<.03	MPB	5.4%
8/29/94	20158	360	P		18PB	C-8/FC-143	<.03	MPB	5.4%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 275 P/S - FEP PACKOUT ROOM OPERATOR (18PD)									
2/15/94	19441	300	P		18PD	C-8/FC-143	<.03	MPB	5.4%
8/29/94	20159	360	P		18PD	C-8/FC-143	<.03	MPB	5.4%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 293 P/S - FEP DISPERSION OPERATOR (18PK)									
2/14/94	19439	300	P		18PK	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19801	390	P		18PA	C-8/FC-143	<.03	MPB	5.4%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 599 P/S - FEP E&I MECH (68MB)									
12/13/94	20670	360	P		68MB	C-8/FC-143	0.09	MPB	16.1%
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 603 P/S & A/S - BEAD OVEN ROOM (18PJ)									
12/13/94	20671	360	P		68MA	C-8/FC-143	0.06	MPB	10.7%

AJP003868