

Add to UCC list

CONTENTS			
	Author	Date	topic
1.			Contents of CD ROM
2.			Index of 55 boxes of UCC documents, by range of documents numbers in each box.
3.			Union Carbide Officials Plan 20 th Anniversary Disaster
4.			Chronology of the Union Carbide Corporation
5.		1999	Merger of Union Carbide and Dow
6.			Biography on Union Carbide
7.		2001	Dow, Union Carbide Merger OK'D
8.	Dow/UCC	2002	Union Carbide Corp 10K SEC filing, excerpts
9.		12/17/99	Return of service on Union Carbide, CT Corporation
10.	Medical Dept	5/22/73	To law department, criticizes law department brochure on medical risks from Calidria asbestos
11.	McDaniel	1/19/68	TLVs are guidelines, not a safe level that strictly defines safe and unsafe conditions.
12.	Dernehl & Lane	1966	Asbestos Toxicology Report
13.	Pufahl	3/22/66	Bad PR about asbestos. Use Dernehl Toxicology Report to combat bad PR.
14.	Hall	6/13/67	Asbestos toxicology. References English work; Ian Sayers paper;
15.	Dernehl	6/7/67	Animal tests show Calidria is most dangerous. Questions safety of TLV for meso.
16.	Dernehl	5/8/69	Asbestos Toxicology Report
17.	Sayers	12/67	Asbestos as a health hazard in the UK
18.	Lewinsohn	11/22/83	There is no such thing as a no effect level. Only safe way to handle asbestos is lowest possible level or find substitutes
19.	Langer	9/25/2000	Langer Affidavit. Calidria is more dangerous than other type of chrysotile.
20.	UCC Bus confidential	12/3/80	Issue summary UCC Federal government Relations Dept. Useful conspiracy document.
21.	Rhodes	1/24/78	Touts AIA and the info that is available to defense lawyers thru the AIA.
22.	Rhodes	4/16/75	Anyone sanding a finished drywall tape joint will be over the Silica TLV
23.	NIOSH		Recommended Silica PEL
24.	UCC	10/68	Brochure touting Calidria for Tape Joint Compounds
25.	Plastics Coatings Corp	11/22/85	This UCC customer's MSDS says the TLV for Chrysotile is 10 fibers/cc.
26.	UCC		Institute Plant, Insulator's checklist for handling asbestos containing insulaton.
27.	Rhodes	4/26/76	Responds to customer inquiry. Points out that OSHA is not proposing to ban asbestos for TJC.
28.	UCC	7/2/64	Failure of spiral wound Flexatallic gaskets. When spiral wound gaskets failed they were found to have shattered metal components and brittle asbestos components.
29.	Kleber	9/24/74	Asbestos exposure in oil well drilling industry.
30.	AWCI	1996	History of the Association of Wall and Ceiling Industries
31.	Rhodes	10/16/75	Report on visit to and talk given at Gypsum Drywall Contractors International meeting
32.	Rhodes	9/30/83	Calidria Asbestos Potential Liability
33.	MCA	3/23/74	MCA, Occupational Health Committee, Minutes of Meeting
34.	MCA	10/11/49	Mintues of MCA Board

35.	Rhodes	9/3/82	UCC shipment of asbestos to UCC plastics division.
36.	UCC		Shipments of asbestos to Harrisons and Crosfield, Portland, Oregon (UCC West Coast distributor)
37.	Rhodes	7/8/76	Packaging problems – asbestos is being released from packages during shipping.
38.	UCC		Picture of Visbestos packaging (well drilling mud use)
39.	UCC		Recipie for redi-mix Tape Joint Compound
40.	Shell	9/10/81	Letter from Drilling Specialties Company to Autcher, Dept of Labor, arguing that OSHA shouldn't regulate use of asbestos on well drilling sites except for a "work practices approach."
41.	UCC	4/29/75	Letter from UCC to Dow Chemical reporting fiber counting results from a plastics operation at Dow using UCC asbestos.
42.	UCC	1984	"Safety and Health Program"
43.	Myers	11/3/76	Wording and dates of labels used on UCC asbestos.
44.	Myers	2/25/83	Proposes a new label that uses the Asbestos International "a" logo and talks specifically about cancer. It is never used.
45.	UCC	6/2/75	Discusses with concern and alarm a memo from the Law Department about labeling.
46.	Rhodes	5/30/75	Label The effect of a label that mentions cancer will be somewhere between serious and fatal to the asbestos business.
47.	Rebholz	10/21/82	Proposes a label that talks about asbestos cancer risk being increased by cig smoking. Proposal never adopted.
48.			UCC interrogatory answers identifying UCC employees who have been deposed in asbestos cases, including citation to the case in which the depo was taken.
49.			UCC asbestos distributors
50.			UCC interrogatory answers identifying UCC asbestos products
51.			UCC interrogatory answers saying what UCC know about asbestos dangers and when UCC knew it. Lies.