

CYANAMID

10/10/75

TEAM EFFORT

Dasko

CONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

1. By inhalation. Daily inspection of respirators,
For proper fit, exhalation valve operating
properly, straps properly adjusted for a good
2. seal between respirator & face.
3. By ingestion. Wash & scrub hands, especially
finger nails, before eating or smoking.
4. Personal Hygiene. Improve work habits
of careless workers
Mandatory showers before changing into
5. street clothing
6.

J. Terzer

CYANAMID

10/10/75

TEAM EFFORT

CONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

1. Follow Company Rules. —
2. 4-10 hrs shifts for production people —
this would give them 3 days to be free of Pb exposure. —
3. Utilize existing exhausts to maximize efficiency, have points properly balanced, and correct plugged and broken ducts.
4. Handle materials and equipment as gently as possible to minimize generation of dust.
5. Install faucet in the lunch room for washing dishes, rather than the two pails presently being used. —
6. Never touch food with hands (regardless how clean) — always eat through a clean paper. Never touch a tip of cigarette when smoking, and make sure a cigarette is free of dirt when B. Terzer

CYWI 3-000926

CYANAMID

10/10/75

Banasick

TEAM EFFORT

CONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

1. By not wearing respirator properly, or remaining same while not in a designated safe area.
2. When handling litharge, stabilizers etc. carelessly so as to create an uncalculated dusty condition.
3. Working around mills, & other machines that may have a minor or major mal-function in regards to setting up a dusty condition.
4. Poor house-keeping in a man's work area.
5. Personal hygiene. Keeping hands & face clean especially before smoking & eating. A complete shower after the shift is over.
6. All these conditions can be minimized if a man exercises awareness, good house-keeping, safety, & hygiene habits

John Banasick

CYWI 3-000927

10/10/75

TEAM EFFORT

E. Maye

CONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

- A1. Eating & smoking with dirty hands.
- T. Really making sure hands are clean before smoking & eating.
2. Taking pride in his job.
Taking sound advice when being told about his hygien and his own
3. salty.
making sure he has a regularity
B.M. each day
4. making sure he is free of lead before he charge into street.
Clath when shift ends.
5. making sure his Respirator is clean and adjust properly to his face
6. Last but not least be sure respirator is worn when it's required.
and don't take chance.

CYWI 3-000928

C Berg
10/10/75TEAM EFFORTCONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

1. Tighten & seal all locker openings with masking tape to avoid fine dust settling inside lockers.
clean tunnel daily -
2. Bag backer, backing & grinding Very high lead absorption. wear respirator at all times
even when vacuuming & cleaning. Contaminated clothing avoid sloppy sloppy work -
3. Eating & using only food with dirty hands - Oil & Grease is a transmitter of dust from skin and ropes and easily transferred to the food.
4. should be cleaned with a strong detergent
Removal of respirator for talking with other operators in heavy contaminated areas should
5. be avoided -

6. Bag backer can hold dusting at a maximum if he shakes the bag under the nozzle before removing the bag - too much spill

CYANAMID

Wayne

June 27, 1974

OFFICE

DATE

TO: Mr. H. C. Gaffney

LOCATION: CHICAGO

FROM: Dr. W. N. Norley

SUBJECT: BLOOD LEADS

REFERENCE:

COPY TO: Mr. W. V. Andresen - NA
Dr. R. M. Clyne - NA
Mr. P. B. Dorf - WI
Mr. R. K. Felter - WI

Congratulations! This is the first time we have received a list of blood leads which included ~~_____~~ among others, when everyone is below .080 mg lead/100 grams of blood. Hopefully, this indicates everything is finally falling into place and we can continue to look forward to better and lower blood leads.

Keep up the good work.

Walter N. Norley
Walter N. Norley, M.D.

WNN:el

*Its nice to receive
notes like this - Pass on
the compliments to all your people*

CONFIDENTIAL
INFORMATION
REDACTED

CYWI 3-000930

N14725.01