Animal Feed — Corn Silage — FY-77

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'ND	GROWER ADDRESS	RESULTS OF ANALYSIS	DATE OUT
INV 76-20-196	2/15	F_{DT}	6/14	[redacted] Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-20-197	2/15	F_{DT}	6/14 ✓	[redacted] Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-20-198	2/15	F_{DT}	6/14	[redacted] Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-66-403	3/17	F_{DT}	6/14 ✓	Huntertown, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-66-404	3/17	F_{DT}	6/14 ✓	Huntertown, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-66-405	3/31	F_{DT}	6/14 ✓	Fort Wayne, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-66-406	3/31	F_{DT}	6/14 ✓	Fort Wayne, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/5
INV 76-20-662	3/25	F_{DT}	6/14 ✓	Indianapolis, Indiana ✓	O 1.98ppm Aroclor 1254 Conf. by TLC; C 2.30ppm Aroclor 1254 Conf. by TLC	7/6
INV 76-20-664	3/25	F_{DT}	6/14 ✓	Franklin, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-20-665	3/25	F_{DT}	6/14 ✓	Indianapolis, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-20-666	3/25	F_{DT}	6/14 ✓	Indianapolis, Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8
INV 76-30-360	4/6	F_{DT}	6/14 ✓	New Palestine, Ind.	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/8

MONS 077094

Animal Feeds — Alfalfa — FY-77

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'NED	GROWER ADDRESS	RESULTS OF ANALYSIS	DATE OUT
76-30-143	7/5	FD/PT	7/15	[illegible] Lakeville Indiana	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	8/25
	7/5	FD/PT	7/15	[illegible]		
				[illegible] Toledo Ohio		
				[illegible] Fremont Nebraska		
				[illegible] Toledo Ohio		
				[illegible] Fremont Nebraska		
				[illegible] Toledo, Ohio		
				[illegible] Fort Wayne In 46803		
76-30-144	4/7	FD/PT	7/15	[illegible] Vincennes, Indiana M. H. Schuyler, Robinson,	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	8/25
INV 76-30-145	4/7	FD/PT	7/15	Vincennes, Indiana 46	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	8/25
				[illegible]		
			7/15	Toledo, Ohio		
76-30-745	4/8	FD/PT	7/15	Indianapolis, Indiana 46	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	8/25

MONS 077095

FY 77 Special Survey of Enfamil for PCB's (H/u to Indiana Spec. Rewmill survey)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'ND	GROWER ADDRESS	RESULTS OF ANALYSIS	DATE OUT
76-20-472	6/7	ME L	8/4	Mead Johnson 65? Evansville Indiana	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23
76-20-473	6/7	ME L	8/4	"	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23
6-20-474	6/7	ME L	8/4	"	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23
6-20-475	6/7	ME L	8/4	"	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23
6-20-476	6/7	ME L	8/4	"	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23
6-20-477	6/7	ME L	8/4	"	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/23

MONS 077096

FY 77

Indiana Raw Milk Survey (Special Survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'MD	GROWER ADDRESS (1) all on file	ISDH No.	RESULTS OF ANALYSIS	DATE OUT
76-21-223	6/18	BJS	6/18	Gosport, Indiana	606	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/9
76-21-224		BJS		Cosport, Indiana	601	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/9
76-21-225		BJS		Quincy, Indiana	55-14	Trace Dieldrin; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/9
76-21-226		BJS		Martinville, Indiana	55-10	0.07ppm heptachlor epoxide; Trace - Dieldrin; No PCB's detected	7/13
76-21-227		BJS		Monrovia, Indiana		0.08ppm heptachlor epoxide; No PCB's detected	7/13
76-21-228		BJS		Mooresville, Indiana	55-16 61158	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/9
76-21-229		BJS		Mooresville, Indiana	55-15 61158	NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED; NO PCB'S DETECTED	7/9
76-21-230	6/18	BJS	6/18	Camby, Indiana	55-24 61113	0.56 ppm Aroclor 1254; NO CHLORINATED PESTICIDES DETECTED; NO ORGANOPHOSPHATE PESTICIDES DETECTED	7/9
76-21-231	6/23	WED	6/23	Bedford, Indiana	47-48	NO CHLORINATED PESTICIDES DETECTED; NO PCB'S DETECTED	7/15
76-21-233	6/23	WED	6/23	Williams, Indiana	47-53	Trace Dieldrin was detected; NO PCB'S DETECTED	7/18
76-21-234	6/23	WED	6/23	Williams, IN	47-30	NO CHLORINATED PESTICIDES DETECTED; NO PCB'S DETECTED	7/18
76-21-232	6/23	WED	6/23	Williams, Indiana	47-31	0.14 ppm Dieldrin; 1.14 ppm Arochlor 1254	7/18
76-21-235	6/23	WED	6/23	Bedford, IN	47-56	NO CHLORINATED PESTICIDES DETECTED; NO PCB'S DETECTED	7/18
76-21-236	6/23	WED	6/23	Williams, IN	ISDH# 47-28	NO CHLORINATED PESTICIDES DETECTED; NO PCB'S DETECTED	7/12
76-21-237	6/23	WED	6/23	Williams, IN	47-10	O 16.75 ppm Aroclor 1254; C 17.64 ppm Aroclor 1254	7/15
						0.03ppm hept. epox; NO PCB'S DETECTED	7/12

MONS 077097

(2)

FY [illegible]/77 [redacted]

Indiana Raw Milk

(Special Survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'ND	GROWER ADDRESS	ISBN No.	RESULTS OF ANALYSIS	DATE OUT
6-21-239	6/25	M EL	6/25	[redacted] Clayton, Indiana	32-38	0.05 ppm heptachlor epoxide 0.70 ppm methoxychlor NO PCB'S DETECTED	7/16
6-21-240	6/25	M EL	6/25	[redacted] Frankfort, Indiana	12-34	0.03 ppm heptachlor epoxide 0.06 ppm dieldrin NO PCB'S DETECTED	7/16
6-21-167	6/24	BJS	6/24	[redacted] Indianapolis, Indiana	32-45	O 3.14 ppm PCB's as Aroclor 1254 C 3.03 ppm PCB's " " "	7/12
6-21-168	6/24	BJS	6/24	[redacted] Indianapolis, Indiana	32-47	O 11.89 ppm PCB's " " " C 10.13 ppm PCB's " " "	7/12
6-21-169	6/24	BJS	6/24	[redacted] Plainfield, Indiana	32-48	0.71 ppm Aroclor 1254 NO CHLORINATED PESTICIDES DETECTED	7/9
6-21-170	6/24	BJS	6/24	[redacted] Ladoga, Indiana	54-35	O 5.21 ppm PCB's as Aroclor 1254 5.13 ppm PCB's as Aroclor 1254 C 4.77 ppm PCB's as Aroclor 1254 4.37 ppm PCB's as Aroclor 1254	7/12
6-21-171	6/24	BJS	6/24	[redacted] Ladoga, Indiana	54-34	0.05 ppm heptachlor epoxide NO PCB'S DETECTED	7/9
6-21-172	6/24	BJS	6/24	[redacted] Roachdale, Indiana	67-47	0.09 ppm heptachlor epoxide NO PCB'S DETECTED	7/9
6-21-173	6/24	BJS	6/24	[redacted] Clayton, Indiana	32-41	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED	7/9
6-21-174	6/25	M EL	6/25	[redacted] Indianapolis, Indiana	?	0.02 ppm hept. epox 0.17 ppm dieldrin NO PCB'S DETECTED	7/16
6-21-175	6/25	M EL	6/25	[redacted] Indianapolis, Indiana	49-30	0.04 ppm hept. epox. 0.12 ppm dieldrin NO PCB'S DETECTED	7/16
6-21-176	6/25	M EL	6/25	[redacted] Bloomfield, Indiana	28-23	0.09 ppm hept. epox 0.05 ppm dieldrin NO PCB'S DETECTED	7/16
6-21-177	6/25	M EL	6/25	[redacted] Mooresville, Indiana	55-34	0.02 ppm dieldrin NO PCB'S DETECTED	7/16
6-67-321	7/1	WED	7/1	[redacted] Brownsburg, Indiana	ISBN# 32-58	O 3.86 ppm Aroclor 1254 0.11 ppm hept epox C 3.17 ppm Aroclor 1254	7/28
6-67-322	7/1	WED	7/1	[redacted] Zionsville, Indiana	ISBN# 6-43	0.06 ppm hept. epox trace dieldrin NO PCB'S DETECTED	8/2
6-67-3[illegible]	7/1	WED	7/1	[redacted]	ISBN#	0.12 ppm hept. epox NO PCB'S DETECTED	[illegible]

MONS 077098

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'NI	(3) GROWER ADDRESS	ISBN No.	Indiana Raw Milk RESULTS OF ANALYSIS (Special Survey for PCB's	DATE OU
76-67-324	7/1	WED	7/1	Whitestown IN	ISBN# 6-36	Trace hept. epox. Trace dieldrin NO PCB'S DETECTED	8/2
76-67-325	7/1	WED	7/1	Zionsville, IN	ISBN# 6-62	Trace hept. epox. 0.10 ppm dieldrin NO PCB'S DETECTED	8/2
76-67-326	7/1	WED	7/1	Zionsville IN	ISBN# 6-44	0.05 ppm hept. epox Trace Dieldrin 0.5 ppm Aroclor 1254 ND	8/2
76-67-327	7/1	WED	7/1	Danville IN	Co. ISBN# 32-11	C 0.23 ppm methoxychlor 0.13 ppm dieldrin C 2.15 ppm methoxychlor	7/29
76-67-361	7/1	BJS	7/1	Fairland Indiana	73-67	0.12 ppm heptachlor epoxide NO PCB'S DETECTED	7/13
76-67-362	7/1	BJS	7/1	Fountaintown, Indiana	73-64	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	7/13
76-67-363	7/1	BJS	7/1	New Palestine, Indiana	30-6	0.06 ppm heptachlor epoxide NO PCB'S DETECTED	7/13
76-67-364	7/1	BJS	7/1	New Palestine, Indiana	30-7	0.04 ppm heptachlor epoxide NO PCB'S DETECTED	7/13
76-67-365	7/1	BJS	7/1	Greenfield Indiana	30-45	Trace heptachlor epoxide Trace dieldrin NO PCB'S DETECTED	7/13
76-67-366	7/1	BJS	7/1	Greenfield Indiana	30-33	0.06 heptachlor epoxide, trace dieldrin 0.32 ppm methoxychlor NO PCB'S DETECTED	7/13
76-67-367	7/1	BJS	7/1	Greenfield Indiana	30-1	Trace heptachlor & epoxide NO PCB'S DETECTED	7/13
77-67-328	7/9	BJS	7/1	Greensburg, Indiana	16-33	O 0.54 ppm dieldrin 0.23 ppm hept. epox C 0.56 ppm dieldrin	7/27
77-67-329	7/9	BJS	7/1	Greensburg, Indiana	16-41	O 0.45 ppm dieldrin 0.18 ppm hept epox C 0.36 ppm dieldrin	7/27
77-67-330	7/9	BJS	7/1	Milroy, Indiana	70-48	O 0.32 ppm dieldrin 0.21 ppm hept. epox C 0.24 ppm dieldrin	7/2
77-67-331	7/9	BJS	7/1	Milroy, Indiana	70-23	0.09 ppm Hept. Epox. 0.15 ppm Dieldrin NO PCB'S DETECTED	7/26
77-67-332	7/9	BJS	7/1	Milroy, Indiana	70-52	0.10 ppm Hept. Epox. 0.15 ppm Dieldrin NO PCB'S DETECTED	7/26
						0.0 ppm Hept. Epox. NO PCB'S DETECTED	7/26

MCNS 077699

FY 77/77
Indiana Raw Milk
(Special Survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASSIGNED	GROWER ADDRESS	ISBN No.	RESULTS OF ANALYSIS	DATE OUT
76-67-381	7/7	BJS	7/13	[redacted] 553 Westfield, IN	29-70	0.02 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED	7/26
76-67-382	7/7	BJS	7/13	[redacted] Noblesville, IN	29-72	Trace Heptachlor Epoxide NO PCB'S DETECTED	7/26
76-67-383	7/7	BJS	7/13	[redacted] Westfield, IN	29-14	0.06 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED	7/26
76-20-640	7/7	BJS	7/13	[redacted] Noblesville, Indiana	29-13	0.05 ppm Hept. Epoxide 0.10 ppm Dieldrin NO PCB'S DETECTED	7/26
76-20-641	7/7	BJS	7/13	[redacted] Noblesville, Indiana	29-9	0.04 ppm Hept. Epoxide Trace Dieldrin 0.77 ppm Aroclor 1254	7/26
76-20-642	7/7	BJS	7/13	[redacted] Westfield, IN	29-49	0.03 ppm Hept. Epox. Trace Dieldrin NO PCB'S DETECTED	7/26
76-20-651	7/7	BJS	7/13	[redacted] Williams, IN	47-9	0.03 ppm Hept. Epox Trace Dieldrin NO PCB'S DETECTED	7/26
76-67-368	7/9	WCP	7/13	[redacted] Shelbyville, Indiana	73-121	Trace Hept. Epox Trace Dieldrin NO PCB'S DETECTED	8/3
76-67-369	7/9	WCP	7/13	[redacted] Carthage, Indiana	70-72	Trace hept. epox Trace Dieldrin NO PCB'S DETECTED	8/3
76-67-370	7/9	WCP	7/13	[redacted] Sniderland, Indiana	33-71	0.03 ppm hept.. epox. 0.03 ppm dieldrin Trace Aroclor 1254	8/3
76-67-371	7/9	WCP	7/13	[redacted] New Castle, Indiana	33-16	0.18 ppm lindane Trace dieldrin trace hept. epox	8/3
76-67-372	7/9	WCP	7/13	[redacted] New Castle, Indiana	33-20	Trace hept. epox Trace dieldrin NO PCB'S DETECTED	8/3
76-67-373	7/9	WCP	7/13	[redacted]	33-14	Trace hept. epox Trace dieldrin NO PCB'S DETECTED	8/3
76-67-374	7/9	WCP	7/13	[redacted] New Castle, Indiana	33-13	O 2.68 ppm Aroclor 1254 Trace hept. epox Trace Diel C 2.11 ppm Aroclor 1254	8/24
76-67-375	7/9	WCP	7/13	[redacted] Cambridge, Indiana	89-1	0.03 ppm hept. epox 0.04 ppm dieldrin NO PCB'S DETECTED	8/6
[illegible]	7/9	WCP	7/13	[redacted]	29-44	0.02 ppm hept. epox NO PCB'S DETECTED	8/

MONS 07100

(5)

FY 77/11 Indiana Raw Milk inc (Special Survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'T	GROWER ADDRESS	ISBN No	RESULTS OF ANALYSIS	DATE OUT
77-19-099	7/13	WMR	7/15	Brazil Indiana	11-6	0.03 ppm hept. epox 0.06 ppm dieldrin NO PCB'S DETECTED	8/6
77-20-650	7/13	WMR	7/15	Danville, Indiana	32-22	0.02 ppm hept. epox. 0.03 ppm dieldrin NO PCB'S DETECTED	8/6
77-20-652	7/13	WMR	7/15	Danville, Indiana	32-30	0.02 ppm hept. epox 0.06 ppm dieldrin NO PCB'S DETECTED	8/6
77-20-653	7/13	WMR	7/15	Danville Indiana	32-29	0.02 ppm hept. epox. 0.03 ppm dieldrin NO PCB'S DETECTED	8/6
77-20-654	7/13	WMR	7/15	Ladoga Indiana	54-1	0.07 ppm heptachlor epoxide 0.10 ppm dieldrin NO PCB'S DETECTED	8/6
77-20-655	7/13	[illegible]	7/23	Ladoga, Indiana	54-30	0.09 ppm hept. epox, 0.09 ppm dieldrin. 1.30 ppm Aroclor 1254	8/17
77-20-656	7/13	[illegible]	7/23	Jamestown, Indiana	6-14	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED	8/18
77-20-657	7/13	[illegible]	7/23	Pittsboro Indiana	32-93	0.07 ppm hept. epox NO PCB'S DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED	8/18
77-20-658	7/13	[illegible]	7/23	Brazil, Indiana	11-19	0.04 ppm hept epox NO PCB'S DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED	8/18
77-20-659	7/13	[illegible]	7/23	Brazil, Indiana	11-3	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES NO PCB'S DETECTED	8/18
77-20-660	7/13	[illegible]	7/23	Brazil Indiana	84-1	NO ORGANOPHOSPHATE PESTICIDES DETECTED 0.05 ppm hept. epox. NO PCB'S DETECTED	8/18
77-67-241	7/13	[illegible]	[illegible]	Greensburg, Indiana	16-31	0.08 ppm hept. epox, trace dieldrin NO PCB'S DETECTED	8/18
77-67-242	7/13	BJS	7/21	Greensburg, Indiana	16-37	O-0.34 ppm dieldrin, 0.07 hept. epox, 0.56 Aroclor 1254 C-0.28 ppm dieldrin	9/1
77-67-243	7/13	BJS	7/21	Greensburg, Indiana	16-38	Trace hept. epox trace methoxychlor Trace dieldrin NO PCB'S DETECTED	8/3
77-67-261	7/13	BJS	7/21	Greencastle, Indiana	67-4	Trace hept. epox 0.34 ppm methoxychlor Trace dieldrin NO PCB'S DETECTED	8/3
77-67-262	7/13	BJS	7/21	Brazil Indiana	84-5	Trace hept. epox 1.37 ppm Aroclor 1254. Trace dieldrin	8/3
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	Trace hept. epox NO PCB'S DETECTED	8/3

MONS 077101

FY 76/77
Indiana Red Mile
(Special Survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASSIGNED	GROWER ADDRESS	ISBH NO	RESULTS OF ANALYSIS	DATE OUT
77-67-264	7/13	BJS	7/21	Brazil, Indiana	11-37	0.05 ppm hept. epox Trace dieldrin NO PCB'S DETECTED	8/3
77-67-266	7/13	BJS	7/21	Ziensville, Indiana	6-50	O 13.39 ppm Aroclor 1254 C 10.9 ppm Aroclor 1254	8/23
77-67-281	7/13	MEL	7/25	Burgersville, Indiana	41-54	0.04 ppm hept. epox, trace dieldrin NO PCB'S DETECTED	8/17
77-67-282	7/13	BJS	8/2	Franklin, Indiana	41-49	0.02 ppm α-BHC, 0.08 ppm hept. epox, Trace dieldrin NO PCB'S DETECTED	8/18
77-67-283	7/13	BJS	7/28	Marquantown, Indiana	41-65	NO CHLORINATED PESTICIDES DETECTED NO PCB'S DETECTED	8/17
77-67-284	7/13	BJS	7/28	Trafalgar, Indiana	41-42	Trace heptachlor epoxide NO PCB'S DETECTED	8/17
77-67-285	7/13	BJS	7/28	Trafalgar, Indiana	41-55	Trace heptachlor epoxide NO PCB'S DETECTED	8/17
77-67-334	7/13	MEL	7/28	Elwood, Indiana	49-35	Trace heptachlor epoxide NO PCB'S DETECTED	8/17
77-67-335	7/13	MEL	7/28	Mooresville, Indiana	55-7	0.03 ppm hept epox NO PCB'S DETECTED	8/17
77-67-336	7/13	MEL	7/28	Mooresville, Indiana	55-20	0.08 ppm hept. epox, 0.04 ppm trans nonachlor trans dieldrin trace Aroclor 1254	8/17
77-67-337	7/13	MEL	7/28	Mooresville, Indiana	55-19	Sub 45 A - 0.05 ppm heptachlor epoxide Sub 45 B - 0.05 ppm hept epox, trace dieldrin 1.0 ppm Aroclor 1254	8/17
77-67-338	7/13	BJS	7/28	Martinsville, Indiana	55-22	0.02 ppm α-BHC, 0.03 ppm hept. epox, trace dieldrin NO PCB'S DETECTED	8/17
77-67-339	7/13	BJS	7/28	Martinsville, Indiana	55-13	O 4.00 ppm Aroclor 1254 C 4.00 ppm Aroclor 1254	8/23
77-67-340	7/13	BJS	7/28	Martinsville, Indiana	55-23	0.01 ppm α-BHC, 0.03 ppm hept epox., trace dieldrin NO PCB'S DETECTED	8/17
77-67-377	7/13	BJS	8/3	Milroy, Indiana	70-9	Trace Hept. Epox Trace Dieldrin NO PCB'S DETECTED.	8/18
	7/		8/			0.13 ppm hept. epox(?)	8/

MONS 07102

(1)

FY 77 [redacted]
Indiana Row Mill
(special survey for PCB's)

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'ND	GROWER ADDRESS	ISBN No	RESULTS OF ANALYSIS	DATE OUT
77-67-379	7/13	ML	7/28	[redacted] Greensburg, Indiana	633 16-40		8/18
77-67-380	7/13	BJS	8/3	[redacted] Greensburg, Indiana	634 16-39	0.10 ppm dieldrin 0.05 ppm hept. epox NO PCB'S DETECTED	8/18
[redacted]							
76-20-647	7/7	BJS	7/7	[redacted] Noblesville, Indiana	635 29-23	0.06 ppm Hept. Epox. [redacted] 0.09 ppm Dieldrin NO PCB'S DETECTED	7/26
SILAGE-77-67-265	7/13	WMR	7/22	[redacted] Brazil, Indiana	636 84-5	578 ppm Aroclor 1254 606 ppm Aroclor 1254 (SILAGE SCRAPING)	7/30
77-67-288	8/3	WED	8/22	[redacted] Danville, Indiana	32-11	0.84 ppm methoxychlor trace hept. epox. 0.09 ppm dieldrin trace pp' DDE	9/10

MCNS 077103

FY-77
NON-SURVEY SPLS

SAMPLE NUMBER	DATE IN	ANALYST	DATE ASS'NE	PRODUCT	GROWER ADDRESS	RESULTS OF ANALYSIS	DATE OUT
✓	8/	M.	8/	[illegible]	[illegible] Sturgis, MI	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED	8/24
✓	[illegible]	[illegible]	8/	[illegible]	[illegible] Sturgis, MI	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED	8/
✓	[illegible]	[illegible]	8/	[illegible]	[illegible] Sturgis, MI	NO CHLORINATED PESTICIDES DETECTED NO ORGANOPHOSPHATE PESTICIDES DETECTED NO PCB'S DETECTED	8/
76-21-306	5/6	DJB	5/6	Hay	Kenneth Hawkins Springville, IN	0.30 ppm PCB as Aroclor 1016 (348)	9/1
76-21-307	5/6	DJB	5/6	Soil + Roots-Sub 1 Grass + Hay-Sub 2	"	Sub 1 - 6.02 ppm Aroclor 1242 (357) Conf. by [illegible] Sub 2 - 0.43 ppm PCB as Aroc 1016 (348)	7/1
[illegible]	[illegible]		5/	[illegible]	[illegible] Battle Creek, MI	[illegible]	9/14

MONS 077104