



INTERNAL CORRESPONDENCE

RECEIVED

DEC 8 1972

UCC - CALIDRIA
KING CITY

MINING AND METALS DIVISION

P. O. BOX 579, NIAGARA FALLS, NEW YORK 14302

To (Name) Mr. P. W. McDaniel
Division Medical Department
Location New York, New York

Date December 4, 1972
"Calidria" Asbestos - Marketing
Originating Dept. RESEARCH AND DEVELOPMENT DEPARTMENT

Answering letter date

Copy to Mr. F. H. Larrison
Mr. E. A. Piersall
Mr. J. W. Rawlings
Mr. L. P. Twichell
NF-File

Subject Air Sampling for Asbestos Fibers

I attended a technical symposium, "Asbestos and Asbestos - Related Diseases", on November 16 in Los Angeles. It was sponsored by the Southern California section of the American Industrial Hygienist Association.

One of the speakers was J. M. Dement, an engineer with NIOSH, who presented "Sampling and Evaluation of the Work Environment". I spoke to him, along with Drs. J. K. Waggoner and W. M. Johnson of NIOSH, after the meeting about sampling techniques.

They stated positively that all samples for asbestos fiber should be collected with the millipore filter in the "down" position -- to simulate nasal inhalation. This is presumably the accepted OSHA procedure and I would assume that the USBM would follow suit. You may want to consider using this procedure for plant samples.

Dr. Selikoff also spoke at this meeting and he made an impressive presentation. In spite of his published data about asbestos hazards, he made it very clear that he realized that asbestos was an important and vital raw material and that its use could not be prohibited. I talked to him after the meeting and he has since asked for information about "Calidria" pellets.


John L. Myers

/cvb

PLAINTIFF'S EXHIBIT

UC-4608

A00355

