

ABD00333804

ABERDEEN CHEMICAL PLANT—DOSIMETRY RECORD ^(R)

No 1339 ^A

Name Doug Sparr Shift A (R) Date 3/2/82

Social Security No. 418-66-3073 Job Code 84CØ

Instrument No. <u>538</u>	Start	Stop	
Time <u>700</u>	AM()	PM()	<u>200</u> AM() PM(<u>4</u>)
Noise Cell No. _____	Airflow _____		

HAZARD	SAMPLE CONCENTRATION (Time Weighted Average)	Air Vol. (Liters) _____
☒ VCM	<u>1.1</u> — PPM	
☐ Lead	—Micrograms/M ³	PEL: —Micrograms/M ³
☐ Antimony	—Micrograms/M ³	
☐ Total Dust	—Micrograms/M ³	
☐ Noise	—% PEL	115 dBA? Yes / No
		Analyst <u>J. Sparr</u>
		Analysis Date <u>3-11-82</u>

ABD0033805

Guard: VCM (✓) Lead () Antimony () Dust () Noise () _____ () No

1339 A

1. I came to work at 7 AM (✓) PM ()Firewatch Work?
Yes () No (✓) (Circle One)2. I left work at 7 AM () PM (✓)3. I did the regular work of a (enter Job Class) Chief Lead

4. I used a respirator during the following jobs (check one)

None	Dust Mask	Air-Line Resp.	Scott Air-Pak	3 M Air Hat
<u>Tightening</u>				
<u>Plug & Unplug</u>				
<u>Scan 702 TR</u>				

5. The following unusual events may have caused me to be overexposed:

6. Other comments and information (Use reverse side of card)

Signature

Douglas Span

Please complete and return to Guard