

FILE NAME: Firestone (FIRE)

DATE: 2000

DOC#: FIRE010

DOCUMENT DESCRIPTION: Asbestos Abatement at Decatur Plant [Ex. 279-280]

406 00 25

2000 Asbestos Notifications

Pltf Exh

279

BFS/Jackson 003160

File 406.00.25

Brinkoetter, Pete

From: Welsh, Thomas
Sent: Thursday, January 06, 2000 7:44 AM
To: Brinkoetter, Pete
Subject: FW: Notification Of Asbestos Activities

-----Original Message-----

From: Smith, Roy
Sent: Thursday, January 06, 2000 6:52 AM
To: Arthur, Richard; Brinkoetter, Pete; Cook, Charles; Crew Managers; Floyd, Richard; Greutman, Monty; Gurski, Gregory; Ivy, Joe; Kreher, Dennis; Machen, Vinnie; Powell, Donald; Ringgenberg, Dennis; Roberts, Brian; Ruch, Stephen; Sperry, Frances; StPierre, Jerry; Vermie, Kirk; Vericella, Joe; Welsh, Thomas; Wilkey, Jeff; Athey, Joseph; Auld, James; Barnes, Bryan; Barricklow, Robert; Bateman, Joe; Berg, Bruce; Bevins, Michael; Blair, Ronald; Bly, Douglas; Boehm, Phil; Bond, Greg; Connelley, Gary; Cook, Lynn; Coon, Daniel; Craycroft, Vince; Dial, Jimmy; Dixon, Frederick; Doty, David; Endris, Henry; Fear, William; Ford, Lowell; Freeman, Erwin; Halvachs, James; Hartman, Paul; Haws, Jeremy; Haws, Mark; Hodge, Donald; Koger, Earl; Knight, Jeffrey; Logan, Derek; Machen, Vinnie; Madison, Carl; Martz, Robert; Martz, William; Mathias, Kendra; Medler, Jim; Miller, Bill; Miller, Michael; Misorek, Paul; Niebrugge, Daniel; North, Steven; Orr, James; Orr, Kris; Overmier, Tony; Parker, Daniel; Pellegrini, Rick; Piekarz, Larry; Riley, Ronald; Rooks, John; Seaton, Steven; Shiley, Kevin; Smith, Jimmy; Strong, Robert; Tish, Judith; Trout, Roy; Valenta, John; VanHook, Bob; Weller, Douglas; West, Rita
Subject: Notification Of Asbestos Activities

Please review the attached Asbestos Notification and forward to Pete Brinkoetter in the environmental office.

If you have any questions or concerns please contact the Power House at Ext. 381

Roy Smith

Power House



Power House
983-005-5 Notifica...

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

tom welsh
(NAME)

(DATE)01/06000

(TITLE)

(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager,
Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final
Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

Orr, James

From: Brinkoetter, Pete
Sent: Wednesday, October 04, 2000 1:06 PM
To: Orr, James
Subject: RE: AB in roll-off

Jim,

I talked to Marty about this, I told him the bags are not ours and that must have been brought in in the dumpster because we only have one person who does our AB work. He thought that this may be possible. I do not expect to hear from him again on this issue.

Pete

-----Original Message-----

From: Orr, James
Sent: Thursday, July 27, 2000 4:19 PM
To: Brinkoetter, Pete
Subject: FW: AB in roll-off
Importance: High

Talked to Marty (7-27-00) at 4:15 ref. the AB bags. He said the operator described them as White Bags with the Danger Asbestos warning label on them. There was not a generator label or abatement label. When the operator seen these they were handled as AB. The longer bags that supposedly contained AB were yellow app. 3' - 4' long. All the bags in our AB trailer are Black. All bags near the end of the AB closed trailer out by 108 do have the Generator tag on them. Your probably right, they brought them in or they did not contain AB.

-----Original Message-----

From: Orr, James
Sent: Wednesday, July 26, 2000 4:51 PM
To: Brinkoetter, Pete
Subject: AB in roll-off
Importance: High

This was this morning (07-26-00), according to Michelle, she believes it picked up from the **roofing project** on the shipping roof !! The sealed bags were even marked Asbestos with the roofing and trash thrown on top??? Marty will contact you about it. Michelle said they took pictures and buried the contents. The roll-off I thought it would be was taken out a couple days ago from the north side.

James R. Orr
Bridgestone/Firestone, Inc.
Environmental Tech
(217) 425-1359
OrrJames@BFUSA.com

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 9/22/00 to 10/22/00 in the following area(s): Shipping Warehouse. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith at extension 563 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Kaye Hale
(NAME)

Warehouse Manager
(TITLE)

9/20/00
(DATE)

BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Warehouse Shipping Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 9/22/00 to 10/22/00 in the following area(s): Shipping Warehouse. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith at extension 563 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Kristin Taylor
(NAME)

9-27-00
(DATE)

Contract Manager
(TITLE)

Dimco
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Warehouse Shipping Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

NOTIFICATION OF ASBESTOS ACTIVITIES


SEP 21 2000

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 9/22/00 to 10/22/00 in the following area(s): Shipping Warehouse. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith at extension 563 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

9/20/00
(DATE)

Powerhouse Supervisor
(TITLE)

Bridgestone/ Firestone, Inc.
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Warehouse Shipping Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

MAR 06 2000


NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.



(NAME)

3-6-00

(DATE)


(TITLE)

BFS Decatur
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Gregory W. Gurski
(NAME)

3/13/00
(DATE)

HSS Manager
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

MAR 09 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Roy E. Trout
(NAME)

3/8/2000
(DATE)

Production Supervisor
(TITLE)

Bridgestone/Firestone
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
MAR 09 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

GARY Connelley
(NAME)

3/8/00
(DATE)

126 Sup.
(TITLE)

FirstStone
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

MAR 07 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)
POWERHOUSE SUPERVISOR
(TITLE)

3/6/00
(DATE)
BRIDGESTONE/FIRESTONE
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
RECEIVED
MAR 07 2000
MAR 06 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-9-2000 to 3-30-2000 in the following area(s): 'A' Penthouse (Fan Rooms A-3 And A-4), B Penthouse (Fan Rooms B-2, B-3 & B-4). BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Harry Endres
(NAME)

3/6
(DATE)

Maintenance Sup
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

RECEIVED

FEB 28 2000

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.



(NAME)
POWERHOUSE SUPERVISOR

(TITLE)

2/27/00

(DATE)
BRIDGESTONE/FIRESTONE INC.

(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

TO: Pete Brinkoetter
Environmental Dept.

FEB 25 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Roy E. Trout
(NAME)

Production Supervisor
(TITLE)

2/24/2000
(DATE)

Bridgestone/Firestone
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

FEB 28 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Henry Endris
(NAME)

2/26/00
(DATE)

Maintenance Sup.
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager,
Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final
Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

FEB 24 2000


NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.



(NAME)

HSS Manager

(TITLE)

2/24/2000

(DATE)

BFS

(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
FEB 29 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Pete West
(NAME)

2-25-00
(DATE)

Supervisor
(TITLE)

Decatur Firestone
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
FEB 29 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Bruce Berg
(NAME)

2-25-00
(DATE)

Supv. Dept 124
(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
FEB 29 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Bell Fears
(NAME)

2/26/00
(DATE)

Supervisor
(TITLE)

Lean
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

**PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER -
ENVIRONMENTAL DEPT.**

RECEIVED

FEB 29 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Russell E. Odum
(NAME)

Supervisor
(TITLE)

2-29-00
(DATE)

Bridgestone/Firestone
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
MAR 13 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 3-1-2000 to 4-30-2000 in the following area(s): Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.


The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

3/24/00
(DATE)


(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 2-26-2000 to 2-25-2000 in the following area(s): F and G Penthouse's. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

1/27/00
(DATE)

POWER HOUSE SUPERVISOR
(TITLE)

BRIDGESTONE/FIRESTONE
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Tire Room Manager, Tire Room Supervisors Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

406.0025

RECEIVED

JAN - 6 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Greg Gorski
(NAME)

1/6/00
(DATE)

Health, Safety, Security Mgr.
(TITLE)

BFS.
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

JAN - 7 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

K. Uermie
(NAME)

1/6/00
(DATE)

Tire Room Manager
(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

JAN - 6 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

J. Smith
(NAME)


1-6-2000
(DATE)

Curing Mgr.
(TITLE)

BFS
(COMPANY)

Distribution: Maintenance Mgr.
Operation Mgr. DIMCO Mgr.
USWA Safety Rep. Health & Safety Manager
Other: Banbury Manager, Calendar Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.



RECEIVED

JAN 13 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Russ Odum
(NAME)

1-12-00
(DATE)

Supervisor
(TITLE)

Bridgestone/Firestone Decatur
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager,
Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final
Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

JAN 10 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

1/7/00
(DATE)

Supervisor
(TITLE)

BFUSA
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.
--

RECEIVED

JAN 10 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

James A. Up
(NAME)

1-6-00
(DATE)

Supervisor
(TITLE)

Firestone
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calendar Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manager

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Russell Olsen
(NAME)

1-12-00
(DATE)

Supervisor
(TITLE)

Bridgestone/Firestone Decatur
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calendar Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

DEPT 124

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Bell Fear
(NAME)

Supervisor
(TITLE)

1/13/2000
(DATE)

Firestone
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Rita West
(NAME)

1-11-00
(DATE)

Supervisor (Bead Room)
(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calendar Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

FORM 983-005-5

DEPT 124

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Bruce Beatty
(NAME)

1-14-00
(DATE)

Supervisor Dept 124
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

DEA 124

RECEIVED
JAN 17 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Dennis Kreher
(NAME)

1/1/2000
(DATE)

Powerhouse Supervisor
(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

Maintenance Mgr.

DIMCO Mgr.

Health & Safety Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
JAN 10 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

1/10/00
(DATE)

A-crow Supervisor
(TITLE)

B.F.S.
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager,
Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final
Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
JAN 10 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Michael Harris Michael Harris
(NAME)

1-7-00
(DATE)

Supervisor - Tubing
(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calendar Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

RECEIVED
JAN 10 2000

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Roy E. Lout
(NAME)
Production Supervisor
(TITLE)

1/7/99
(DATE)
Bridgestone/Firestone
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED

JAN 11 2000

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

HENRY ENORIS
(NAME)

1/10/00
(DATE)

MAINTENANCE SUP
(TITLE)

BFS
(COMPANY)

Distribution: Maintenance Mgr.
Operation Mgr. DIMCO Mgr.
USWA Safety Rep. Health & Safety Manager
Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager,
Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final
Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

406.00.25

*Service Is Our Standard***Facsimile Transmittal**

RECEIVED

FEB 25 2000

Date:

02-25-00

Attention:

BRIDGESTONE / FIRESTONE

MR. Rote Brinkotten

425-1214

1214

From:

T. Moore

Number of pages (including this cover):

4

Comment(s):

MR. BRINKOTTER

ATTACHED NOTIFICATION FOR ASBESTOS REMOVAL
IN FAN ROOMS A, B, C + D.

IF ANY QUESTIONS GIVE ME A CALL

T. M.

INCorp Inc.

2600 B North Cullen Avenue

Phone: 812-485-0035
Fax: 812-485-0039

BFS/Jackson 003201

REC. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

IL 532 1296

APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19276, Springfield, IL 62794-9275

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (C-Original/R-Revised/C-Canceled): <u>O - ORIGINAL</u>			
2. TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): <u>R-RENO</u>			
3. FACILITY DESCRIPTION (Building Name): <u>BRIDGESTONE FIRESTONE, INC.</u>			
Address: <u>2500 NORTH 22ND ST.</u>			
City: <u>DECATUR</u>	County: <u>MACON</u>	State: <u>IL</u>	Zip: <u>62526</u>
Location of Asbestos Containing Material (ACM) in structure: <u>PENTHOUSE A, B, C, D ABOVE PENTHOUSE</u>			
Bldg Size: <u>100,000</u>	# of Flrs: <u>2</u>	Age: <u>1952</u>	Present Use: <u>MANUFACTURING</u>
Prior Use: <u>SAME</u>	Future Use (Demo): <u>N/A</u>		
4. IS ASBESTOS PRESENT? ☒ Y ☐ N		5. WORK HOURS: (Optional) <u>6:00 a.m. 6:30 p.m.</u>	
6. SCHEDULED DATE DEMOLITION:		Start:	Complete:
7. SCHEDULED DATE ASBESTOS REMOVAL:		Start: <u>03/09/00</u>	Complete: <u>04/21/00</u>
8. REGULATED ASBESTOS CONTAINING MATERIAL TO BE REMOVED (RACM):	NONFRIABLE ASBESTOS <u>NOT</u> TO BE REMOVED (Demolition):		NONFRIABLE ASBESTOS TO BE REMOVED:
	CATEGORY I	CATEGORY II	CATEGORY I CATEGORY II
Pipes (Ln. Ft.)	<u>1186</u>		
Surface Area (Sq. Ft.)			<u>10,125</u>
Volume (Cu. Ft.)			
9. ASBESTOS REMOVAL CONTRACTOR: <u>INCRP, INC.</u>			
Address: <u>2628B N. CULLEN AVE.</u>		City: <u>EVANSVILLE</u>	
State: Zip: <u>IN 47715</u>	Contact: <u>BROD D. SULEM</u>	Phone: <u>812-485-0035</u>	
10. DEMOLITION CONTRACTOR: <u>N/A</u>			
Address:		City:	
State: Zip:	Contact:	Phone:	
11. OWNER NAME: <u>BRIDGESTONE/FIRESTONE, INC.</u>			
Address: <u>2600 N. 22ND ST.</u>		City: <u>DECATUR</u>	
State: Zip: <u>IL 62526</u>	Contact: <u>PETE BRINKOTER</u>	Phone: <u>217-425-1352</u>	
12. WASTE TRANSPORTER: <u>WASTE MANAGEMENT OF SPRINGFIELD</u>			
Address: <u>300 E. ASH ST.</u>		City: <u>SPRINGFIELD</u>	
State: Zip: <u>IL 62703</u>	Contact: <u>MARTY SOMMER</u>	Phone: <u>217-523-5497 EXT. 101</u>	
13. WASTE DISPOSAL SITE: <u>FIVE OAKS R.O.F.</u>			
Address: <u>RR 279E</u>		City: <u>TAYLORVILLE</u>	
State: Zip: <u>IL 62568</u>	Landfill Permit #: <u>0218160006</u>	Phone: <u>217-824-3924</u>	
Date Received	From: ACTS	AGENCY USE ONLY: To Region 1 2 3	
Post Mark Date	To COM/CIW	Champion	LS&H

PROCEDURE INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.

Bulk samples using PLM Bodine Environmental

MOIS LICENSE NUMBER OF INSPECTOR: 209724-001-02

NAME OF ANALYTICAL TESTING LABORATORY: Randolph and Associates, Inc.

DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK: Remove asbestos insulation from piping in the penthouse, and remove transite sheeting from penthouse F&G.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES: Piping will be removed using neg. pressure glovebags. Wet methods, and Transite sheeting will be removed in full pieces.

DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE: Critical barriers will be used. Poly laid under pipes. Hepa vacs will be attached to the glovebags to maintain neg. pressure. Sprayers with amended water will be used to wet material. The pipe will be scrubbed and cleaned after removal. A lockdown encap. will be sprayed onto the pipe. The bag will be evacuated using the hepa vac. The glovebag will be double bagged and labeled for disposal. A full decon will be set up in the area. Transite sheeting will be wetted prior to removal. All personnel will be licensed in the state.

DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y ☒ (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Name: _____ Date of Order: _____ Ordered Demolition Date: _____

OR EMERGENCY RENOVATIONS: N/A

Date and hour of Emergency: _____

Description of the Sudden, Unexpected Event (e.g. structure in danger of imminent collapse):

DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER.

See attachment #1

ABOVE INFORMATION IS REQUIRED PER 40 CFR SUBPART M-61.145, REV. NOV. 20, 1990. SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Bradley D. Salem 2-24-00
Signature of Owner/Operator Date
(Original Signature Only, Photocopy Not Valid)

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.O. Box 19273, Springfield, IL 62714-9273

*Service Is Our Standard***Attachment 1**

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder:

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer, etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion) date or if the amount of material exceeds the original estimate by 20% or more.**
5. All asbestos-containing waste materials will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation (40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and that evidence of the completion of the required training will be posted and available for inspection at the site.

Brady P. Solen
2-24-00

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039

406.00,25

REF. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

Illinois Environmental Protection Agency

P.O. Box 15276, Springfield, IL 62754-9275

IL 532 129e
APC 430 Rev.11/96

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-43. This form has been approved by the Permit Management Center.

1. TYPE OF NOTIFICATION (C-Original/R-Revised/C-Canceled): 0-Original

2. TYPE OF OPERATION (R-Renovation/C-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R

3. FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone

Address: 2300 N. 22nd Street

City: Decatur

County: Macon

State: IL

ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: -BaY Phase 3

Bldg. Size: 100,000

of Flrs: 2

Age: 1952

Present Use: Manufacturing

Prior Use:

Future Use (Demo): N/A

4. IS ASBESTOS PRESENT? ☒ YES

5. WORK HOURS: (Optional)

a.m.

p.m.

6. SCHEDULED DATE DEMOLITION:

Start:

Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL:

Start: 02/21/00

Complete: 04/30/00

8. REGULATED ASBESTOS
CONTAINING MATERIAL TO BE
REMOVED (RACM):NONFRIABLE ASBESTOS NOT
TO BE REMOVED (Demolition):NONFRIABLE ASBESTOS TO BE
REMOVED:

CATEGORY I

CATEGORY II

CATEGORY I

CATEGORY II

Pipes (Ln. Ft.)

5034

Surface Area (Sq. Ft.)

Volume (Cu. Ft.)

9. ASBESTOS REMOVAL CONTRACTOR: INCRP Inc.

Address: 36283 North Cullen Ave

City: Evansville

State, Zip: IN 47715

Contact: Brad Solem

Phone: 812-485-0033

10. DEMOLITION CONTRACTOR: N/A

Address:

City:

State, Zip:

Contact:

Phone:

11. OWNER NAME: Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur

State, Zip: IL, 62526

Contact: Pete Brinkottar

Phone: 217-425-1352

12. WASTE TRANSPORTER: Waste Management of Central Illinois

Address: 3000 East Ash Street

City: Springfield

State, Zip: IL, 62702

Contact: Marty Sommer

Phone: 217-523-3497

13. WASTE DISPOSAL SITE: Five Oaks R.D.S.

Address: R.R. 2 Box 79E

City: Taylorville

State, Zip: IL, 62563

Landfill Permit #: 0218160006

Phone: 217-824-3942

Date Received

FORM 15 ACTS

AGENCY USE ONLY

To Region 1 2 3

Date Mailed

To County

Changeover

Label

Signature

Signature

Name

Name

PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.
Bulk samples using PLY analysis

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: ANTEK

DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK:
Remove abandon pipe from ceiling in bay E.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.
Piping Neg pressure Glove Bags

DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE. All abandoned pipe will be glovebagged in sections in order for us to cut piping. Pipe will be double wrapped in 6 mil poly. Each glovebag will be smoke tested and wet methods used. Neg vac will be used to apply neg pressure and to evacuate air prior to dismantle. Pipes will be scrubbed & locked down with encapsulant. Pipes will be labeled and taken to designated dumpster. Air monitoring will be done.

IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

FOR EMERGENCY RENOVATIONS: NA

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER.
See attachment #1.

ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR SUBPART M-81.145, REV. NOV. 20, 1990.
SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 81, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Brendy D. Salem 2-7-00
Signature of Owner/Operator Date
(Original Signature Only. Photocopy Not Valid)

Mail this form to: IL Environmental Protection Agency, Attn: Cms Klein, P.C. Box 19276, Springfield, IL 62794-9276



Service Is Our Standard

Attachment #1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder.

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion) date or if the amount of material exceeds the original estimate by 20% or more.
5. All asbestos-containing waste material will be disposed of in a safe and lawful manner at a properly permitted landfill.


I certify that an individual trained in the provisions of this regulation 40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and the evidence of the completion of the required training will be posted and available for inspection at the site.

Bradley D. Saleen
2-7-00

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039





4445 Commerce St., Suite 105 • Evansville, IN 47710 • (812) 423-0201; Fax (812) 423-0829

Lab Analysis Report

Company: INCORP
Address: 2628 B N. Cullen Ave.
Evansville, IN 47715
Contact: Brad Solem
428-0035

Project: Firestone

Analyte: ASBESTOS (Bulk)
Method: 40 CFR 763, SUBPART E,
APPENDIX E, PLM
Set #: 98-055
Lab AHA PAT#: 13235
Date Received: 4/15/98
Date Analyzed: 4/16/98

Lab ID#	Client ID	SL / ML ³	Color	Type of Material	Location	F / NF	Asbestos ¹ Type - % ²	Non - Asbestos Fibers - %	Non-Fibrous Binders - %
9804027	1	SL	GRAY	INSULATION	#1 CURE HEATER #2 - A2	F	ND	GLASS 55%	45%
9804028	2	SL	GRAY	INSULATION	#3 CURE HEATER A-1, TOP OF TANK 8" DIAMETER	F	ND	GLASS 65%	35%
9804029	3	SL	WHITE	INSULATION	#3 CURE, 16" LINE B-1	F	CHRYSTOTILE 75%	ND	25%
9804030	4	SL	WHITE	INSULATION	#3 CURE, H-1 90 Deg. ELBOW	F	CHRYSTOTILE 40% AMOSITE 15%	ND	45%
9804031	5	ML	WHITE	INSULATION	#3 CURE, H-2 10" LINE	F	CHRYSTOTILE 10% AMOSITE 15%	CELLULOSE 50%	25%
9804032	6	SL	WHITE	INSULATION	#3 CURE, H-3 16" LINE	F	CHRYSTOTILE 50% AMOSITE 10%	ND	40%
9804033	7	SL	GRAY	INSULATION	PIECE BY TRAP DOOR DT-1	F	ND	GLASS 38%	62%
9804034	8	SL	WHITE	INSULATION	SAMPLE UNKNOWN	F	CHRYSTOTILE 6% AMOSITE 50%	ND	44%

Note 1: OSHA AND EPA DEFINE ASBESTOS CONTAINING MATERIAL AS "ANY MATERIAL CONTAINING MORE THAN 1% ASBESTOS".

Note 2: FOR SAMPLES WHICH TEST UNDER 10% ASBESTOS CONTENT: AN OWNER OR OPERATOR MAY (1) ELECT TO ASSUME MATERIAL TO BE GREATER 1% ASBESTOS, OR (2) REQUIRE VERIFICATION BY POINT COUNTING IN WHICH THE POINT COUNTING RESULT WILL SUPERSEDE THE METHOD USED TO ANALYZE THESE SAMPLES.

Note 3: IN ACCORDANCE WITH 40 CFR 61 SUBPART M AND EPA CLARIFICATIONS OF THAT RULE: A MULTILAYERED SAMPLE ANALYZED AS A WHOLE, HAVING 1% OR LESS ASBESTOS (BUT GREATER THAN NONE DETECTED), IS REQUIRED TO BE ANALYZED BY LAYERS TO ENSURE THAT NO SINGLE LAYER IN THE SYSTEM CONTAINS GREATER THAN 1% ASBESTOS.

Note 4: THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF AN-TEK, INC.

Legend:
SL = SINGLE LAYER NF = NON FRIABLE
ML = MULTIPLE LAYER ND = NONE DETECTED
F = FRIABLE NG = NOT GIVEN

Analyst: RW

File 406.20.23

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

(NAME)

(DATE)

(TITLE)

(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Maintenance Mgr.

DIMCO Mgr.

Other: Tire Room Manager

Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

Put with 99 Asbestos
stuff

Orr, James

From: Smith, Roy
Sent: Thursday, January 06, 2000 1:38 PM
To: Sperry, Frances
Cc: Brinkoetter, Pete
Subject: RE: Notification Of Asbestos Activities

I have attached a map with the completed areas crossed out. I have also attached a copy of the planned schedule for Phase II, Phase III, and Phase IV.

Again if you have any questions please give me a call.

V/R

Roy



Overhead Abandoned
Piping 1-7-...



Phase II Schedule.xls




PhaseIII.xls



PhaseIV.xls

Overhead Abandoned Piping



PHASE I	100% Complete
PHASE II	
PHASE III	
PHASE IV	

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 1-1-2000 to 2-29-2000 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

__tom welsh_____

(NAME)

(DATE)01/06000

(TITLE)

(COMPANY)

Distribution:

Operation Mgr.

Maintenance Mgr.

USWA Safety Rep.

DIMCO Mgr.

Health & Safety Manager

Other: Banbury Manager, Calender Manager, Stockcutting Supervisor, Beadroom Manager, Tubers Supervisor, Scrap Room Supervisor, Curing Manager, Tire Room Manager, Final Manager, Receiving Manger

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

Orr, James

From: Sperry, Frances
Sent: Thursday, January 06, 2000 7:16 AM
To: Smith, Roy
Cc: Brinkoetter, Pete
Subject: RE: Notification Of Asbestos Activities

Roy - Do you have more specific information on the dates other than a 2 month period and more specific information on the locations of the removal. The last contractor pipe removal was quite an ordeal to coordinate. We also have several contractors who work in our area and before I sign and post I would like to have additional clarification.

-----Original Message-----

From: Smith, Roy
Sent: Thursday, January 06, 2000 6:52 AM
To: Arthur, Richard; Brinkoetter, Pete; Cook, Charles; Crew Managers; Floyd, Richard; Greutman, Monty; Gurski, Gregory; Ivy, Joe; Kreher, Dennis; Machen, Vinnie; Powell, Donald; Ringgenberg, Dennis; Roberts, Brian; Ruch, Stephen; Sperry, Frances; StPierre, Jerry; Vermie, Kirk; Vencella, Joe; Welsh, Thomas; Wilkey, Jeff; Athey, Joseph; Auld, James; Barnes, Bryan; Barricklow, Robert; Bateman, Joe; Berg, Bruce; Bevins, Michael; Blair, Ronald; Bly, Douglas; Boehm, Phil; Bond, Greg; Connelley, Gary; Cook, Lynn; Coon, Daniel; Craycroft, Vince; Dial, Jimmy; Dixon, Frederick; Doty, David; Endris, Henry; Fear, William; Ford, Lowell; Freeman, Erwin; Halvachs, James; Hartman, Paul; Haws, Jeremy; Haws, Mark; Hodge, Donald; Koger, Earl; Knight, Jeffrey; Logan, Derek; Machen, Vinnie; Madison, Carl; Martz, Robert; Martz, William; Mathias, Kendra; Medler, Jim; Miller, Bill; Miller, Michael; Misiolek, Paul; Niebrugge, Daniel; North, Steven; Orr, James; Orr, Kris; Overmier, Tony; Parker, Daniel; Pellegrini, Rick; Piekarz, Larry; Riley, Ronald; Rooks, John; Seaton, Steven; Sliney, Kevin; Smith, Jimmy; Strong, Robert; Tish, Judith; Trout, Roy; Valenta, John; VanHook, Bob; Weller, Douglas; West, Rita
Subject: Notification Of Asbestos Activities

Please review the attached Asbestos Notification and forward to Pete Brinkoetter in the environmental office.
If you have any questions or concerns please contact the Power House at Ext. 381
Roy Smith
Power House

<< File: Power House 983-005-5 Notification of Asbestos Activity.doc >>

Orr, James

From: Welsh,Thomas
Sent: Thursday, January 06, 2000 7:44 AM
To: Brinkoetter, Pete
Subject: FW: Notification Of Asbestos Activities

-----Original Message-----

From: Smith, Roy
Sent: Thursday, January 06, 2000 6:52 AM
To: Arthur, Richard; Brinkoetter, Pete; Cook, Charles; Crew Managers; Floyd, Richard; Greutman, Monty; Gurski, Gregory; Ivy, Joe; Kreher, Dennis; Machen, Vinnie; Powell, Donald; Ringgenberg, Dennis; Roberts, Brian; Ruch, Stephen; Sperry, Frances; StPierre, Jerry; Vermie, Kirk; Vericella, Joe; Welsh,Thomas; Wilkey, Jeff; Athey, Joseph; Auld, James; Barnes, Bryan; Barricklow, Robert; Bateman, Joe; Berg, Bruce; Bevins, Michael; Blair, Ronald; Bly, Douglas; Boehm, Phil; Bond, Greg; Connelley, Gary; Cook, Lynn; Coon, Daniel; Craycroft, Vince; Dial, Jimmy; Dixon, Frederick; Doty, David; Endris, Henry; Fear, William; Ford, Lowell; Freeman, Erwin; Halvachs, James; Hartman, Paul; Haws, Jeremy; Haws, Mark; Hodge, Donald; Koger, Earl; Knight, Jeffrey; Logan, Derek; Machen, Vinnie; Madison, Carl; Martz, Robert; Martz, William; Mathias, Kendra; Medler, Jim; Miller, Bill; Miller, Michael; Misiorek, Paul; Niebrugge, Daniel; North, Steven; Orr, James; Orr, Kris; Overmier, Tony; Parker, Daniel; Pellegrini, Rick; Piekarz, Larry; Riley, Ronald; Rooks, John; Seaton, Steven; Sliney, Kevin; Smith, Jimmy; Strong, Robert; Tish, Judith; Trout, Roy; Valenta, John; VanHook, Bob; Weller, Douglas; West, Rita
Subject: Notification Of Asbestos Activities

Please review the attached Asbestos Notification and forward to Pete Brinkoetter in the environmental office.
If you have any questions or concerns please contact the Power House at Ext. 381
Roy Smith
Power House



Power House
983-005-5 Notifica...



REG. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

COPY

IL 502 1296

APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19276, Springfield, IL 62794-9276

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): O-Original			
2. TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R-Reno			
3. FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone Inc.			
Address: 2500 North 22ND Street			
City: Decatur	County: Macon	State: Illinois	ZIP: 62526
Location of Asbestos Containing Material (ACM) in structure: Penthouse above production area. F & G			
Bldg. Size: 100,000	# of Flrs: 2	Age: 1952	Present Use: Manufacturing
Prior Use: Same	Future Use (Demo): N/A		
4. IS ASBESTOS PRESENT? ☒ N	5. WORK HOURS: (Optional) 7 a.m. 5:30 p.m.		
6. SCHEDULED DATE DEMOLITION:		Start:	Complete:
7. SCHEDULED DATE ASBESTOS REMOVAL:		Start: 1-26-00	Complete: 2-25-00
8. REGULATED ASBESTOS CONTAINING MATERIAL TO BE REMOVED (RACM):	NONFRIABLE ASBESTOS <u>NOT</u> TO BE REMOVED (Demolition):		NONFRIABLE ASBESTOS TO BE REMOVED:
	CATEGORY I	CATEGORY II	CATEGORY I CATEGORY II
Pipes (Ln. Ft.)	593		
Surface Area (Sq. Ft.)			5600
Volume (Cu. Ft.)			
9. ASBESTOS REMOVAL CONTRACTOR: INCRP, Inc.			
Address: 2628-B North Cullen Ave.		City: Evansville,	
State: Zip Indiana, 47715	Contact: Bradley D. Solem	Phone: 812-485-0035	
10. DEMOLITION CONTRACTOR: N/A			
Address:		City:	
State, Zip:	Contact:	Phone:	
11. OWNER NAME: Bridgestone/Firestone, Inc.			
Address: 2600 N. 22nd street		City: Decatur	
State, Zip: Illinois 62526	Contact: Pete Brinkotter	Phone: 217-425-1352	
12. WASTE TRANSPORTER: Waste Management of Springfield			
Address: 300 East Ash street		City: Springfield	
State Zip: Illinois, 62703	Contact: Marty Sommer	Phone: 217-523-5497 Ext. 101	
13. WASTE DISPOSAL SITE: Five Oaks R.D.F.			
Address: RR 2 79E		City: Taylorville	
State, Zip: Illinois, 62568	Landfill Permit #0218160006	Phone: 217-824-3924	
AGENCY USE ONLY.			
Date Received	Route to ACTS	To Region 1 2 3	
Post Mark Date	To Coord/Env	Champion	LaSalle

14. PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.

Bulk samples using PLM Bodine Environmental

ILLINOIS LICENSE NUMBER OF INSPECTOR: 209724-001-02

NAME OF ANALYTICAL TESTING LABORATORY: Randolph and Associates, Inc.

15. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK: Remove asbestos insulation from piping in the penthouse, and remove transite sheeting from penthouse F&G.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES. Piping will be removed using neg. pressure glovebags. Wet methods. and Transite sheeting will be removed in full pieces.

16. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE: Critical barriers will be used. Poly laid under pipes. Hepa vacs will be attached to the glovebags to maintain neg. pressure. Sprayers with amended water will be used to wet material. The pipe will be scrubbed and cleaned after removal. Alockdown encap. will be sprayed onto the pipe. The bag will be evacuated using the hepa vac. The glovebag will be double bagged and labled for disposal. A full decon will be set up in the area. Transite siding will be wetted prior to removal. All personnel will be licensed in the state.

17. IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y ☒ (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

18. FOR EMERGENCY RENOVATIONS: N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

19. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER.

See attachment #1

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR-SUBPART M-61.145, REV. NOV. 20, 1990.
ALL SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

20. I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Bradley D. Salem 1-12-00
Signature of Owner/Operator Date
(Original Signature Only, Photocopy Not Valid)

Mail this form to: II. Environmental Protection Agency, Attn: Otto Klein, P.O. Box 10376, Springfield, IL 62794-9776



Service Is Our Standard

Attachment 1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder:

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer, etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion*) date or if the amount of material exceeds the original estimate by 20% or more.**
5. All asbestos-containing waste materials will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation (40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and that evidence of the completion of the required training will be posted and available for inspection at the site.

Bradley D. Solew 1-14-00

INCORP Inc.

2628 B North Cullen Avenue

Phone: 812-485-0035

BFS/Jackson 003228

REC. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

Illinois Environmental Protection Agency

P.O. Box 15276, Springfield, IL 62794-5276

IL 532 1296
APC 430 Rev.11/96

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 ILCS 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): O-Original

2. TYPE OF OPERATION (R-Renovation/C-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R

3. FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur

County: Macon

State: IL

ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: Bay Phase 3

Bldg. Size: 100,000

of Flrs: 2

Age: 1952

Present Use: Manufacturing

Prior Use:

Future Use (Demo):

N/A

4. IS ASBESTOS PRESENT? ☒ Y ☐ N

5. WORK HOURS: (Optional)

a.m.

p.m.

6. SCHEDULED DATE DEMOLITION:

Start:

Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL:

Start: 02/21/00

Complete: 04/30/00

8. REGULATED ASBESTOS
CONTAINING MATERIAL TO BE
REMOVED (RACM):NONFRIABLE ASBESTOS NOT
TO BE REMOVED (Demolition):NONFRIABLE ASBESTOS TO BE
REMOVED:

CATEGORY I

CATEGORY II

CATEGORY I

CATEGORY II

Pipes (Ln. Ft.)

5034

Surface Area (Sq. Ft.)

Volume (Cu. Ft.)

9. ASBESTOS REMOVAL CONTRACTOR: INCRP Inc.

Address: 36283 North Cullen Ave

City: Evansville

State, Zip: IN 47715

Contact: Brad Solem

Phone: 812-485-0035

10. DEMOLITION CONTRACTOR: N/A

Address:

City:

State, Zip:

Contact:

Phone:

11. OWNER NAME: Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur

State, Zip: IL, 62526

Contact: Pete Brinkotter

Phone: 217-425-1352

12. WASTE TRANSPORTER: Waste Management of Central Illinois

Address: 3000 East Ash Street

City: Springfield

State, Zip: IL, 62702

Contact: Marty Sommer

Phone: 217-523-5497

13. WASTE DISPOSAL SITE: Five Oaks R.D.S.

Address: R.R. 2 Box 79E

City: Taylorville

State, Zip: IL, 62563

Landfill Permit #: 0218160006

Phone: 217-824-3942

Date Received:

FROM IS ACTS

-AGENCY USE ONLY-

To Region 1 2 3

By Whom Date:

To County

Change

Letter

Signature

Received

Name

Marked

PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.
Bulk samples using PLM analysis

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: ANTEK

DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK:
Remove abandon pipe from ceiling in bay E.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.
Piping Neg pressure Glove Bags

DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE. All abandoned pipe will be glovebagged in sections in order for us to cut piping. Pipe will be double wrapped in 6 mil poly. Each glovebag will be smoke tested and wet methods used. and vac will be used to apply neg pressure and to evacuate air prior to dismantle. Pipes will be scrubbed & locked down with encapsulant. Pipes will be labeled and taken to designated dumpster. Air monitoring will be done.

IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

FOR EMERGENCY RENOVATIONS:

N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER.
See attachment #1.

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR SUBPART M-61.145, REV. NOV. 20, 1990.
SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Bruce D. Salim
Signature of Officer/Coordinator
(Original Signature Only. Photocopy Not Valid)

2-7-00
Date

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.C. Box 18278, Springfield, IL 62794-3278



Service Is Our Standard

Attachment #1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder.

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion) date or if the amount of material exceeds the original estimate by 20% or more.
5. All asbestos-containing waste material will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation 40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and the evidence of the completion of the required training will be posted and available for inspection at the site.

Bradley D. Loken
2-7-00

INCRP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039



Service Is Our Standard

①

217-425-1214

Facsimile Transmittal

RECEIVED

OCT 05 1999

Date:

10/5/99

Attention:

Mr. Pete Brinkatter

From:

Kathi

Number of pages (including this cover):

17

Comment(s):

I am faxing the Original Notification
for Phase 2, 3, 4.

Start Date 11/15/99

Completion 01/15/00

I am also faxing a Revised Notification
for Phase 1 - The only thing that
changed was the completion date

Original Completion 10/8/99

Revised " " 10/29/99

Any questions please
call!

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

P 01

FAX NO. 18124850039

INCORP INC

Phone: 812-485-0035
Fax: 812-485-0039

OCT-05-99 TUE 09:17

BFS/Jackson 003232



REC. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

IL 532-1296
APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19276, Springfield, IL 62794-9276

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): O-Original

2. TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R

3. FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur

County: Macon

State: IL

ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: Ba Y

Bldg. Size: 100,000

of Flrs. 2

Age: 1952

Present Use: Manufacturing

Prior Use:

Future Use (Demo): N/A

4. IS ASBESTOS PRESENT? ☒ Y ☐ N

5. WORK HOURS: (Optional)

a.m.

p.m.

6. SCHEDULED DATE DEMOLITION:

Start:

Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL:

Start: 11-15-99

Complete: 01-15-2000

8. REGULATED ASBESTOS
CONTAINING MATERIAL TO BE
REMOVED (RACM):NONFRIABLE ASBESTOS NOT
TO BE REMOVED (Demolition):NONFRIABLE ASBESTOS TO BE
REMOVED:

CATEGORY I

CATEGORY II

CATEGORY I

CATEGORY II

Pipes (Ln Ft.)

10,931

Surface Area (Sq. Ft.)

Volume (Cu. Ft.)

9. ASBESTOS REMOVAL CONTRACTOR: INCORP Inc.

Address: 2628B North Cullen Ave

City: Evansville

State, Zip: IN 47715

Contact: Brad Solem

Phone: 812-485-0035

10. DEMOLITION CONTRACTOR: N/A

Address:

City:

State, Zip:

Contact:

Phone:

11. OWNER NAME: Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur

State, Zip: IL, 62526

Contact: Pete Brinkotter

Phone: 217-425-1352

12. WASTE TRANSPORTER: Waste Management of Central Illinois

Address: 3000 East Ash Street

City: Springfield

State, Zip: IL, 62702

Contact: Marty Sommer

Phone: 217-523-5497

13. WASTE DISPOSAL SITE: Five Oaks R.D.S.

Address: R.R. 2 Box 79E

City: Taylorville

State, Zip: IL, 62568

Landfill Permit #: 0218160006

Phone: 217-824-3942

Date Received

Input to ACTS

-AGENCY USE ONLY-

To Region 1 2 3

Per Month Date

To Comm/Qty

Champaign

LaSalle

Macon

P.02

FAX NO. 18124850039

INCORP INC

OCT-05-99 TUE 09:17

BFS/Jackson 003233

PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS

Bulk samples using PIM analysis

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: ANTEK

DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK:
Remove abandon pipe from ceiling in bay H.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.
Piping Neg pressure Glove Bags

6. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE: All abandoned pipe will be glovebagged in sections in order for us to cut down piping. Pipe will be double wrapped in 6 mil poly. Each glovebag will be smoke tested and wet methods used. A head vac will be used to apply neg pressure and to evacuate air prior to dismantle. Pipes will be scrubbed and locked down with encapsulant. Pipes will be labeled and taken to designated dumpster. Air monitoring will be done.

17. IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

18. FOR EMERGENCY RENOVATIONS:

N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

19. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER.
See attachment #1.

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR-SUBPART M-61.145, REV. NOV. 20, 1990.
ALL SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

20. I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Bradley D. Solene
Signature of Owner/Operator
(Original Signature Only, Photocopy Not Valid)

Date

10/4/99

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.O. Box 19276, Springfield, IL 62794-9276



Service Is Our Standard

①

Attachment #1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder.

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer etc.) Will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion*) date or if the amount of material exceeds the original estimate by 20% or more.
5. All asbestos-containing waste material will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation 40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and the evidence of the completion of the required training will be posted and available for inspection at the site.

Bradly D. Salun
10-4-99

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039

P. 07

FAX NO. 18124850039

INCORP INC

OCT-05-99 TUE 09:22

BFS/Jackson 003235

PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.
Bulk samples using PLM analysis.

(6)

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: ANTEK

5. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK:

Remove abandon pipe from ceiling in bay H.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.

Piping Neg Pressure Glove Bags

6. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE: All abandoned pipe will be glovebagged in sections in order for us to cut down piping. Pipe will be double wrapped in 6 mil poly. Each glovebag will be smoke tested and wet methods used. A head vac will be used to apply neg. pressure and to evacuate air prior to dismantle. Pipes will be scrubbed and locked down with encapsulant. Pipes will be labeled & take designated dumpster. Air monitoring will be done.

7. IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

8. FOR EMERGENCY RENOVATIONS: N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of imminent collapse):

9. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBED, PULVERIZED, OR REDUCED TO POWDER.

See attachment #1

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR-SUBPART M-61.145, REV. NOV. 20, 1990.
ALL SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

10. I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Signature of Owner/Operator

(Original Signature Only. Photocopy Not Valid)

8/27/99
BDS 10-4-99

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.O. Box 19276, Springfield, IL 62794-9276

NOTIFICATION OF DEMOLITION AND RENOVATION

IL 532 1296
APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19275, Springfield, IL 62794-9275

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 IL Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): O Original R-REVISED

TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R

FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone

Address: 2500 N. 22nd Street

City: Decatur County: Macon State: IL ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: H-Bay

Bldg. Size: 100,000 # of Flrs. 2 Age: 1952 Present Use: Manufacturing

Prior Use: SAME Future Use (Demo): N/A

4. IS ASBESTOS PRESENT? (Y) N 5. WORK HOURS: (Optional) a.m. p.m.

6. SCHEDULED DATE DEMOLITION: Start Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL: Start 9-10-99 Complete: 10-2-99 10/29/99

8. REGULATED ASBESTOS CONTAINING MATERIAL TO BE REMOVED (RACM): NONFRIABLE ASBESTOS NOT TO BE REMOVED (Demolition): NONFRIABLE ASBESTOS TO BE REMOVED: CATEGORY I CATEGORY II

Pipes (Ln. Ft.)	5112				
Surface Area (Sq. Ft.)					
Volume (Cu. Ft.)					

9. ASBESTOS REMOVAL CONTRACTOR: INCORP Inc. City: Evansville
Address: 2628B N. Cullen Ave. Phone: 812-485-0035
State, Zip: Indiana, 47715 Contact: Brad Solem

10. DEMOLITION CONTRACTOR: N/A City:
Address: Phone:
State, Zip: Contact:

11. OWNER NAME: Bridgestone/Firestone City: Decatur
Address: 2500 N. 22nd Street Phone: 217-425-1352
State, Zip: IL, 62526 Contact: Pete Brinkotter

12. WASTE TRANSPORTER: Waste Management of Central Illinois City: Springfield
Address: 3000 East Ash Street Phone: 217-523-5497
State, Zip: IL, 62702 Contact: Marty Sommer

13. WASTE DISPOSAL SITE: Five Oaks R.D.S. City: Taylorville
Address: R.R. 2 Box 79E Phone: 217-824-3942
State, Zip: IL, 62568 Landfill Permit #: 0218160006

AGENCY USE ONLY: To Region 1 2 3
Date Received: _____ To County/City: _____
Post Mark Code: _____



Service Is Our Standard



Attachment #1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder:

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer etc.) Will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion*) date or if the amount of material exceeds the original estimate by 20% or more.
5. All asbestos-containing waste material will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation 40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and the evidence of the completion of the required training will be posted and available for inspection at the site.

Bruce D. Solan
10-4-99

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039

P. 04

FAX NO. 18124850039

INCORP INC

OCT-05-99 TUE 09:19

BFS/Jackson 003238

RECEIVED

NOV - 9 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 10-15-99 to 12-31-99 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.


The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

10/15/99
(DATE)


(TITLE)

BFS
(COMPANY)

Distribution:

Operation Mgr.

USWA Safety Rep.

Maintenance Mgr.

DIMCO Mgr.

Other: Banbury Supervisor, Calender Supervisor, Stockcutting Supervisor, Beadroom Supervisor, Tubers Supervisor, Scrap Room Supervisor, Curing Supervisor, Tire Room Supervisor, Final Supervisor, Receiving Supervisor

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
OCT 11 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 10-15-99 to 12-31-99 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Steve Puck
(NAME)

10-6-99
(DATE)

Caring Ngw.
(TITLE)

BFS Inc.
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Banbury Supervisor, Calender Supervisor, Stockcutting Supervisor, Beadroom Supervisor, Tubers Supervisor, Scrap Room Supervisor, Curing Supervisor, Tire Room Supervisor, Final Supervisor, Receiving Supervisor

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

406.0043

RECEIVED
OCT 07 1999

RECEIVED
OCT 07 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 10-15-99 to 12-31-99 in the following area(s): Banbury, Calendars, Stockcutting, Bead Room, Tubers, Scrap Room, Curing, Tire Room, Final, and Receiving. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure. IMMEDIATELY address your concerns to both the asbestos abatement Project Supervisor Roy Smith at Ext. 563 or Dennis Kreher at Ext. 387 and the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Gregory W. Gurske
(NAME)

10/7/99
(DATE)

Health, Safety, Security Mgr
(TITLE)

BFS.
(COMPANY)

Distribution:
Operation Mgr. Maintenance Mgr.
USWA Safety Rep. DIMCO Mgr.
Other: Banbury Supervisor, Calender Supervisor, Stockcutting Supervisor, Beadroom Supervisor, Tubers Supervisor, Scrap Room Supervisor, Curing Supervisor, Tire Room Supervisor, Final Supervisor, Receiving Supervisor

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

406.00.23



Service Is Our Standard

Facsimile Transmittal

Date:

6/23/99

Attention:

Mr. Pete Brinkotter

From:

Kathi

Number of pages (including this cover):

5

Comment(s):

INCORP Inc.

2628 B North Cullen Avenue

Phone: 812-485-0035

FAX: 812-485-0030

BFS/Jackson 003243



REC. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

IL 532 1296

APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19276, Springfield, IL 62794-9276

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): O-Original

2. TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation): R-Renovation

3. FACILITY DESCRIPTION (Building Name): Bridgestone/Firestone, Inc.

Address: 2500 North 22nd Street

City: Decatur

County: Macon

State: Illinois

ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: Men's locker Room

Bldg. Size: 100,000

of Flrs. 2

Age: 1952

Present Use: Manufacturing

Prior Use: Same

Future Use (Demo): N/A

4. IS ASBESTOS PRESENT? ☒ Y ☐ N

5. WORK HOURS: (Optional)

12:01 a.m.

12:01 p.m.

6. SCHEDULED DATE DEMOLITION:

Start:

Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL:

Start: 7-6-99

Complete: 7-8-99

8. REGULATED ASBESTOS
CONTAINING MATERIAL TO BE
REMOVED (RACM):NONFRIABLE ASBESTOS NOT
TO BE REMOVED (Demolition):NONFRIABLE ASBESTOS TO BE
REMOVED:

CATEGORY I

CATEGORY II

CATEGORY I

CATEGORY II

Pipes (Ln. Ft.)

Surface Area (Sq. Ft.) 3400

Volume (Cu. Ft.)

9. ASBESTOS REMOVAL CONTRACTOR: INCRP, Inc.

Address: 2628-B North Cullen Ave.

City: Evansville,

State/Zip: IN, 47715

Contact: Brad Solem

Phone: 812-485-0035

10. DEMOLITION CONTRACTOR: N/A

Address:

City:

State/Zip:

Contact:

Phone:

11. OWNER NAME: Bridgestone/Firestone, Inc.

Address: 2500 N. 22nd Street

City: Decatur

State/Zip: IL, 62526

Contact: Mr. Pete Brinkotter

Phone: 217-425-1352

12. WASTE TRANSPORTER: Waste Management of Springfield

Address: 300 East Ash Street

City: Springfield

State/Zip: IL 62703

Contact: Marty Sommer

Phone: 217-523-5497

13. WASTE DISPOSAL SITE: Five Oaks R.D.F.

Address: RR 2 79E

City: Taylorville

State/Zip: IL, 62568

Landfill Permit #: 0218160006

Phone: 217-824-3924

Date Received

Input to ACTS

-AGENCY USE ONLY-

To Region 1 2 3

Post Mark Date:

To Cook/Chy

Champaign

LaSalle

14. PROCEDURE, INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.

Bulk samples using PLM analysis

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: Antek Environmental, Evansville, Indiana

15. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK: Remove Floortile from mens locker room in section #1 3400sf

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.

Wet methods

16. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE: Critical barriers will be put up. Neg. air machines will be set up exhausting air to outside. Splash wall will be hung. Tiles will be wetted using ammended water prior and during removal using spud hoes. A tiles will be placed into double 6mil bags for disposal. The mastic is non-asbestos. Floor will be wet moped and wet hepa vaced. Air clearances will be ran as well as personnel and areas. Allmen will be wearing full PPE during removal and cleanup.

17. IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y ☒ N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

18. FOR EMERGENCY RENOVATIONS. N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

19. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER:

See attachment #1

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR-SUBPART M-61.145, REV. NOV. 20, 1990.
ALL SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

20. I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Signature of Bradley D. Solens
(Original Signature Only, Photocopy Not Valid)Date 6/22/99

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.O. Box 19276, Springfield, IL 62794-9276

*Service Is Our Standard*

Attachment 1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder:

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project designer, etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion*) date or if the amount of material exceeds the original estimate by 20% or more.**
5. All asbestos-containing waste materials will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation (40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and that evidence of the completion of the required training will be posted and available for inspection at the site.

Brady D. Salem

P 147 278 396

US Postal Service

Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to

ILLINOIS EPA

Street & Number

Post Office, State, & ZIP Code

19276 ILL. 62794

Postage

\$ 33

Certified Fee

140

Special Delivery Fee

Restricted Delivery

Return Receipt, if requested

Whom & Date Delivered

Return Receipt showing to Whom

Date, & Addressee's Address

TOTAL Postage & Fees

\$ 296

Postmark or Date

USPS

PS Form 3800, April 1995

1999 Asbestos
Notifications
406.00.23 ✓
Label
for
Index
7.26

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 6/1/99 to 8/1/99 in the following area(s): Basement 101. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Dennis Kreher AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

(NAME)

(DATE)

(TITLE)

(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: _____

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.



Service Is Our Standard

Facsimile Transmittal

Date:

5/21/99

Attention:

Mr. Pete Brinkatter

From:

Katti

Number of pages (including this cover):

5

Comment(s):

(5/17/99).
This has been sent certified mail -
when I receive the green card back,
I'll fax you a copy.

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039

P. 01

FAX NO. 18124850039

INCORP INC

MAY-21-99 FRI 13:15

BFS/Jackson 003250



REC. NO.

NOTIFICATION OF DEMOLITION AND RENOVATION

COPY

IL 532 1298

APC 430 Rev.11/96

Illinois Environmental Protection Agency

P.O. Box 19276, Springfield, IL 62794-9276

The Illinois EPA is authorized to require, and you must disclose, the information on this form pursuant to 35 Ill. Adm. Code 201.302(a,b) and 254. It is not necessary to use this form in providing the information. Failure to disclose the information may result in penalties as provided for in the Environmental Protection Act, 415 ILCS 5/42-45. This form has been approved by the Forms Management Center.

1. TYPE OF NOTIFICATION (O-Original/R-Revised/C-Canceled): Original

2. TYPE OF OPERATION (R-Renovation/D-Demo/A-Annual/O-Ordered Demo/E-Emergency Renovation):

3. FACILITY DESCRIPTION (Building Name): Bridgestone Firestone, Inc.

Address: 2500 N. 22nd St.

City: Decatur

County: Macon

State: IL

ZIP: 62526

Location of Asbestos Containing Material (ACM) in structure: Basement 101, 102

Bldg. Size: 100,000

of Flrs. 2

Age: 1952

Present Use: Manufacturing

Prior Use: Same

Future Use (Demo):

4. IS ASBESTOS PRESENT? ☒ Y ☐ N

5. WORK HOURS: (Optional)

7:00 a.m.

5:30 p.m.

6. SCHEDULED DATE DEMOLITION:

Start:

Complete:

7. SCHEDULED DATE ASBESTOS REMOVAL:

Start: June 1, 1999 Complete: July 2, 1999

8. REGULATED ASBESTOS
CONTAINING MATERIAL TO BE
REMOVED (RACM):NONFRIABLE ASBESTOS NOT
TO BE REMOVED (Demolition):NONFRIABLE ASBESTOS TO BE
REMOVED:

CATEGORY I

CATEGORY II

CATEGORY I

CATEGORY II

Pipes (Ln. Ft.)

6,580

Surface Area (Sq. Ft.)

Volume (Cu. Ft.)

9. ASBESTOS REMOVAL CONTRACTOR: INCORP, Incorporated

Address: 2628B North Cullen Ave.

City: Evansville

State, Zip: IN 47715

Contact: Brad Solem

Phone: 812-485-0035

10. DEMOLITION CONTRACTOR: N/A

Address:

City:

State, Zip:

Contact:

Phone:

11. OWNER NAME: Bridgestone/ Firestone, Inc.

Address: 2500 N. 22nd St.

City: Decatur

State, Zip: IL 62528

Contact: Dennis Kreher

Phone: 217-425-1387

12. WASTE TRANSPORTER: Waste Management of Springfield

Address: 300 East Ash Street

City: Springfield

State, Zip: IL 62703

Contact: Marty Sommer

Phone: 217-523-5497

13. WASTE DISPOSAL SITE: Five Oaks R.D.F.

Address: RR 2 79 E

City: Taylorville

State, Zip: IL 62568

Landfill Permit #: 0218160006

Phone: 217-824-3924

Date Received

INFORM TO ACTS

AGENCY USE ONLY.

To Report 1 2 3

Post Mark Date

To County

Champaign

LaSalle

Springfield

Bureau

P.02

FAX NO. 18124850039

INCORP INC

MAY-21-99 FRI 13:15

BFS/Jackson 003251

14. PROCEDURE INCLUDING ANALYTICAL METHOD, USED TO DETECT THE PRESENCE OF ASBESTOS.

Bulk Samples using PLM analysis

ILLINOIS LICENSE NUMBER OF INSPECTOR: 100-6816

NAME OF ANALYTICAL TESTING LABORATORY: Anteck Environmental, Evansville, IN

15. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK:

Removal of asbestos piping and fittings in building 101 and 102.

METHODS TO BE EMPLOYED INCLUDING DEMOLITION OR RENOVATION TECHNIQUES.

Glovebag procedures

16. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS AT THE DEMOLITION OR RENOVATION SITE:

See Attachment #2

17. IS DEMOLITION ORDERED BY A GOVERNMENTAL AGENCY? Y ☒ N (If Yes, a signed copy of Order must be attached.)

Governmental representative ordering the activity:

Title:

Date of Order:

Ordered Demolition Date:

18. FOR EMERGENCY RENOVATIONS:

N/A

Date and Hour of Emergency:

Description of the Sudden, Unexpected Event (e.g. structure in danger of eminent collapse):

19. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLD, PULVERIZED, OR REDUCED TO POWDER.

See attachemnt #1

THE ABOVE INFORMATION IS REQUIRED PER NESHAP 40 CFR-SUBPART M-61.145, REV. NOV. 20, 1990.
ALL SECTIONS MUST BE COMPLETED TO AVOID NOTICE VIOLATION.

20. I CERTIFY THAT AT LEAST ONE REPRESENTATIVE, TRAINED IN THE PROVISIONS OF 40 CFR PART 61, SUBPART M, SHALL BE ON-SITE DURING DEMOLITION OR RENOVATION, HAVING IN HIS OR HER POSSESSION, FOR INSPECTION, EVIDENCE THAT THE REQUISITE TRAINING HAS BEEN ACCOMPLISHED.

I CERTIFY THE ABOVE INFORMATION IS CORRECT.

Bradley D. Holm 5-17-99
Signature of Owner/Operator Date
(Original Signature Only, Photocopy Not Valid)

Mail this form to: IL Environmental Protection Agency, Attn: Otto Klein, P.O. Box 19276, Springfield, IL 62794-9276

INCORP
Inc.

Service Is Our Standard

Attachment 1

The following procedures will be implemented in the event that unexpected asbestos is found or previously non-friable asbestos material becomes crumbled, pulverized or reduced to powder:

1. The material will not be further disturbed until it has been properly evaluated.
2. Appropriately accredited individuals (inspection, project Designer, etc.) will be consulted to determine the best response action.
3. Any stripping/removal operations needed will be designed and implemented by appropriate/accredited individuals.
4. A revised notification will be made if there will be a change in the start (or completion*) date or if the amount of material exceeds the original estimate by 20% or more.**
5. All asbestos-containing waste materials will be disposed of in a safe and lawful manner at a properly permitted landfill.

I certify that an individual trained in the provisions of this regulation (40 CFR Part 61, Subpart M) will be on site during the stripping or removal of regulated asbestos-containing material described by this notification and that evidence of the completion of the required training will be posted and available for inspection at the site.

Bradley D. Solomon
5-17-99



Service Is Our Standard

ATTACHMENT #2

STATE NOTIFICATION ITEM #16

GLOVEBAG PROCEDURES

Areas being removed will be barricaded off using barrier tape. Critical openings will be put up using 6 mil poly. 6 mil poly will be laid under piping to be stripped. All glovebags will be hung using 2" duct tape. All bags will be smoke tested prior to removal. All material will be thoroughly wetted using amended water. After removal has been completed the pipe will be scrubbed using 3M pads and then encapsulated with lock down. The glovebag will then be evacuated by using a heppa filtered vacuum. The bag will then be taped shut and cut from pipe and placed into another 6 mil bag. All personnel will be trained and documentation will be on site for your inspection.

Bradley D. Salemi
5-17-99

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035

Fax: 812-485-0039

P. 05

FAX NO. 18124850039

INCORP INC

MAY-21-99 FRI 13:18

BFS/Jackson 003254

NOTIFICATION TO CONTRACTORS: PRESENCE OF ASBESTOS IN BUILDING

In compliance with 29CFR 1910.1001, OSHA Asbestos Standard, please be advised that the BFS-Decatur facility was erected prior to 1980 and does contain asbestos-containing material (ACM). Bulk sampling of material has identified locations of ACM; where bulk sampling has not been conducted and material is questionable, that material is presumed asbestos-containing material (PACM). Most ACM/PACM is in the form of thermal system (pipe) insulation (TSI); however, it is NOT limited to TSI. All areas where identified ACM/PACM is located is clearly marked with warning postings (see attachments). These areas currently include the Powerhouse and Curing Department pits.

Insulation is maintained in an encapsulated condition to minimize risk of exposure. Air sampling completed at BFS-Decatur has demonstrated that exposure levels in locations where ACM is present do NOT exceed the OSHA established exposure limits. Disturbance via cutting, drilling, tearing, etc. May expose yourself and other occupants of this facility to airborne asbestos fibers; therefore, such disturbance is NOT to occur as part of your contracted activities.

We **require** that you contact the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter, at (217) 425-1459 prior to removal of any fixtures, pieces of equipment, thermal system insulation and ceiling or floor. Pete Brinkoetter, will first confirm whether the material is asbestos free. If the material is ACM, BFS-Decatur will have the material removed by a licensed asbestos abatement contractor prior to your commencement of the project.

I have read and understand the above paragraphs and agree to communicate these requirements to my employees and any subcontractors I have on site.

James Brinkoetter
(NAME) (SIGNATURE)

10-22-99
(DATE)

Vice President
(TITLE)

Buchanan Enterprises, Inc.
(COMPANY)

Bridgestone/Firestone ("BFS")

Decatur Plant

Contractor Acknowledgement Form

Name of Firm: Buchanan Enterprises, Inc.
Address: 435 Sunset Ct. Phone: (217) 864-3859
Contractor Representative: Paul Benedict

Acknowledgement

I (We) acknowledge that Buchanan Enterprises, Inc. as representative(s) for the BFS-Decatur Plant has provided us with a copy of the General Safety Rules for Contractors and their Employees Bridgestone/Firestone – Decatur Plant.

The Contractor acknowledges that all its employees and personnel who will perform any activity associated with the Contractor's work at the BFS-Decatur Plant will be aware of, will have been instructed about, will have reviewed and will comply with all applicable federal, state and local safety, health and environmental laws, ordinances and regulations as well as the "General Safety Rules for Contractors and Their Employees Bridgestone/Firestone – Decatur Plant."

Contractor Representative: Paul Benedict
Date: 06-22-99

P. Bruckert
ATTN: Billy Howell

Bridgestone/Firestone ("BFS")

Decatur Plant

Contractor Acknowledgement Form

Name of Firm: DECATUR INDUSTRIAL ELECTRIC
Address: 1501 N. 22nd ST Phone: (217) 428-6621
DECATUR, IL 62525
Contractor Representative: BRYAN YOUNG

Acknowledgement

I (We) acknowledge that MARK WOOD as representative(s) for the BFS-Decatur Plant has provided us with a copy of the General Safety Rules for Contractors and their Employees Bridgestone/Firestone - Decatur Plant.

The Contractor acknowledges that all its employees and personnel who will perform any activity associated with the Contractor's work at the BFS-Decatur Plant will be aware of, will have been instructed about, will have reviewed and will comply with all applicable federal, state and local safety, health and environmental laws, ordinances and regulations as well as the "General Safety Rules for Contractors and Their Employees Bridgestone/Firestone - Decatur Plant."

Contractor Representative: *[Signature]*
Date: 6-11-99



Service Is Our Standard

June 14, 1999

Bridgestone Firestone, Inc.
2500 North 22nd Street
Decatur, IL 62526

Attention: Safety Department

Subject: Notification to Contractors,
Presence of Asbestos in Building
and Contractor Acknowledgment Form

Gentlemen:

INCORP Incorporated is pleased to submit the signed subject forms listed above.

Respectfully,

A handwritten signature in black ink, appearing to read "Terry R. Moore".

Terry R. Moore
Sales Manager

cc: L. C. Albertson
Correspondence

INCORP Inc.

2628 B North Cullen Avenue
Evansville, IN 47715

Phone: 812-485-0035
Fax: 812-485-0039

BFS/Jackson 003258

Bridgestone/Firestone ("BFS")

Decatur Plant

Contractor Acknowledgement Form

Name of Firm: INCORP Incorporated

Address: 2628B North Cullen Ave. Phone: (812) 485-0035

Contractor Representative: Terry R. Moore

Acknowledgement

I (We) acknowledge that Dennis Kreher as representative(s) for the BFS-Decatur Plant has provided us with a copy of the General Safety Rules for Contractors and their Employees Bridgestone/Firestone – Decatur Plant.

The Contractor acknowledges that all its employees and personnel who will perform any activity associated with the Contractor's work at the BFS-Decatur Plant will be aware of, will have been instructed about, will have reviewed and will comply with all applicable federal, state and local safety, health and environmental laws, ordinances and regulations as well as the "General Safety Rules for Contractors and Their Employees Bridgestone/Firestone – Decatur Plant."

Contractor Representative: Terry R. Moore

Date: 06/14/99

NOTIFICATION TO CONTRACTORS: PRESENCE OF ASBESTOS IN BUILDING

In compliance with 29CFR 1910.1001, OSHA Asbestos Standard, please be advised that the BFS-Decatur facility was erected prior to 1980 and does contain asbestos-containing material (ACM). Bulk sampling of material has identified locations of ACM; where bulk sampling has not been conducted and material is questionable, that material is presumed asbestos-containing material (PACM). Most ACM/PACM is in the form of thermal system (pipe) insulation (TSI); however, it is NOT limited to TSI. All areas where identified ACM/PACM is located is clearly marked with warning postings (see attachments). These areas currently include the Powerhouse and Curing Department pits.

Insulation is maintained in an encapsulated condition to minimize risk of exposure. Air sampling completed at BFS-Decatur has demonstrated that exposure levels in locations where ACM is present do NOT exceed the OSHA established exposure limits. Disturbance via cutting, drilling, tearing, etc. May expose yourself and other occupants of this facility to airborne asbestos fibers; therefore, such disturbance is NOT to occur as part of your contracted activities.

We **require** that you contact the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter, at (217) 425-1459 prior to removal of any fixtures, pieces of equipment, thermal system insulation and ceiling or floor. Pete Brinkoetter, will first confirm whether the material is asbestos free. If the material is ACM, BFS-Decatur will have the material removed by a licensed asbestos abatement contractor prior to your commencement of the project.

I have read and understand the above paragraphs and agree to communicate these requirements to my employees and any subcontractors I have on site.

Timothy M. May
(NAME) (SIGNATURE)

06/14/99
(DATE)

Sales Manager
(TITLE)

INCORP Incorporated
(COMPANY)

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

Gregory Gourski
(NAME)

8/18/99
(DATE)

HSS Manager
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Tire Room Manager
Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS Decatur Plant in this area.

Work is scheduled for the following area: BASEMENT OF BLDG. 101

Work will commence on: 6/1/99

Work will be in progress for approximately: 6 WEEKS

BFS Decatur has contracted a licensed asbestos abatement contractor to complete the work. They will be following OSHA and EPA approved procedures, which permit abatement activities to occur while other (non-asbestos) activities continue in the plant.


OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractor will be using barrier tape and warning signs to demarcate restricted areas. You may not enter restricted areas at any time, ask the abatement technicians for assistance if you need something from this area.

If at any time you feel that the asbestos abatement contractor may not be following proper procedures, subjecting employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor, Dennis Kreher AND the BFS Decatur Environmental Coordinator, Pete Brinkoetter.



Dennis Kreher/387
Powerhouse Supervisor



Date

To Let
Dunkerton

RECEIVED
AUG 19 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

8/18/99
(DATE)

Curing Manager
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Tire Room Manager
Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
AUG 19 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.

DENNIS KREHER
(NAME)
POWERHOUSE SUPERVISOR
(TITLE)

8/18/99
(DATE)
BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Tire Room Manager
Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

NOTIFICATION OF ASBESTOS ACTIVITIES

RECEIVED
AUG 20 1999

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

8/19/99
(DATE)

TIRE ROOM MANAGER
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Tire Room Manager
Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER - ENVIRONMENTAL DEPT.

RECEIVED
AUG 25 1999

NOTIFICATION OF ASBESTOS ACTIVITIES

This notice is to inform you that asbestos abatement is scheduled to take place at the BFS-Decatur plant commencing 8/23/99 to 10/15/99 in the following area(s): Curing and Tire Room. BFS-Decatur has contacted a licensed asbestos abatement contractor to complete the project. They will be following OSHA and EPA approved procedures that permit abatement activities to occur while other (non-asbestos) activities continue in the plant. OSHA and EPA approved procedures are designed to prevent asbestos exposure to those working in the adjacent areas.

The abatement contractors will be using barrier tape and warning signs to demarcate restricted areas. You and your employees are restricted from these areas. It is your responsibility to communicate these activities and restrictions to your employees and any contractors you may have on site.

If at any time you feel that the asbestos abatement contractors may not be following proper procedures, subjecting your employees to potential asbestos exposure, IMMEDIATELY address your concerns to both the asbestos abatement project Supervisor Roy Smith or Dennis Kreher at extension 381 AND the BFS-Decatur Asbestos Coordinator, Pete Brinkoetter at extension 459.

I have read and understand the above paragraphs, and agree to communicate this information to my employees and any contractors working in the abatement area.


(NAME)

8/12/99
(DATE)

TIRE ROOM MANAGER
(TITLE)

BFS
(COMPANY)

Distribution:
Operation Mgr.
USWA Safety Rep.

Maintenance Mgr.
DIMCO Mgr.
Other: Tire Room Manager
Curing Manager

PLEASE SIGN AND RETURN COPY TO: PETE BRINKOETTER -
ENVIRONMENTAL DEPT.