

MEMORANDUM

March 8, 1984

TO: Operations General Managers

RE: ASBESTOS EXPOSURE

Today, Dr. Irby showed me the results of a corporate wide asbestos survey conducted in 1983 by Industrial Hygiene and Central Engineering. Surveys of all our manufacturing facilities have now been completed. While there is still some structural asbestos in our buildings and furnaces, and some minimal use of preformed and/or premachined asbestos products, he has assured me that there is no reason for any of our workers to be exposed to asbestos dust. It is my understanding that a very comprehensive list of asbestos substitutes has been developed. With these substitutes and the instructions from Industrial Hygiene on the handling and dismantling of asbestos, he is confident that there is no longer any exposure to asbestos in our corporation.

Dr. Irby was very appreciative of the help and full support he received from each of you on this effort. I am sure that with your help this very worthwhile achievement will be maintained.

William O. Bourke
William O. Bourke

TX TINER
RMC0030590

3/9/84

MEMO SENT TO:
Temple Brown
Don Downing
Ray Dowell
Rod Hanneman
Jack Gates
Paul Hayden
Richard Peters
Roger Scott
A. D. Reynolds
John Steel
Jack Shehee
Don Thrasher
Bob Waldrop

ne Irby, M. D.

3/9/84

John R. McGill

N. Bolling
H. Featherston
V. Helton
G. Holder
H. Lucas, Jr.
M. Noonan
D. O'Donnell

FYI

METALS COMPANY

A 23261

804/281-2773



TX Tiner
RMC0030591