

Ray Cal - 2546
Total 2546
Total 1897



<u>Dry No.</u>	<u>Name</u>
520	Best Grade Carbon Black
101	2nd Grade Carbon Black
1725	3rd Grade Carbon Black
420	Best Grade Bone Black
32	Third Grade Bone Black
104	Med. Grade Lamp Black
488	Graphite
56	Mineral Black
42	Keystone Filler
158	Powdered Wood Charcoal

1583

get cheap


1764 - *Evolution Black*
(Carbon Black)

<u>Bulk</u>	<u>Lbs. for En.</u>	<u>Lbs. for Paste</u>
6.6	.25	1.5
6.6	.25	1.8
6.6	.25	2
4.5	1.6	
4.5	1.6	10
6.7	.3	3.5
5.5	1	12
6.1	.5	9
4.6	3	18
8.7		12

6.65

BLACK PIGMENTS

<u>No.</u>	<u>Name</u>	<u>Bulk</u>	<u>Cost</u>
32	Bone Blk. (3rd Grade) 4.5 (For SW Co. usage only) 81% Calcium Phosphate & Calcium Carbonate 19% Carbon	4.5	7.00
42	Keystone Filler 4.6 8% True Fixed Carbon 88% Silica & Silicates Volatile - 4%	4.6	1.00
46	Bone Blk. (Med. Grade) 4.5 11% Carbon 89% Calcium Phosphate & Calcium Carbonate	4.5	7.00
56	Mineral Black 6.1 67% True Fixed Carbon 8% Volatile 25% Silica & Silicates	6.1	
101	Carbon Black (Second Grade) 100% Carbon Not over 0.2% ash Not over 0.7% oils	6.80	
58	Lamp Blk. (Best Grade) 8.8 100% Carbon 0.2% Ash - Maximum 0.7% Oils Lamp Blk. (Med. Grade) 100% Carbon Not over 0.2% ash Not over 0.7% oils	8.8	



TR.MK. REG. U.S. PAT. OFF.

BLACK PIGMENTS - (Continued)

Bulk

158 Wood Charcoal, Powdered 8.7
Ash not over 10%
Carbon not less than 70%
20% Volatile Combustible Matter
5% (max.) Moisture

181 Acheson Graphite 5.70
95% Carbon
5% Silica & Silicates

420 Bone Blk. (Best Grade) 4.5
Carbon 11%
Balance - Calcium Phosphate
& Calcium Carbonate

488 Graphite 5.70
72-74% Carbon
27% Silica & Silicates

522 Carbon Blk. 3rd Grade 6.65
100% Carbon
Not over 0.2% Ash

528 Carbon Blk. Best Grade 6.65
Not over 0.2% Ash
0.7% Oils, 0.4% Water
Balance - Carbon

612 Flake Graphite 4.9
Pure carbon in flake form
Fineness about 40-mesh

ONLY AL. COPR. 1915 BY J. PARNER

MADE IN U.S.A.

LEFAX, PHILADELPHIA, PA.

BLACK PIGMENTS- Contd.

		Bulk	Cost
1003	Lamp Black Best Grade (For oil Colors) 100% Carbon Not over 0.2% Ash	6.70 6.70	27.00
1181	#850 Bone Black (Same as 420 Dry)	4.7	7.50
1216	Swedish Black (For Rx 22414 only) 86% Carbon 14% Silica & Silicates	6.1	
1240	Superior Flake Graphite #360	4.87	9.80
1269	#1682 Graphite (For Spec. use) (For Rx. 27093 only)	6.10	6.20
1270	Lamp Black (For Rx 15685 only) (Illinois Central R.R.)	6.75	
1502	AUX Black (Chicago - For use in Bridge Pts. for the I.C. RR.) (Used in Rx 15685)	6.22	
1510	#841 Bone Black (Armour & Co.) (For use in Q.D. Black)		

- 86 - (a)

BLACK PIGMENTS - (Continued)

U.S. PAT. OFF.

1534 #10 Velvet Black
(For Remark -
Spec's usage only)

Bulk
Approx.
6.8

1551 Graphite
85-90% Graphitic Carbon
(For Spec's usage)

5.45

1571 H.C. Bone Black
(11% Carbon)
(Used in Fluid Oil Colors)

1583 Super-Black

1709 Flake Graphite
(Chas. Pettinco #3)
(For Front End Paints)

1726 Carbon Black 6.65

ORIGINAL COPY TWO BY J. C. PARKER

MADE IN U.S.A.

LEWIS, PHILADELPHIA, PA.

71

ORIGINAL CORR. 1210 BY J. C. PARKER

- 26 -(b)

BLACK PIGMENTS - (Continued)

Bulk

1778 Megal Black
(Low Oil Absorption)
- For S-W Co., Newark

6.6

1797 Better Black

MADE IN U.S.A.

1798 Peerless Carbon Black
(For Newark in Rr 23561)

181 39

LEFAX, W. ADLPHIA, PA.

71

Oxides

Dry No.

Name

134 Venetian Red

214 Bright Red Oxide

141 #238 A Iron Oxide

82 Persian Gulf Oxide

1 Prince's Min. Double Label

54 Indian Red Dark

55 Tuscan Red

1220 Mephem's 1290

1231 Mephem's 1260

1233 Mephem's 1273

1235 Mephem's Maroon Lt.

<u>Feik</u>	<u>lbs. for Lino</u>	<u>Lbs. for Parts</u>
3.75	1.5	44
2.5	1.5	32
2.9	2.5	
3.2	2	40
3.6	2.5	32
2.4	1.5	44
3.5		48
2.65		28
2.26	2.5	35
2.6	2.5	
2.55		48

IRON OXIDES

TRADE MARK, U.S. PAT. OFF.

No.	Name	Bulk	Cost
17	Venetian Red (Second Grade) (For use in Rx 21200)	4.00	2.75
24	Iron Ore Purple (For Specn. only) Iron Oxide 83% Calcium Carbonate 1.5% Silicon Dioxide 15.5%	2.45	4.25
54	Indian Red Deep 97.5% Iron Oxide Balance - Silica & Silicates	2.45	9.60
55	Tuscan Red Iron Oxide 50% Silica 2% Balance - Silica & Silicates Barium Sulphate - 24% Organic Calcium Carbonate - 20% Color Genuine Prince's Min.	3.5	4.00
56	Not over 3.0% Calcium Carbonate 48-50% Iron Oxide Balance Silica & Silicates	3.5	2.00
57	Spanish Red Oxide (Iron Oxide 0) (For use in Rx 18142) 30% Iron Oxide 20% Silica & Silicates	2.6	3.00

QUALITY CONTROL

MADE IN U.S.A.

QUALITY CONTROL

ORIGINAL CONT. 10/1/57 J. C. PARKER

MADE IN U.S.A.

U.S. PAT. 2,700,000

IRON OXIDES - Cont'd.

	Bulk	Cost

	Bulk	Cost
Red Iron Oxide	2.6	3.00
Iron Oxide 88%		
Silica & Silicates 12%		
White Iron Oxide 40%	3.75	3.00
Iron Oxide 40%		
24% Calcium Carbonate	4.2%	4.2%
41% Calcium Sulph.	5.8%	5.8%
1% Silica		
Balance - Moisture		
shall have a pH value of		
approximately 6.		
Prussian Blue Oxide	2.2	
Net less than 70% Ferric Oxide		
Iron Oxide 40%		
1% Silicates		
1% Calcium Carbonate		
White Iron Oxide	2.45	
Net less than 40%		
Iron Oxide 40%		
1% Silica & Silicates		
White Iron Oxide	2.5	
Iron Oxide 85%		
Silica & Silicates 15%		
White Iron Oxide	2.5	
Iron Oxide		
Net less than 70% Ferric Oxide		
Iron Oxide		
White Iron Oxide		
Iron Oxide		
Organic Color		
Silica & Silicates		
not listed.		

IRON OXIDES - Contd.

		BULK		CO.	
1129	#525 Red Oxide (For Specn. only) 87% Iron Oxide. Not over 1.5% Calcium Carbonate Free from barium & Calcium sulfates.	2.7		3.15	
1141	#239 A Iron Oxide (For Specn. only) 83% Iron Oxide Balance Silica & Silicates	2.8		4.75	
1149	Robbins' Brown Metallic 65% Iron Oxide 2-8% Calcium Carbonate 23% Silicates	3.6		1.80	
1165	Princes' Metallic #1 (Temporary) 80% Iron Oxide 2% Calcium Carbonate 18% Silicates	3.2		2.35	
1204	Princes' Mineral Substitutes 55% Iron Oxide 2% Calcium Carbonate 5% Alumina 13% Aluminum Silicate Balance Silica & Silicates	3.25		2.30	

ORIGINAL COPY. MADE BY L. S. PRINCE

MADE IN U.S.A.

MADE IN U.S.A.

IRON OXIDES- Contd.

		Bulk	Con.
1230	Mephams #1230-M Oxide 87 Iron Oxide 90% Calcium Carbonate 3% Silica & Silicates 7%	2.65	1.40
1231	Mephams #1260 Oxide Not less than 80% Iron Oxide, 30% Ferric Oxide Not more than 3% Calcium Carbonate Silica & Silicates 7%	2.96	1.10
1233	#1273 Mephams Oxide 87 Iron Oxide 90% Calcium Carbonate 3% Silica & Silicates 7%	2.6	2.40
1235	Maroon Lt. Oxide Iron Oxide 90% Calcium Carbonate 3% Silica & Silicates 7%	2.65	
1235	Red Oxide (Formerly NW 33) 85% Fe ₂ O ₃ - minimum	2.7	
1235	Black Iron Oxide (Spec: I Grade) (For Spec. only)	2.74	

44-97-12-204

- 90-A -

IRON OXIDES - Cont'd.

1396 #390 Oxide Bulk 5000
Approx. 4.75
(Used by Chicago
in Modern Method
Frt. Car Paints)
10% to 20% Ferric Oxide
(Fe_2O_3) Fe_2O_3 - 1.1%

1506 Iron Oxide 3-72 5.00
Siliceous Base
(For Spec'n. Use Red
Goods only) Siliceous Base
20% Fe_2O_3 (Min)

1553 Mephams #1234 Oxide 3-61 2.30
(For S.W.Co. - Chgo.
- Spec'n. usage)

~~1584 Iron Oxide~~

1588 Iron Oxide
(Lumps)
(For use in Frt. Car Paint, etc.)

1755 Hooker Brown #2001
(From G. H. Hooker Co.)
(For use by Hooker in Frt. Car Paint)

IRON OXIDES - Contd.

		Bulk	Cost
10275	Tuscan Red #2 (Restricted to Clove. for Oil Colors) 11.0% Organic Dye 49.0% Barytes 16.0% Indian Red 5.0% Lead Sulfate 1.5% Lead Hydrate 4.0% Aluminum Hydrate 13.5% Blanc Fixe	2.9	49.00
10276	Tuscan Red #210 (Restricted to Clove. for Oil Colors) 26% Blanc Fixe 28% Indian Red 39% Barytes 0.7% Organic Dye	2.9	17.00
10277	Turkey Red Lt. (Restricted to Clove. for Oil Colors) 20% Aniline Color 80% Blanc Fixe	2.10	14.21
10278	Turkey Red #210 (Restricted to Clove. for Oil Colors) 25% Aniline Color 75% Barium Sulfate (Blanc Fixe)	2.10	14.21

No.	Color	For Master Painter	Oil Colors
1541	C. E. L. Ochre	4.29	2.40
1543	#15 Raw Umber	3.50	3.60
1544	#31 Burnt Umber	3.95	3.75
1542	Burnt Sienna	4.30	6.00

EARTH COLORS

Bulk Cont

19 French Ochre 4.3 3.50
19% Iron Oxide
Balance - Silica, Silicates &
combined water of hydration

1006 French Ochre 4.1 3.20
(Restricted to Cleve.
for Oil Colors)
(Same as 19 dry)

21 Raw Turkey Umber 3.70 4.75
44% Iron Oxide
12-17% Manganese Dioxide
9% Calcium Carbonate
30% Moisture, Silica & Silicates

22 Burnt Turkey Umber 3.70 4.75
55% Iron Oxide
12% Manganese Dioxide
30% Silica & Silicates
2% Calcium Carbonate

25 Raw Italian Sienna 3.70 4.75
47-50% Iron Oxide
Balance - Manganese Dioxide,
Silica & Silicates

26 Burnt Italian Sienna 3.20 4.75
53% Iron Oxide
Balance - Manganese Dioxide,
Silica & Silicates

ORIGINAL COPY SENT TO J. C. FARMER

MADE IN U.S.A.

LEWIS & CLARK, INC., N.Y.

-53-			
EARTH COLORS- Contd.		TRADE REG. U.S. PAT. OFF.	
		Bulk	Net
27	Van Dyke Brown	8.0	6.00
	Moisture 14%		
	Balance - Organic Matter		
1211	Raw Umber	3.70 4.00	4.75
	(For Oil Colors only)		
	12-17% Manganese Dioxide		
	44% Iron Oxide		
	9% Calcium Carbonate		
	30% Moisture, Silica & Silicates		
1212	Burnt Umber	3.40 3.75	4.75
	For Oil Colors Only		
	55% Iron Oxide		
	12% Manganese Dioxide		
	30% Silica & Silicates		
	2% Calcium Carbonate		
1213	Raw Sienna	3.70 4.00	4.75
	For Oil Colors only		
	47-50% Iron Oxide		
	Balance - Manganese Dioxide		
	Silica & Silicates		
1214	Burnt Sienna	2.8	5.75
	For Oil Colors only		
	63% Iron Oxide		
	Balance - Manganese Dioxide		
	Silica & Silicates		

ORIGINAL COPY. 1975 BY J. C. PARKER

MADE IN U.S.A.

LADENBURG, PA.

Ch. 11-11-11
Lent
C.

Dry No.Name

12074	Primrose Yellow
12204	Canary Yellow
12054	Zinc Chromate
12307	Chrome Yellow L. L.
12007	Chrome Yellow L.
12210	Chrome Yellow M
12010	Chrome Yellow M.
12011	Chrome Yellow L. O.
12012	Chrome Yellow D. O.
12051	Scarlet Lead Chromate

19	French Ochre
1132	Ferrite Yellow Lt.
1133	Ferrite Yellow Dark

63	Dutch Pink
399	Yellow Lake


25	Raw Sienna
26	Burnt Sienna
21	Raw Umber
22	Burnt Umber
27	Van Dyke Brown

1585
1586
12105
1385

original yellow
permanent 105
ch yellow

<u>Ball</u>	<u>Lbs. for kn.</u>	<u>Lbs. for Pauto</u>
22.1	4	48
3.6	5	32
2.0	4	24
2.0	4	24
1.9	3.5	40
1.9	3.5	32
1.9	3	58
1.9	3.5	72
1.9		
4.3	3	20
3.8	1.5	22
3.1	1.5	20
4.8		40
6.5		8
3.6	2 70-30	18
3.4	2 66-34	15
3.4	2	12
3.2	2 59-47	11
8.0		11

- 94 -



YELLOW - ORANGE PIGMENTS

		<u>Bulk</u>
<u>58</u>	<u>Chrome Yellow</u>	<u>1.8</u>
	(Nitrate Type)	
	Deep Orange	
	(For Bulletin Colors only)	
	100% Basic Lead Chromate	
63	Dutch Pink	4.6
	50% Calcium Sulphate	
	46% Barium Sulphate	
	8% Alumina Hydrate	
	4% Calcium Carbonate	
	12% Coloring Matter	
200	Cadmium Sulphide Orange	3.2
	100% Cadmium Sulphide	
201	Orange Mineral	
	Substitute	1.4
	96% True Red Lead	
	Balance - Litharge	
300	Yellow Lake	6.5
	16% Aniline Dye	
	82% Alumina Hydrate	

ORIGINAL COPY, DIS. BY J. G. PARKER

MADE IN U.S.A.

LEFAX, WILMINGTON, PA. /

- 95 -

YELLOW-ORANGE PIGMENTS
(Continued)

TRADE REG. U.S. PAT. OFF.

		<u>Bulk</u>
1152	Ferrite Yellow Lt.	3.8
	Not less than 86.5% Ferric Oxide equivalent. Not more than 0.75% Free Moisture.	
1155	Ferrite Yellow Dk.	3.1
	Not less than 78% Iron Oxide 5-12% Calcium Sulphate Balance - Water of Hydration	
1570	Orange Mineral AAA	1.4
	(Restricted. For use by Chgo.)	
1586	Hansa 3 R Orange	8.68
1739	Shell Standard Yellow Dry (C. P. Chrome Yellow) (For use by Oakland in Rx 26298)	
1780	C.P.Chrome Orange B-5248	
1796	Ming Orange #2509	1.7
	(Restricted)	

ORIGINAL COPY THIS BY I. G. PARKER

MADE IN U.S.A.

LEAF, PHILADELPHIA, PA.

71

	Std. 12054	Composite D-1798	Imperial's X-883	Ash
ZnO -----	38.81 -----	40.97 -----	38.08	12054 85.61% D-1798 85.84% X-883 86.02%
*CrO ₃ -----	42.85 -----	43.05 -----	42.13	
SO ₃ -----	1.50 -----	1.41 -----	2.87	
F ₂ C -----	12.73 -----	10.74 -----	12.94	Note: K ₂ O and Combined H ₂ O, obtained by difference.
Combined) H ₂ O)	3.73 -----	3.47 -----	3.71	
Moisture ---	0.38 -----	0.36 -----	0.13	
Total ---	100.00% -----	100.00% -----		8/18/32

* Equivalent to 77.6% ZnCrO₄

LEFAX, PHILADELPHIA, PA.

MADE IN U.S.A.

ORIGINAL COPY 1910 BY J. C. PARKER

	Std. 12054	Composite D-1798	Imperial X-883	Ash
ZnO	38.81	40.97	38.08	38 12054 85.61%
* CrO ₃	42.85	43.05	42.13	D-1798 85.84%
SO ₂	1.50	1.41	2.87	X-883 86.02%
K ₂ O	12.73	10.74	12.94	Note: K ₂ O and Combined H ₂ O, obtained by difference.
Combined H ₂ O	3.73	3.47	3.71	
Moisture	0.38	0.36	0.13	
Total	100.00%	100.00%		
* Equivalent to 77.6% ZnCrO ₄				8/16/32



- 95 -

YELLOW-ORANGE PIGMENTS

(Continued)

TRADE REG. U.S. PAT. OFF.

Bulk
2.0

12007 Chrome Yellow LL
(Acetate Type)
Lead Chromate 73%
Lead Sulphate 27%

12010 Chrome Yellow Med. 1.9
(Acetate Type)
100% Lead Chromate

12011 Chrome Yellow L.O. 1.9
(Acetate Type)
85% Lead Chromate
17% Lead Oxide

12012 Chrome Yellow D.O. 1.8
(Acetate Type)
58% Lead Chromate
42% Lead Oxide

12204 C.P. Nitrate Yellow 2.1
(Primrose)
54.88% Lead Chromate
44.35% Lead Sulphate

ORIGINAL COPY, 1949 BY J. G. PARKER

MADE IN U.S.A.

LEWIS, PHILADELPHIA, PA.
71

- 96 -

YELLOW - ORANGE PIGMENTS
(Continued)



Bulk

12051 Scarlet Lead Chromate 1.9

Note: (This number is also
listed under "Vermilions"
See Page 106)

Basic Lead Carbonate 40%

Basic Lead Chromate 60%

Trace - Organic Dye >

12054 Zinc Chromate 12.46 3.4

Approx. 60-70% Combined
Zinc Chromate

Balance - Combined Chromium
Tri-Oxide, Potassium Oxide,
Zinc Oxide & Water, with
possibly some Free Zinc
Oxide and Water.

12061 Chrome Yellow D.O. 1.8

(For use in 138 D.O. only)

Pure Basic Lead Chromate

12062 Chrome Yellow L.O. 1.9

- Livering Permitted -

(Used at Chicago only)


12063 Chrome Yellow D.O. 1.8

- Livering Permitted -

(Used at Chicago only)

- 96 -(a)

YELLOW - ORANGE PIGMENTS
(Continued)



TRADE MARK, U.S. PAT. OFF.

Bulk

12074 C.P.Chrome Yellow
Extra Light

12082 C.P.Chrome Orange Dp.
(Used in Fluid Oil Colors)

12083 C.P.Chrome Orange 57-0

12101 Permanse Yellow G
(Replacing 1585 Dry)

12233 C.P.Chrome Orange Lt.
(Nitrate Type) 2.08
(Used in Armour Colors only)
100% Chrome Yellow

12234 C.P.Chrome Orange Dk.
(Nitrate Type) 1.8
(Used in Armour Colors only)
100% Chrome Yellow

ORIGINAL COPY. 1916 BY J. C. FARMER

MADE IN U.S.A.

LEPAK, PHILADELPHIA, PA.

71

ORIGINAL COPY 1919 BY J. C. PARKER

- 97 -



TM. MK. REG. U.S. PAT. OFF.

YELLOW - ORANGE PIGMENTS
(Continued)

Bulk

12307 Chrome Yellow L.L. 2.2
59% Lead Chromate
41% Lead Sulphate

12310 Chrome Yellow M. 2.0
Lead Chromate 93%
Lead Sulphate 7%

MADE IN U.S.A.

LEFAX, PHILADELPHIA, PA.

2

Plues

<u>Dry No.</u>	<u>Name</u>
61	Ultramarine Blue
98	Ultramarine Blue
180	Ultramarine Violet
1400	Imperials AB 53
11023	Chinese Blue SW Chinese
11096	Prussian Blue SW
11148 CP	Potash Blue

1116B

67

~~11129~~

11130 - 6.5

1891

Cobalt Blue PFh

CP 558 Organic Blue
Monarch

<u>Bulk</u>	<u>Lbs. for En.</u>	<u>Lbs. for Paste</u>
5.3	4 Trans.	24
5.3	4 Trans.	24
5.2		
6.5	.7 Trans.	7.5
6.5	.7 Trans.	7.5
6.5	.7 Trans.	7.5
6.5	.7 Trans.	7.5

- 98 -

BLUE PIGMENTS

	<u>Bulk</u>
61 Ultramarine Blue (Best Grade) 100% Pure	5.3
98 Ultramarine Blue (For ordinary use) 100% Pure	5.3
180 Ultramarine Violet 100% Pure	5.2
1147 Ultramarine Blue Cobalt Shade 100% Ultramarine Blue	4.9
1289 Ultramarine Blue <u>(Used by Newark in Rx 24055)</u>	
1400 C.P. Bronzeless Blue	
1520 R. G. Blue	

- 98 -(a)

BLUE PIGMENTS
(Continued)

Bulk

1791 #5500 Ultramarine Blue
(For use in BL 4)
(- Formerly BK 178)

1794 #1884 Ultramarine Blue

11023 C.P.Chinese Blue 6.5
Ferrocyanide Blue 97%
Moisture - 3%
Water-soluble materials
shall not exceed 1%
as determined by
A.S.T.M. Procedure

11096 Prussian Blue 6.5
Top tone must be no more
brassy than standard.
97% Ferrocyanide Blue
3% Moisture

11148 C.P.Potash Blue

Gregory

<u>Dry No.</u>	<u>Name</u>
11026	Paris Green
11087	CP Chrome Green Olive Lt.
11208	CP Chrome Green Olive M.
11163	CP Chrome Green Lt.
11025	CP Chrome Green Light <i>good</i>
11164	CP Chrome Green M.
1052	Holly Green Light
11077	CP Chrome Green Medium <i>darken</i>
11024	CP Chrome Green Dark <i>good</i>
11165	CP Chrome Green Dark <i>lighten</i>
1053	Holly Green Dark
165	CP Chrome Green D D
11080	Salvage (Deep Olive)
478	Chrome Oxide Green
1721	Permanent Green X 1010 (Chromium Hydroxide Green)

see D.C. 11
 11212 *etc* 11160
 1132
 33

<u>Bulk</u>	<u>Lbs. for En.</u>	<u>Lbs. for Paste</u>
3.75		
2.2	1	38
2.1	1	24
2.5	1	36
2.5	1	36
3.3	1	32
1	1	24
2.4	.88	32
2.9	.75	20
3.5	.75	20
5.0	.75	16
5.0	.75	12
2.9		
2.42	3	30
3.24	5	20

3/28/53

C.P. CHROME GREENS

Shade	Ref.	Sp. Gr.	Wt/Solid Cal.	Baking Value	Oil Abs.	Composition		Moist
						PbCrO ₄	PbSO ₄	
Light	11163	4.90	40.82	.02449	17.7	80.9	11.5	7.6
	11025	5.14	42.82	.02335	16.8	85.3	7.9	6.8
Medium	11164	3.95	32.90	.03544	25.2	69.2	9.8	21.0
	11077	4.41	36.74	.02722	20.5	78.1	6.2	16.7
Dark	11165	3.40	28.32	.03837	29.9	57.5	8.2	34.3
	11024	3.75	31.24	.03201	27.0	66.0	4.2	29.8

TRAIN. REG. U.S. PAT. OFF.

- 39 -

CHROMIUM PIGMENTS

		<u>Bulk</u>	<u>Cost</u>
168	C.P. Chrome Green DD (Nitrate Type) C.P. Chrome Green	5.0	30.25
173	C.P. Chrome Green Lt. S.1 (Nitrate Type)	3.1	27.25
174	C.P. Chrome Green Med. S.5 (Nitrate Type)	3.5	33.00
175	C.P. Chrome Green Dp. S.9 (Nitrate Type)	3.9	33.00
478	Chrome Oxide Green (Spec'n. for D. Lupton & Glens. Tractor Co. only) .005% Water Soluble Salts .1% Moisture None Free Acid .03% Chemical Impurities: Sulphur 99.5% Pure Chr. Oxide Green	2.42	23.00
1559	Green (Used in Rx 4505E New Bulletin Color Ocean Green)	3.92	
1712	Permanent Green } Toner #3571	7.5	
1721	Permanent Green X1010 (Chromium Oxide Green)	3.24	99.00

- 100 -

GREEN PIGMENTS - Continued

	DK	Bulk	Cost
11024 C.P. Chr.Green Medr	2.2	2.2	24.75
(Acetate Type)	5.5% PbCrO ₄		
100% Chrome Green	8.7% PbSO ₄		
	7.8% Fe ₂ O ₃		
11025 C.P. Chr.Green Lt.	2.3	2.3	22.25
(Acetate Type)			
Lead Chromate	83% 66		
Lead Sulphate	8% 4	59.3%	
Ferrocyanide	8% 30		
11077 C.P. Chr.Green Lt.	2.2	2.2	22.75
(Acetate Type)			
95% Chrome Green	7.8% PbCrO ₄		
5% Lead Sulfate	16.7% PbSO ₄		
	16.7% Fe ₂ O ₃		
11087 C.P. Chrome Green			
Olive (Nitrate Type)	2.2	2.2	22.25
100% Chrome Green			
11108 C.P. Chrome Green Lt.	2.4	2.4	21.25
(Nitrate Type)			
13% Lead Sulphate			
Balance - C.P. Chr.Green			
11110 C.P. Chrome Green Dt.	3.02	3.02	23.25
(Nitrate Type)			
12% Lead Sulphate			
Balance - C.P. Chr.Green			

- 100 -(a)
GREEN PIGMENTS = Cont'd.
Bulk Cost

11131 C P Chrome Green L 2.50 21.25
 - Lucas #41

11132 C P Chrome Green M 2.90 22.75
 - Lucas #42

11133 C P Chrome Green D 3.27 25.36
 - Lucas #43

11203 C P Chrome Green Lt. 2.1 20.25
 (Nitrate Type)
 100% Chrome Green

11030 Salvage Green 2.3 6.50
 25% Chrome Green
 67% Barytes
 8% China Clay

11094 Paris Green 3.75 22.75
 100% Copper Aceto Arsenite

- 101 -

GREEN PIGMENTS - (Cont'd).

Bulk Cost

11100 Sulphur-Free Green
(For use in Rx 26088)
61.5% Lead Chromate
3.0% White Lead
4.0% Lead Tartrate
28.5% Iron Blue
2.0% Lead Stearate

11112 Factory Lake Green Dp. ~~51~~ 55.50
80% Barium Fines
21% Aluminum Hydrate
40% Coloring Matter
(Restricted to
Rcs. 87, 23686, 22606,
7181 & 18099)

11214 - 3.52

11212 C.P. Nitrate Green 24 27.25
21.5% PbCrO₄ Blue - Shade L
10% PbSO₄ (Used by Chgo. in place of
7.5% FeSO₄ Holly Green)

11215 C.P. Nitrate Green 4-3 30.50
41% Blue D
21.5% (Used by Chicago
56.5% Fe in place of Holly Green)