

Caustic I / Chlor-Alkali 2
Reactive Chemicals New Superintendent Review
October 6, 1994

Agenda

- ◆ Introduction - Monty Heins
 - Block Flow Diagram
 - Raw Material / Utilities / Supplies / Product Summary
 - Worst Case Scenarios
- ◆ Area Reviews -
 - Brine - Edie Myer / Harold Mellieon
 - Power - Roy Kolder
 - Cells - Ed Pittman
 - Chlorine - Edie Myer / Harold Mellieon
 - Hydrogen - Roy Kolder
 - Caustic (CA2 and Caustic I) - John Dizor / Joe Butler
 - Loading and Distribution - Cliff Hood
 - Ecology - Edie Myer / Harold Mellieon
- ◆ Review of Previous Incidents - Donnie Landry
- ◆ Training - Donnie Landry
- ◆ Maintenance Issues - Roy Kolder
- ◆ Waste Storage and Disposal - Monty Heins
- ◆ 1992 CA2 and 1994 Caustic I Reactive Chem. Audit Follow-up - Monty Heins
- ◆ Summary / Opportunities - All

DO A 045951
CONFIDENTIAL

1994 Reactive Chemical Review Pre-Audit Opportunities Identified

Hydrogen Collection - Calculate total backflow in the event EBV doesn't close in order to determine venting capacity of T-206. Consider installing checkvalve at C-601 discharge valve (AO-114)

Reactive Chem Compatibility Chart - Update the info and put on standardized CHEMPAT system. Post this chart and train accordingly.


Absorbents - Evaluate whether reactive chem testing is needed on the absorbents being used. Update tier 3 procedure at CA2 and put into Caustic's system.

Leak Repair Sealants - Update CA2's procedure to refer to division controlled listing and add this procedure to Caustic's system.

Training - Improve training program in order to meet requirements (define level of training needed for all personnel in block).

Chlorine Area - Obtain updated complete taffy analysis. Ensure that E-205 rx chem concerns are properly documented.

DO A 045952
CONFIDENTIAL



**CHLOR-ALKALI II
FLOW SHEET**

DO A 045953
CONFIDENTIAL

DOW CONFIDENTIAL
REVISED 5/89

PHYSICAL PROPERTIES OF CA II CHEMICALS

[illegible]

DO A 045954
CONFIDENTIAL

2. **2014**

DO A 045955
CONFIDENTIAL

Chlor-Alkali Production Materials Matrix

Area	Raw Materials	Utilities	Supplies	By-Products	Products
Brine	Raw Brine		Sodium Carb	Calcium Carb	Treated Brine
			Flocculant		
			Caustic		
			HCL		
Power	Air	Fuel Gas	Boiler/CTW		Steam
		Water	treatment Chem		Electricity
					Condensate
Cells	Treated Brine	Electricity			95% Wet Cl ₂ gas
	HCL				Cell effluent
	Salt Slurry				Wet H ₂ gas
Chlorine	95% Wet Cl ₂ gas	Nitrogen	H ₂ SO ₄	Taffy	100% Cl ₂ gas/liq
			Freon *	Waste H ₂ SO ₄	
			Treated Brine		
Hydrogen	Wet H ₂ gas	Nitrogen	Cell Effluent		Dry H ₂ gas
			Thiosulfate		
Caustic	Cell Effluent	Steam	HCL (pH)	Condensate	50% Caustic
		PW/RW *	Trtd Brine (carrier)	Salt Slurry	
				Sulfate Purge	
Ecology	Cl ₂ gas (wet/dry)	PW *	Cell Effluent	Scrubber Effluent	Salts
	Waste H ₂ SO ₄		Thiosulfate		Water
	Waste Alkalinity		HCL (pH)		
	Calcium Carb				
* = Non-contact Material					

CHLOR-ALKALI 2 REACTIVE CHEMICAL MATRIX

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

This chart is intended to be a general guide. In some instances it may be permissible to mix chemicals which show a potential Hazard. Check with your supervisor before doing so.