

PLAINTIFF'S
EXHIBIT

JM-1252

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE		(when data is inserted)	
NOTIFICATION OF STOCKPILE INSPECTION		NAME AND LOCATION OF DEPOT OR FACILITY Blue Grass Ordnance Depot Richmond, Kentucky	
See Manual GS 5-5 for instructions for the preparation of this form.		1. NOTIFICATION NUMBER	2. NOTIFICATION DATE
		3	May. 25, 1953
3. LOCATION (Number and City) TYPE OF STORAGE		4. NAME OF MATERIAL	
5 - Cleveland Warehouse		ASBESTOS - CHRYSOTILE - RIDGESTONE	
5. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY			
Building 216 & 217			
6. NAME, TITLE, AND PHONE NUMBER OF SUPPLY OR WAREHOUSE OFFICER RESPONSIBLE FOR STOCKPILE MATERIAL			
Mr. Chas. Vannikin, Chief of Storage Richmond 1160, Ext. 12			
10. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?			
☒ YES ☐ NO			
11. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPES PRESCRIBED IN STORAGE MANUAL?			
☒ YES ☐ NO			
12. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL?			
☒ YES ☐ NO			
IMPORTANT - If Item 10, 11, or 12 is answered "No," complete details MUST be included in Item 13.			
13. REMARKS			
There are 1394 bags in building 216. Material in good condition. There are 12756 bags of asbestos in Building 217; all of which have a Chrysotile contamination of various degrees. The outside of these bags have been vacuum cleaned and present a clean appearance. All asbestos in Building 217 is marked "Not to be used for insulating Magnet Wire" -- as per instructions from Washington, D. C.			
14. RECOMMENDATIONS (Not to be construed by storage installation as authority to proceed with remedial measures beyond the scope of usual authority)			
NAME OF INSPECTOR (Type or print) W. E. Harritt			

GSA FORM 276
October 1952

RESTRICTED (when data inserted)

GSA FORM 276
October 1952

RESTRICTED (when data inserted)

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE NOTIFICATION OF STOCKPILE INSPECTION		1. NAME AND LOCATION OF DEPOT Blue Grass Ordnance Depot Richmond, Kentucky	
See Manual GS 5-5 for instructions for the preparation of this form.		2. NOTIFICATION NUMBER 4	3. NOTIFICATION DATE May 14, 1954
4. REGION (Number only)	5. TYPE OF STORAGE Warehouse	6. NAME OF MATERIAL ASBESTOS — CHRYSOTILE — REDBESTINE GRADE	
7. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY Building 216 - 217			
8. NAME, TITLE, AND PHONE NUMBER OF SUPPLY OR WAREHOUSE OFFICER RESPONSIBLE FOR STOCKPILE MATERIAL Mr. Chas. Womack, Chief of Storage Richmond 1160, Ext. 12			
10. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?		YES	NO
11. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPE(S) PRESCRIBED IN STORAGE MANUAL?		YES	NO
12. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL?		YES	NO
IMPORTANT - If item 10, 11, or 12 is answered "No," complete details MUST be included in item 13.			
13. REMARKS There are 1,354 bags in Building 216. Material in good condition. There are 12,756 bags of asbestos in Building 217; all of which have a Graphite Contamination of various degrees. The outside of these bags have been vacuum cleaned. All asbestos in Building 217 is marked "Not to be used for insulating FACET WIRE". The grade of the Asbestos is — C & G1 - 11,350 bags — 713.35 T C & G2 - 2,800 bags — 176.617 T			
14. RECOMMENDATIONS (Not to be construed by storage installation as authority to proceed with remedial measures beyond the scope of usual authority)			
NAME OF INSPECTOR (Type or print)		SIGNATURE OF INSPECTOR	

GSA-DA-58 65-55-1007

RESTRICTED (when data inserted)

GSA Form 27-1
December 1952

GENERAL SERVICES ADMINISTRATION					
COMMODITY INSPECTION REPORT					
CONTRACT NUMBER ADP-17-1067		REQUISITION NUMBER		INSPECTION REPORT NUMBER	
PURCHASE ORDER NUMBER		REGION 2 - New York		DATE OF REPORT 5/17/67	
CONTRACTOR GSA - PMDS		SCM		DATE OF INSPECTION 5/8-10/1967	
SUBCONTRACTOR		ADDRESS Washington, D. C.		ADDRESS	
PERSON CONTACTED (NAME AND TITLE) T. P. Flock, Chief, SCM Division		LOCATION OF MATERIAL INSPECTED Seneca Army Depot, Romulus, N. Y.			
COLLABORATING AGENCY					
INSPECTION AND TESTING				DESCRIBE PACKAGING IN DETAIL	
SAMPLES TAKEN		TESTS		BULK - IN STORAGE TANKS	
BY CONTRACTOR		BY CONTRACTOR			
BY INSPECTOR		BY OTHERS			
WITNESSED ☐ YES ☐ NO		WITNESSED ☐ YES ☐ NO			
OTHER		TYPE OF TESTS			
INSPECTION		No. UNITS			
VISUAL		PER			
DIMENSIONAL		PER			
BY OPERATION		IDENTITY OF SAMPLE			
BY OTHER AGENCY		FORWARDING DATE			
FOR MARKING		LOT NO.			
DISTRIBUTION OF SAMPLES:		SAMPLE NO.			
GIVE FULL ADDRESS					
1. _____ 2. _____ 3. _____					
DESCRIBE METHOD OF INSPECTION AND/OR SAMPLING					
This report issued to reflect shipments to date, of Asbestos, Chrysotile, Rhodesian, from above installation to GSA-PMDS Depot, New Bedford, Mass. Inspection of the material revealed that it is in a wet condition. A call from Mr. Donovan, Industry Materials Division Chief, Region 1, Boston, Mass., was received (See reverse side)					
ITEM NO.	QUANTITY SAMPLED	QUANTITY ACCEPTED	QUANTITY REJECTED	APPROXIMATE VALUE QUANTITY REJECTED	DESCRIPTION OF MATERIAL
	SHIPPED TO DATE (COB 17 May, 1967) 17 CARLOADS - 847,026 # NET WT.				ASBESTOS, CHRYSOTILE (RHODESIAN) 11706
SIGNED <i>TH Jamison</i> F. H. JAMISON				COMPLETE CONTRACT OR P.O. No. PARTIAL CONTRACT OR P.O. No. FINAL OF CONTRACT OR P.O. No.	
REASONS FOR REJECTIONS:					

on May 4, 1967, stating that foreign matter had been found in the first car of Asbestos received by the Depot.

This inspector requested that a sample of the suspect material be forwarded to Seneca Army Depot, and upon receipt and inspection of the sample, found that the foreign matter was Fiberglass.

Further investigation revealed that Fiberglass had been placed in the bottom of each tank in which the Asbestos was stored, prior to unloading and stowage of the Asbestos.

It was then suggested to Mr. T. P. Flock, Chief, Supply & Maintenance, Seneca Army Depot, that the bottom layer of Asbestos in each tank be withheld from loading until the remainder of the Asbestos was outloaded, then all bottom layers be consolidated into the last car, so that any fiberglass would be contained only in the last carload. Mr. Flock concurred and had this method of outloading put into effect immediately.

Five empty cars were inspected and found to be in very clean and sound condition. Extreme care is being taken by the Depot to assure that all cars being outloaded with Asbestos are in the same clean and sound condition.

SUT 00221946

GENERAL SERVICES ADMINISTRATION DEFENSE MATERIALS SERVICE NOTIFICATION OF STOCKPILE INSPECTION				1. NAME AND LOCATION OF DEPOT OR FACILITY ORA/PMIS Depot Belle Mead, New Jersey.					
2. NAME AND TYPE OF COMMODITY AMMUNITION - CRYSTALINE C & CR.				3. PROGRAM US Supp.					
5. REGION (Number and name) US New York				4. DATE OF LAST INSPECTION 7/29/68		6. DATE OF THIS INSPECTION 1/30/69			
8. TYPE OF STORAGE AND SPECIFIC STAGE AREA Warehouse No. 4 - Section 'B' - Bays 10, 11 & 12. Warehouse No. 7 - Section 'C' - Bays 15, 16 & 17.									
9. NAME AND TITLE OF PERSON RESPONSIBLE FOR MATERIAL Mr. J. McKinnis, Asst. Depot Manager, PMIS.				10. TEL. NO. OR CODE 801-379-3141		11. EXTENSION 263			
INSPECTION DATA (Check and complete. All negative responses should be explained)									
12. STORAGE		a. Storage Facilities Are of the Type Prescribed in the Storage Manual				YES NO			
		b. Storage Facilities Are Maintained in Good Order				☒ ☐			
13. MATERIAL		a. Material is Stored in the Manner Prescribed in the Storage Manual				☒ ☐			
		b. Material is Free of Deterioration, Infestation, Contamination, Corrosion, Disposition and Erosion				☒ ☐			
14. CONTAINERS, PILES, OR OTHER UNITS		a. Material is Stored in Proper Containers (If applicable)				☒ ☐			
		b. All Containers, Piles and or Units Are Marked as Prescribed in the Storage Manual				☒ ☐			
		c. Condition of Containers (Give exact number in Class III under Remarks)				(1) CLASS I (2) CLASS II (3) CLASS III			
						☒ ☐ ☐			
15. DESCRIPTION OF CONTAINERS, PILES, OR OTHER UNITS									
TYPE (For, com, impet, hole, etc.)	WIDTH	LENGTH	HEIGHT	DIAMETER	1. WEIGHT OF UNIT		TOTAL NUM. OF UNITS	2. TOTAL WEIGHT	
					(1) GROSS	(2) NET		(1) GROSS	(2) NET
Box - Plywood	20"	40"			126.4	125.4	8,163	1,080,970	1,019,803
Origin - South Rhodesia									
16. REMARKS (Review all other appropriate questions contained in "Guide for the Inspection of Inspected Materials and Storage Facilities" and, if deficiencies are found, give the appropriate Grade number and complete details in this block) 15000-figures were verified by computation and comparison with the stock cards and are in agreement with the inventory records of the Depot. Last E.A.F. (OCC) dated 7/21/61. Last Transfer #4 dated 11/30/61. No outbound movement of this material is anticipated. Protection and Security for this commodity is in conformance with the Inspection Manual Guide for Industry Products and Storage Facility Inspection.									
17. RECOMMENDATIONS (Due to be completed by storage depot or facility as authorization is provided with material inspection beyond the scope of usual authority) NONE.									
18. NAME OF INSPECTOR (Type or print) Robert J. Gelshte				19. SIGNATURE <i>Robert J. Gelshte</i>		20. DATE 1/30/69			

GENERAL SERVICES ADMINISTRATION DEFENSE MATERIALS SERVICE NOTIFICATION OF STOCKPILE INSPECTION		1. NAME AND LOCATION OF DEPOT OR FACILITY GSA, PIDS DEPOT, BELLE MEAD, NEW JERSEY								
2. NAME AND LOCATION OF STOCKPILE ASBESTOS - CHRYSOTILE C & G2.		3. REPORTING US SUPP.								
4. SERIAL NO. 13		5. DATE OF THIS INSPECTION 7/29/68								
6. TYPE OF STORAGE AND SPECIFIC DEPOT AREA WAREHOUSE NO. 4 - SECTION "B" BAY NO. 10, 11 & 12. " " " 7 " " " " 15, 16 & 17.		7. DATE OF LAST INSPECTION 12/20/67								
8. NAME AND TITLE OF PERSON RESPONSIBLE FOR MATERIAL MR. T. MCCARROLL, DEPOT MANAGER, PIDS.		10. TEL. NO. OR CODE 201-359-3141								
11. EXTENSION 263										
INSPECTION DATA (Check and complete. All negative responses should be explained)										
12. STORAGE		YES NO								
a. Storage Facilities Are of the Type Prescribed in the Storage Manual		☒ ☐								
b. Storage Facilities Are Maintained in Good Order		☒ ☐								
13. MATERIAL		☒ ☐								
a. Material is Stored in the Manner Prescribed in the Storage Manual		☒ ☐								
b. Material is Free of Deterioration, Infestation, Contamination, Corrosion, Migration and Erosion		☒ ☐								
14. CONTAINERS, PILES, OR OTHER UNITS		☒ ☐								
a. Material is Stored in Proper Containers (Check only if applicable)		☒ ☐								
b. All Containers, Piles and/or Units Are Marked as Prescribed in the Storage Manual		☒ ☐								
c. Condition of Containers (Give exact number in Class III under Remarks)		(1) CLASS I 90% (2) CLASS II 10% (3) CLASS III %								
15. DESCRIPTION OF CONTAINERS, PILES, OR OTHER UNITS										
TYPE (Pile, bag, bag, etc.) SOUTH	WIDTH b.	LENGTH c.	HEIGHT d.	DIAMETER e.	1. WEIGHT OF UNIT		TOTAL SUB- TOTAL OF UNITS f.	2. TOTAL WEIGHT		
ORIGIN - RHODESIAN BAG, BURLAP	28"	42"			(1) GROSS 126#	(2) NET 125#	8,163	(1) GROSS POUNDS 1,030,579#	(2) NET 1,019,243#	
16. REMARKS (Review all other appropriate questions contained in "Guide for the Inspection of Stockpiled Materials and Storage Facilities" and, if determinations are found, give the appropriate Guide numbers and complete details in this block.) 1964H. FIGURES WERE VERIFIED BY COMPUTATION AND COMPARISON TO STACK CARDS AND INVENTORY DATA AT DEPOT. NO DISCREPANCY EXISTS. LAST R.R. #529000 DATED 7/21/61. LAST TRANSFER #4 DATED 11/30/61. NO OUTBOUND MOVEMENT ON THIS MATERIAL. PROTECTION AND SECURITY FOR THIS COMMODITY, IS IN CONFORMANCE WITH INSPECTION MANUAL GUIDE FOR INDUSTRY PRODUCTS AND STORAGE FACILITY INSPECTION.										
17. RECOMMENDATIONS (Not to be returned by storage depot or facility as authorization is provided with remitted materials beyond the scope of usual authority) NONE										
18. NAME OF INSPECTOR (Type or print) LAWRENCE COMMANDER					19. SIGNATURE Lawrence Commander					20. DATE 7/29/68

SUT 0022 1960

Mr Stewart
DC MMT

U.S. GOVERNMENT BILL OF LADING
ORIGINAL

B. 199076

NORFOLK & WESTERN RAILROAD

STOP

IMPORTANT
Regulating permit this bill of lading to be entered in the initial record must be immediately furnished to the shipper. The shipper must also furnish a copy of this bill of lading to the carrier.

2-5-64

LANBERT POINT DOCKS

NORFOLK, VIRGINIA

HUXLEY BARTER CORPORATION

ORIGIN: SOUTHERN REGIONAL
EX 8/8 "AFRICAN VENTURE" 2/12/64

GENERAL SERVICES ADMINISTRATION, DMS
(ON BEHALF OF COMMODITY CREDIT CORP.)
C/O DEFENSE GENERAL SUPPLY CENTER
(MAIL: RICHMOND, VIRGINIA)

BELLBLUFF, VIRGINIA

NW-SAL

GENERAL SERVICES ADMINISTRATION, OFFICE OF
FINANCIAL MANAGEMENT, ACCOUNTING & REPORTS
MANAGEMENT DIVISION, (BCR), WASHINGTON, D.C. 20407

FOR CARRIER'S USE ONLY

31.56 CWT NW 30N (RATE UNCLASIFIED) 00.505.X-4.55110.827.A-42
31.56 CWT NW 30N (RATE UNCLASIFIED) 00.505.X-4.55110.827.A-42

ASBESTOS, CHROMOTILE (Grade 1 Lot 2)

	GROSS	TARE	NET
CB&I 31382 520 bags 107400	47700	52700	
C 2 812 500 bags 77700	17100	50600	

USE NO FORKS. DO NOT RUMP
EQUAL EMPLOYMENT OPPORTUNITY

Extra copy for [unclear]

SEC. 22 Q10. TRA-ER 2489

RECEIVED
FEB 13 1964
U.S. DEPT. OF COMMERCE
BUREAU OF COMMERCE

CERTIFICATE OF ISSUING OFFICER

RED-EM-63-33-6 5-29-63

INLAND CARRIER'S CONVEY. NORFOLK, VA.
GENERAL SERVICES ADMIN., WASH., D.C. 20407

M. J. ROBASCO
FOR

CARRIER'S CERTIFICATE OF DELIVERY - CONSIGNEE MUST NOT PAY ANY CHARGES ON THIS SHIPMENT

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE		1. NAME AND LOCATION OF DEPOT OR FACILITY Blue Grass Ordnance Depot Richmond, Kentucky	
NOTIFICATION OF STOCKPILE INSPECTION See Volume GS 5-5 for instructions for the preparation of this form.			
2. STORAGE CONTRACT NUMBER (IF COMMERCIAL STORAGE) 3. NAME OF OFFICE AND NUMBER Chicago 5		4. SERIAL NUMBER 9	5. LAST INSPECTION DATE 6-12-57
6. TYPE OF STORAGE Warehouse		7. DATE OF INSPECTION Dec. 11, 1957	
8. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY Building Nos. 216 and 217		9. NAME, TITLE, AND PHONE NUMBER OF INDIVIDUAL RESPONSIBLE FOR MATERIAL Mr. M.D. Farmer Deputy Assistant for Supply Operations Richmond 1160 Ext. 4	
10. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?		☒ YES ☐ NO	
11. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPE(S) PRESCRIBED IN STORAGE MANUAL?		☒ YES ☐ NO	
12. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL, OR STORAGE CONTRACT IF COMMERCIAL STORAGE?		☒ YES ☐ NO	
13. REMARKS (If item 11, 12, or 13 is answered "NO", give complete details in this space.)			
14. RECOMMENDATIONS (Not to be completed by storage depot or facility as authorization to proceed with remedial measures beyond the scope of usual authority)			
(Signature) <i>W.F. Oldenburg</i>			
NAME OF INSPECTOR (Print or Stamp) W.F. Oldenburg		SIGNATURE OF INSPECTOR <i>W.F. Oldenburg</i>	
		DATE Dec. 12, 1957	

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE NOTIFICATION OF STOCKPILE INSPECTION See Volume GS 5-5 for instructions for the preparation of this form.		1. NAME AND LOCATION OF DEPOT: RTW Elise Grace Ordnance Depot Richmond, Kentucky	
3. STORAGE CONTRACT NUMBER (if commercial storage)		4. SERIAL NUMBER 8	5. LAST INSPECTION DATE 12-4-56
6. REGION (Type and number) Chicago 5		7. TYPE OF STORAGE Warehouse	
8. NAME OF MATERIAL Asbestos (Chrysotile and Rosession)		9. DATE OF INSPECTION June 12, 1957	
10. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY Building Nos. 216 and 217			
11. NAME, TITLE, AND PHONE NUMBER OF INDIVIDUAL RESPONSIBLE FOR MATERIAL Mr. M. D. Farmer Deputy Assistant for Supply Operations Richmond 1160 Ext. 4			
12. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?		☒ YES ☐ NO	
13. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPE(S) PRESCRIBED IN STORAGE MANUAL?		☒ YES ☐ NO	
14. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL, OR STORAGE CONTRACT IF COMMERCIAL STORAGE?		☒ YES ☐ NO	
15. REMARKS (If 12, 13, or 14 is answered "NO", give complete details in this space.)			
16. RECOMMENDATIONS (Not to be considered by storage depot or facility as authorization to proceed with remedial measures beyond the scope of usual authority)			
17. DATE OF INSPECTION (Type or print) W. J. Oldenburg			
18. DATE 6-12-57			

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE		1. NAME AND LOCATION OF DEPT. OR FACILITY Blue Grass Ordnance Depot Richmond, Kentucky	
NOTIFICATION OF STOCKPILE INSPECTION See Volume GS 5-5 for instructions for the preparation of this form.			
2. SITE DATA (for ammunition storage)		3. SERIAL NUMBER 7	4. LAST INSPECTION DATE 2-29-56
5. REGION (City and number) Chicago 5		6. DATE OF MATERIAL Asbestos, Chrysotile and Rhodesian	
7. TYPE OF STORAGE Warehouse		8. DATE OF INSPECTION DATE Dec. 4, 1956	
9. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY Building No. 216 and 217			
10. NAME, TITLE, AND PHONE NUMBER OF INDIVIDUAL RESPONSIBLE FOR MATERIAL Mr. J. G. Holland Deputy Assistant for Supply Operations Richmond 1160 Ext. 4			
11. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?		☒ YES	☐ NO
12. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPE(S) PRESCRIBED IN STORAGE MANUAL?		☒ YES	☐ NO
13. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL, OR STORAGE CONTRACT IF COMMERCIAL STORAGE?		☒ YES	☐ NO
14. REMARKS (If item 11, 12, or 13 is answered "NO", give complete details in this space.)			
15. RECOMMENDATIONS (Not to be construed by storage depot or facility as authorization to proceed with remedial measures beyond the scope of usual authority)			
NAME OF INSPECTOR (Type or print) W. F. Oldenburg		DATE 12-4-56	

SUT 00221571

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE NOTIFICATION OF STOCKPILE INSPECTION See Volume GS 5-5 for instructions for the preparation of this form.		1. NAME AND LOCATION OF DEPOT OR FACILITY BLUE GRASS INDUSTRIAL DISTRICT RICHMOND, KY.	
2. STORAGE CONTRACT NUMBER (If Government Storage)		3. SERIAL NUMBER 6	4. LAST INSPECTION DATE 1-13-66
5. LOCATION (City and State) Cleveland 5		6. TYPE OF STORAGE Warehouse	
7. NAME OF MATERIAL Asbestos - Chrysotile, Rhodesian			
8. SPECIFIC LOCATION(S) OF MATERIAL INSPECTED AT DEPOT OR FACILITY Building 215 and 217			
9. NAME, TITLE, AND PHONE NUMBER OF INDIVIDUAL RESPONSIBLE FOR MATERIAL J. J. MOLLARE, DEPUTY A.S.C. Richmond 1160 Ext. 4			
11. IS ALL MATERIAL (AND/OR CONTAINERS) IN PROPER CONDITION?		☒ YES	☐ NO
12. ARE STORAGE FACILITIES IN GOOD REPAIR AND OF THE TYPE(S) PRESCRIBED IN STORAGE MANUAL?		☒ YES	☐ NO
13. IS MATERIAL STORED IN THE MANNER PRESCRIBED IN STORAGE MANUAL, OR STORAGE CONTRACT IF COMMERCIAL STORAGE?		☒ YES	☐ NO
14. REMARKS (If Item 11, 12, or 13 is answered "No", give complete details in this space.) Item 10: The bags in building 215 which were rained soaked in 1148 are beginning to deteriorate. A good pull on the top "ears" torn on these bags. No other bags were found to be weakened. All stacks in building 217 are well marked "not to be used for insulating magnet wire." Item 12: Roof leak over cross-aisle in section 24-60 building 217. Roof leak near section marker board, 25-60 in building 217.			
15. RECOMMENDATIONS (Not to be controlled by storage depot or facility as authorized to proceed with remedial measures beyond the scope of usual authority) Item 10: Do not feel that any action needs to be done at this time as the deterioration seems to be slow. Item 12: Post Engineer representative has shown these leaks to have corrective action taken. <i>Cy to S-C.D. 3/2/56</i>			
NAME OF INSPECTOR (Type or print) J. M. R. ROBERTS		SIGNATURE OF INSPECTOR <i>J. M. Roberts</i>	
GSA FORM 55-11797		DATE 2-21-66	

GSA FORM 55-11797
MAY 1965

LB

SHIFTS OF ASBESTOS FIBRE 1942

196

RHODESIAN AND SWAZILAND				SOUTH AFRICAN				CANADIAN		
Grade	Shipments 10 months Jan/Oct: 1942	Shipment Programme 1942 1943		Grade	Shipment 10 months Jan/Oct: 1942	Shipment Programme 1942 1943		Grade	Shipments 9 months Jan/Sept. 1942	Shipment Programme 1942/1943
Birthday	6			Amosite				1 & 2 Crude	6	5
Super No.1				M	350	1000		3K	23	
C & CSI	156			No.3	181	439		3R	70	2998
C & CI	1025	1225	1000	TD	851	1831		3T	2156	
C & C2	8971	6616	1890	Total	1382	3270		3Z	100	
C & C3	5779	18132	11600	Blue				4K	4756	
C & C4	2927	9679	6007	S	837	844		4L	1280	16108
VR42	1300	667		A	325	311		4P	60	
VR43	822			P & C	336	220		4T	2912	
VR44	300			LX	196	-		5D	225	
HVL2	946	642		Total	1694	1375		5L	164	16003
HVL3	11964			Winnik	5			5R	9259	10,0891
HVL4X	4610							7D	1221	
HVL4Y	2004							7L	1285	
								7R	-	3639
								7R & 8	10	4108
Total Rhodesian	17985			Total S. African	3081	4645		Total Canadian	25522	3...
Total Swaziland	19524									

SUPP 14/416

COPYRIGHT - NOT TO BE REPRODUCED WITHOUT PERMISSION

4108