

RECEIVED
MAY 19 1971
TECHNICAL DEPT.

12
May 18, 1971

North American Asbestos Corp.
150 N. Wacker Drive
Chicago, Illinois 60606

Attn: Mrs. J. Holtze

Dear Joan:

So that we can continue our evaluation of S/44 Grade
Asbestos, would you arrange to send two tons to our
Mr. Robert Dzurilla.

Your invoice for this material should be directed to
my attention.

Thanks.

Very truly yours,

FOSECO, INC.

A.J. Heins
Buyer

AJH/jk

cc: EJJ
RD ✓

0981



AMOSITE ASBESTOS DATA SHEET (Typical Values)

Grade	Approximate Range-Average Fibre Length	Canadian Box Test				Bauer McNett Test					Surface Area (Rigden) cm ² /gm	Normal End Use
		1	2	3	4	+4	+14	+35	+100	-100		
D11	1"-2"	12	2	1	1	55	15	5	5	20	3,000	Rigid high temperature thermal insulation
M/W3/K3	1/2"-1 1/2"	10	2	3	1	48	14	5	5	28	3,000	
M/65	1/2"-1 1/2"	13	1	1	1	35	12	10	8	35	8,500	Thermal insulation and calcium silicate reinforcement
S22	3/16"-3/4"	8	3	4	1	45	15	8	7	25	3,000	Asbestos cement pipe and sheets; asbestos insulating boards
S22/65	3/16"-3/4"	13	1	1	1	25	15	12	13	35	8,500	
SK/SW	3/16"-3/4"	6	4	4	2	45	15	8	7	25	3,000	
S33	1/8"-1/2"	1	10	3	2	20	25	12	8	35	5,500	Asbestos cement pipe & sheets; fire rated acoustical products; exothermic insulations; reinforced plastics; asbestos paper products; sprayed thermal insulation; pipe line coatings; intumescent paints and mastics.
S33/65	1/8"-1/2"	0	12	2	2	13	28	11	8	40	8,000	
GW/GK	1/8"-1/4"	0	12	2	2	13	28	11	8	40	6,000	
S44	1/8"-1/4"	0	12	2	2	6	12	18	14	50	8,500	Asbestos cement products; asbestos paper.
RK	1/8"-1/4"	0	8	6	2	6	10	11	18	55	5,500	
6605	1/16"-1/8"	0	0	13	3	0	10	10	15	65	5,500	

NOTE: The test data given above is from typical analyses of Amosite using test methods described in "Test Methods for Blue and Amosite Fibres", published by Cape Asbestos Fibres, Ltd., London. While careful quality control is applied to all grades of Amosite during production, the nature of the mineral deposits is such that it is not possible to guarantee the test data as minimum standards.



NORTH AMERICAN ASBESTOS CORPORATION

150 NORTH WACKER DRIVE, CHICAGO, ILLINOIS 60606 • PHONE: (312) 726-8515 • CABLES: NORAMCO, CHICAGO

Mr. A. J. Heins, Buyer,
Foseco, Inc.,
P.O. Box 8728,
Cleveland, Ohio 44135.

7th
June
1971

Dear Tony,


We regret we are unable to ship two tons Grade S44 Amosite Fiber to Mr. Robert Dzurilla for continued evaluation until we receive further tonnage from Africa. We have asked our associates to send us some small tonnage in order that our customers can be sampled as needed, but we do not anticipate receiving this material until late July or early August. As soon as it arrives, of course, we will forward it to Mr. Dzurilla.

The latest information we have on the availability of Grade S44, is that production will not be 'on-stream' until at least September, which would mean delivery to this country late October at the earliest.

We understand production costs have increased somewhat and the current indication is that the price of this material will be \$210 per metric ton f.o.b. vessel Port of Philadelphia. Please change your records accordingly.

Sincerely,

NORTH AMERICAN ASBESTOS CORPORATION



Secretary

JHoltze:sp

RECEIVED
JUN 14 1971
TECHNICAL DEPT.

0983