
FILE NAME: Kelly Moore (KM)


DATE: 0000

DOC#: KM051

DOCUMENT DESCRIPTION: Industry Warning Labels









PLAINTIFF'S EXHIBIT
21 KM


KM 01025



A PACO PRODUCT
Paco textures
NO. 5512
VINYL
JOINT
COMPOUND


JOINT CEMENT
DIRECTIONS FOR USE
PROTECT FROM FREEZING
PACO TEXTURES CORPORATION
SAN CARLOS - LOS ANGELES
CALIFORNIA
DALLAS,
TEXAS

KM 01026



Paco
textures
NO. 5525
TAPING
COMPOUND
FOR TAPING ONLY - NOT FOR TEXTURE
OR FINISHING
NET WEIGHT 25 LBS.


WARRANTY


CAUTION – READ BEFORE USING
WARRANTY


KM 01028






KM 01029



WALL TEXTURE
Paco textures
PACO-TEX
WALL
TEXTURE
EXTRA WHITE
NO. 5565
FOR
SPRAY - SKIP TEXTURE - BRUSH
WALL
TEXTURE
WALL TEXTURE
WALL TEXTURE



DECO-TEX
Paco textures
NO. 6373
DECO-TEX
DECORATIVE CEILING
TEXTURE
DECO-TEX
DECO-TEX


PACO TEXTURES CORPORATION
SAN CARLOS, CALIF. - ONTARIO, CALIF. - KIRKLAND, WASH.
NET WEIGHT 25 LBS.
Manufacturers of DRYWALL FINISHING MATERIALS
CAUTION
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST.
BREATHING ASBESTOS DUST MAY CAUSE
SERIOUS BODILY HARM.


KM 01030



FAST
TYPE
QUICK-SET
PACO TEXTURES CORPORATION
CAUTION



WALL-TEXTURE
DIRECTIONS
NOTE
IMPORTANT NOTICE
PACO TEXTURES CORPORATION
NET WEIGHT 25 LBS.
CAUTION
9253 3 11-77


NET WEIGHT 25 LBS.
Manufacturers of DRYWALL FINISHING MATERIALS
CAUTION
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
BREATHING ASBESTOS DUST MAY CAUSE
SERIOUS BODILY HARM
1 MIL PEEL


KM 01031


SEMI-LIQUID
DO NOT DROP
PROTECT FROM FREEZING
READY-MIX
TOPPING COMPOUND
Paco
textures
PACO TEXTURES DIVISION
KELLY-MOORE PAINT CO.
49593



CAUTION
WARRANTY
Paco
textures
9


CAUTION-READ BEFORE USING
AVOID CREATING DUST.
CAUSE SERIOUS

KM 01032



VINYL
JOINT COMPOUND
WARRANTY



QUICK-SET
SLOW TYPE
Paco textures
SLOW TYPE
QUIK-SET
JOINT
COMPOUND
For a One day
Joint Treatment
PACO TEXTURES CORPORATION
SAN CARLOS, CALIF. ONTARIO, CALIF. PORTLAND, WASH.
SLOW TYPE
Paco
SLOW TYPE
QUICK-SET


CAUTION — READ BEFORE USING
WARRANTY

KM 01033



TEXTURE
Sand Finish
Paco
Sand Finish
SPRAY
TEXTURE
No. 5580
PACO TEXTURES CORPORATION



TEXTURE PAINT
DIRECTIONS
TEXTURE PAINT
PACO TEXTURES CORPORATION
NET WEIGHT 25 LBS.
CAUTION


PACO TEXTURES CORPORATION
NET WEIGHT 25 LBS.
CAUTION


KM 01034



Paco
textures
NO. 5535
FINISHING
COMPOUND
(FOR FINISHING ONLY)
KELLY MOORE PAINT CO., INC.
NET WEIGHT 25 LBS.



WARRANTY


CAUTION - READ BEFORE USING
Contains Asbestos Fibers
Avoid Creating Dust
Breathing Asbestos Dust May
Cause Serious Bodily Harm
WARRANTY


KM 01036



Paco
textures



Paco
textures


USER ACCEPT THE PRODUCT UNDER THESE CONDITIONS.
CAUTION - READ BEFORE USING

KM 01037



NET WEIGHT 25 LBS.
CAUTION



SLOW
TYPE
QUICK-SET
PACO TEXTURES CORPORATION
NET WEIGHT 25 LBS.
CAUTION


NET WEIGHT 25 LBS.
CAUTION
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
BREATHING ASBESTOS DUST MAY CAUSE
SERIOUS BODILY HARM

KM 01038



TEXTURE PAINT
Paco textures
TEXTURE PAINT
NO. 5563
PACO TEXTURES CORPORATION



NO. 4051
VINYL READY-MIX
JOINT COMPOUND
DIRECTIONS FOR USE
PACO TEXTURES DIVISION
KELLY-MOORE PAINT CO., INC.
SEMI-LIQUID
DO NOT DROP
PROTECT FROM FREEZING
Paco textures
6/18/77


TEXTURES CORPORATION


KM01039



Paco textures
V-100
VINYL BASE
V-100
No. 6373
DECORATIVE CEILING
TEXTURE
Paco



SAND-FINISH
SPRAY-TEXTURE
DIRECTIONS
PACO TEXTURES CORPORATION
NET WEIGHT 25 LBS.
CAUTION


NET WEIGHT 35 LBS.
DUE TO THE NATURE OF THIS PRODUCT
COMPACTION MAY RESULT FROM TRANSPORTATION,
HANDLING AND STORAGE.
CAUTION
CONTAINS ASBESTOS FIBERS

KM 01040






[24] hours after application.
and air temperature above 100°F or below 50°F and inadequate ventilation
drying conditions.
AND USER ACCEPT THE PRODUCT UNDER THESE CONDITIONS
CAUTION-READ BEFORE USING
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
BREATHING ASBESTOS DUST MAY
CAUSE SERIOUS BODILY

KM 01041