

CERTAINTEED CORPORATION
LAKE CHARLES POLYMER PLANT

TELECOPY #: 201 890-7029
TO: Meredith Scheck
LOCATION: Vinyl Institute
FROM: C. A. Gellner
FAX #: 318 882-1516
OF PAGES TRANSMITTED: Four (4) Sheets Total
DATE: March 9, 1989

As requested in your letter dated February 27, 1989, we are faxing you the following forms:

Nomination for Annual Vinyl Institute Award for Contribution to Safety

Vinyl Institute Annual Environmental Recognition for Calendar Year 1988

OSHA Recordable Incident Rate for Calendar Year 1988

Should any additional information be required, please let me know.

CTL018731

SUGGESTED FORMAT
NOMINATION FOR ANNUAL VINYL INSTITUTE AWARD
FOR CONTRIBUTION TO SAFETY

NO NOMINATIONS

NOMINEE COMPANY:

BRIEF DESCRIPTION OF SAFETY CONTRIBUTION:

VALUE OF CONTRIBUTION TO THE GENERAL SAFETY OF THE VCM/PVC INDUSTRY:

DATE OF ANNOUNCEMENT:

(Attach any documents providing further description of the
safety contribution.)

Nominated By:

(Name)

(Company)

(Telephone Number)

Signed: _____

Date: _____

Nominations Must Be Sent by MARCH 1, 1989 To: Meredith N. Scheck
The Vinyl Institute
Wayne Interchange Plaza
155 Route 46 West
Wayne, New Jersey 07470

CTL018732

VINYL INSTITUTE ANNUAL ENVIRONMENTAL RECOGNITION
CALENDAR YEAR 1988

PLANT LOCATION (CITY/STATE)	PVC PLANT / EDC/VCM PLANT	PERFORMANCE INDEX
CertainTeed Corporation Lake Charles, Louisiana	PVC Plant	99.9996

Return By MARCH 1, 1989 To:

Meredith N. Scheck
The Vinyl Institute
Wayne Interchange Plaza II
155 Route 46 West
Wayne, New Jersey 07470

Bruce J. Brocka

Responder

CertainTeed Corporation

Company

(318) 882-1441

Telephone Number

CTL018733

OSHA RECORDABLE INCIDENT RATE
CALENDAR YEAR 1988

FACILITY LOCATION (CITY/STATE)	PVC OR EDC/VCM	RECORDABLE INCIDENT RATE
LAKE CHARLES POLYMER PLT.	PVC	15.4

Return By MARCH 1, 1989 To:

Meredith N. Scheck
The Vinyl Institute
Wayne Interchange Plaza II
155 Route 46 West
Wayne, New Jersey 07470

RODNEY A. BOLLICH 

Responder

CERTAINTEED CORPORATION

Company

(318) 882-1441

Telephone Number

CTL018734