

George Jones
2103 St

PLANS FOR REDUCTION OF BLOOD LEAD LEVELS

1. Improve cleaning of lunch room - clean cubby holes daily.
2. Tighten control of cleanliness of locker room and lockers - weekly inspection by supervision.
3. Purchase plastic containers for storage of respirators.
4. Distribute a pamphlet to all employees.
5. Foreman safety meetings - 2 per month - start week of 1/28/74 - stress hygiene.
6. Monthly meetings - foremen - plant manager to discuss progress.
7. Buy a new first aid kit.
8. Institute a program for supplying tooth brushes and paste and insist on use.
9. I have already established a program for C. Badko and myself to divide the plant into five areas, make a thorough housecleaning for housekeeping and maintenance needs and take immediate action.
10. Install a sink outside the locker room for men to clean shoes.
11. Possibly purchase a second portable vacuum and devise means to exhaust outdoors.
12. Daily air sampling by use of pump attached to a different operator in a different area each day.
13. Weekly test of air flow at exhaust system.

Storage?
rent mls
wals

penne all
bram

Inspection of reports each
week month each year
introduce contractors to clear up

Now

c) Call to end of
Gully

BLOOD LEAD INCENTIVE PROGRAM

December 6, 1983

\$50.00 gift certificate when ever we reach the following:

Average blood lead	38	No one above 50	\$50.00
Average blood lead	37	No one above 49	\$50.00
Average blood lead	36	No one above 48	\$50.00
Average blood lead	35	No one above 47	\$50.00
Average blood lead	35	No one above 46	\$50.00
Average blood lead	35	No one above 45	\$50.00

HCG:ck


H. C. Gaffney

CYWI 3-000875


N14660.01

BLOOD LEAD INCENTIVE PROGRAM

June 8, 1983

Our next award for reduced blood leads will be a \$50.00 gift certificate for all when all blood lead levels are below 45.

HCG:ck


H. C. Gaffney

CYWI 3-000876

N14660.02



American Cyanamid Company
Wayne, NJ 07470

July 14, 1983

Robert E. Boyd, M.D.
Clearing Industrial Clinic
5548 West 65th Street
Chicago, IL 60638

Dear Dr. Boyd:

Per our telephone conversation of July 14, 1983, the next two blood samples to be taken on our employees at the Chicago Plant are to be sent both to the West Allis Laboratory for blood lead levels and EPP and another sample sent to ABEX Corporation for a blood lead level and a ZPP. I will request that ABEX contact your office so that any special instructions and collecting vessels may be provided at the time of the next blood drawing which is scheduled for July 21st. This is being done in order that we may comply with the OSHA lead standard.

Very truly yours,


Charles A. Petersen, M.D.
Director of Employee Health

CAP/eob

ABEX Corporation
Medical Dept.
I. H. Analytical Lab.
Dr. Dennis Egnate, M.D., Director
Mr. Regi Suga, Supervisor
4550 W. 26th St.
Chicago, IL 60623

bcc. H. C. Gaffney ✓
J. C. Caporossi
C. S. Hellings
N. D. Yin

CYWI 3-000878

N14660.03