

MO-1

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KY-781 LOT 35491

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
------------	---------	-----------	----------	----

2216	1	T	93	
------	---	---	----	--

2140	1	T	265	
------	---	---	-----	--

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

		LUMP 4,504#		
--	--	-------------	--	--

--	--	--	--	--

TOTAL NET WT. 4,356 PKG. N-CODE

PROD. SPVR DATE WHSE. OPER.

200 4/29/80

N32267

EST. WGT. 1128 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-781-D (N)	FWP 10-13-78
	AMJ 10-13-78

TYPED BY

enw101378

MAKING NOTES

REMARKS

Total Wgt. 4428#

NAME: KROLOO YELLOW LIGHT

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

VAT	240					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	4-24-60					STARTED	1230 A				
TIME	8:30 A					CAKES USED	16				
RELEASED BY	[Signature]					WATER ON	9:00 AM				
PRESS	2	22	23	24		HRS. WASHED	12				
NO. OF CAKES	46	48	46	52		OHMS					
PRESS	with AGITATION					HRS. WASHED					
WASH TO	5000	OHMS with 35-75°F water				OHMS					
TEST AFTER	4	HOURS				HRS. WASHED					
LOAD	on 6 cars					OHMS					
						CAKE CONDITION					
						NO. CARS LOADED	5				
						EXPLAIN LOSSES					

SAMPLES 1-8 oz jar

~~SAMPLE 1-0002 JUL~~
~~DELIVER TO CTL FOR COTOP~~

1	DATE	11/11/68
2	TIME	1400
3	BY	W. J. B. / J. B. B.
4	SAMPLED BY	W. J. B. / J. B. B.
5	ANALYST	W. J. B. / J. B. B.
6	LABORATORY	W. J. B. / J. B. B.
7	TESTS	W. J. B. / J. B. B.
8	RESULTS	W. J. B. / J. B. B.
9	REMARKS	W. J. B. / J. B. B.
10	CONCLUSION	W. J. B. / J. B. B.
11	SIGNATURE	W. J. B. / J. B. B.
12	DATE	11/11/68

RELEASED BY

-DRYING-

DRY 16 HOURS AT 220 °F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 75

SAMPLES

[illegible]

LUMP WGT. 4504

DELIVER TO

SAMPLED BY

RELEASED BY

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM

SCREEN

RPM

MAX. TEMP. 210°F

[illegible]

● 平

EXPLAIN LOSSES

SAMPLE WITHOUT MIXING

DATE MIXED

SAMPLES 1 Env & 1 Pt Can

SAMPLED BY

RELEASED BY

DELIVER TO C T L

N32267.01

DUP050457350

354.91 N C

.41 N

.18 N

.00 T

3.16 - C

.14 -

3.34

.14 -

3.20

.14 -

3.23

.14 -

3.26

.14 -

3.16

.14 -

3.00

.14 -

2.97

.14 -

3.20

.14 -

3.16

.14 -

3.19

.14 -

3.12

.14 -

2.96

.14 -

3.27

.14 -

2.92

.14 -

45.04 T

N32267.02

DUP050457351