

RECEIVED MAR 16 1983

PO Box No 6
Bessemer Road
Welwyn Garden City Hertfordshire AL7 1HD

Telephone Welwyn Garden 23400 (STD Code 07073)
Telex 264251

Imperial
Chemical
Industries
PLC

Petrochemicals and
Plastics Division

From J Stafford
Health & Environment Protection

To	Mr P Claus	APME	CC for information
	Dr L Turner	ECETOC	
	Mr B Sartre	CEFIC	Mr Per Rangnes Norsk
	Mr J Lawrence	SPI	Dr J G Kammuller Shell
	Dr C Stack	CMA	Dr T R Torkelson Dow
	Mr R F Eberlie	CBI	Dr M N Johnson BFG
	Mr S Nakamura	Japanese PVC Association	Dr J T Barr Air Products
			Mr R N Wheeler Jr UCC
			Mr H M Clayton Norsk
			Dr D J Wheeler ICI
			Dr P Lewis CIA

Your ref	Our ref	Tel ext	Date
----------	---------	---------	------

	JS/SEN/DSO-16	7535	9 March 1983
--	---------------	------	--------------

Dear Dr Stack

CIA VCM COMMITTEE

Subject to Protective Order in
Rosa v. Consoco, Inc., No. 90-4837
U.S. District Court
Eastern District of Louisiana
March 9, 1983

CONFIDENTIAL

At a meeting of the Chemical Industries Association (CIA) I resigned from the Chairmanship in preparation for my retirement on 31 August 1983. The committee elected Mr Harold M Clayton, Technical Director of Norsk Hydro Polymers to succeed me. Mr Clayton has been a member of the VCM Committee since 1974/5 and was Chairman of our Customer Liaison Group for 8 years. Since he was in the "VCM problem" from Day 1, he is extremely knowledgeable and will be able to cope with any new situation which may arise. Harold's address is:-

Mr H M Clayton
Technical Director
Norsk Hydro Polymers
Aycliffe Industrial Estate
Darlington
Co Durham DL5 6EA

Tel: 0325 315122 Ext 136
Telex: 58665

I have formally handed over the chair to Mr Clayton but during the next few months he has asked me to assist him in several matters. For example I shall act as "continuity man and old sweat" in the new Tripartite Working Party set up by the Health & Safety Executive of our Government to draft "Guidance Notes on VCM" and perhaps even the long delayed "Draft Approved Code of Practice for VCM" if that is tabled prior to 31/8/83. I shall also attend the APME VCM Meeting in Porsgrunn on 25/26 August since Mr Clayton is on his annual vacation then.

I would be most grateful if you would help and support Mr Clayton in this new task just as you supported me so well over the years. Would you please deal with him on any matters relating to VCM from now onwards.

.../..

CMA 006060

As secretary of his CIA VCM Committee, Mr Clayton has the services of Dr Derek Wheeler of ICI who is very experienced in VCM and PVC manufacture. Derek's address is as follows:-

Dr D J Wheeler
Assistant Works Manager
Hillhouse Works
PO Box 3
Cleveleys
Blackpool FY5 4QB
Lancs


Tel: 0253 856161 Ext 331

Telex No: (Addressed to Hillhouse Works
Via Manchester Switching Centre)
6676230

On 11 March I shall begin to hand over responsibility for maintenance of the ASL Register to my medical colleague Dr Brian Bennett. Full details of his address etc will be given in the next edition of the Register.

With best wishes.

Yours sincerely



J Stafford

CONFIDENTIAL
Subject to Protective Order in
Ross v. Conoco, Inc., No. 90-4937
14th Judicial District Court
Calcasieu Parish, Louisiana