

FRICITION MATERIALS STANDARDS INSTITUTE, 588 MONROE TURNPIKE, MONROE, CT 06468
A U T O M O T I V E D A T A B O O K B U L L E T I N #5-941
April 4, 1995

This is the last Automotive Data Book Bulletin before copy was sent to the printer for the 1995 Automotive Data Book.

		FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
BMW				
1995, M-3		7284-D394**	D/D	7286-D396**
1995, 318i		7437-D558**	D/	
1995, 325i		7437-D558**	D/	
1995, 525i		7284-D394**	D/D	7286-D396**
1995, 525iT		7284-D394**	D/D	7286-D396**
1995, 530i		7284-D394**	D/D	7286-D396**
1995, 530iT		7284-D394**	D/D	7286-D396**
1995, 540i		7284-D394**	D/D	7286-D396**
1995, 740i		7426-D547**	D/D	7427-D548**
1995, 740iL		7426-D547**	D/D	7427-D548**
1995, 750iL		7284-D394**	D/D	7286-D396**
1995, 840Ci		7517-D639**	D/	
1995, 850Ci		7517-D639**	D/	
1995, 850CSi		7426-D547**	D/	
CHRYSLER (See Corrections)				
1995, LeBaron	OR		/D	7438A-D658
DODGE (See Corrections)				
1995, Spirit	OR		/D	7438A-D658
EAGLE				
1995, Summit Wagon		7365-D484**	D/N	1445-S658*
	OR		/D	7272-D383**
1995, Summit Wagon AWD		7365-D484**	D/N	1445-S658*
	OR		/D	7272-D383**
FORD (See Corrections)				
1995, Contour	OR		/D	7541-D661** (Notes #2 & #9)
1995-92, Crown Victoria Police			/D	7542-D662** (Notes #3 & #10)
FORD TRUCK				
1995, Explorer			/D	7545A-D667 (Notes #6 & #15)
1995, Windstar	OR		/D	7543-D664** (Notes #4 & #12)
GEO				
1995, Metro			/N	1414-608*
	OR		/N	1461-S630*
HONDA				
1995, Odyssey		7382-D503**	D/	
1995, Prelude		7448-D568**	D/D	7418-D537**
HYUNDAI				
1995, Elantra		7329-D449**	D/N	1448-S661*
	OR		/D	7344-D464**
1995, Scoupe		7446-D566**	D/N	1451-S663*

SEE DISCLAIMER AT END OF BULLETIN

FMSI® and FMS® are registered trademarks of the Friction Materials Standards Institute, Inc.

Copyright© by Friction Materials Standards Institute, Inc.

April 4, 1995

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>HYUNDAI (con't)</u>			
1994, Scoupe	7446-D566**	D/	
<u>INFINITI</u>			
1995, G20	7342-D462**	D/D	7421-D595**
1995, J30	7467-D587**	D/D	7468-D588**
1995, Q45	7366-D486**	D/D	7468-D588**
<u>ISUZU</u>			
1995, Pick-Up	7347-D363**	D/N	1360-S619*
OR		/D	7328-D398**
1995, Trooper	7459-D579**	D/D	7460-D580**
<u>JAGUAR</u>			
1995, XJ6	7395-D394**	D/	
1995, XJ12	7519-D640**	D/	
OR	7395-D394**	D/	
1995, XJR	7395-D394**	D/	
<u>JEEP</u>			
1995, Grand Cherokee		/D	7502A-D666 (Note #14)
<u>LAND ROVER (See Corrections)</u>			
1995, Range Rover County		/D	7398-D518**
1995, Range Rover County LWB		/D	7398-D518**
1995, Discovery		/D	7398-D518**
<u>LEXUS</u>			
1995, LS400	7544-D665** (Notes #5 & #13)	D/D	7491-D613**
1995, SC300	7357-D476**	D/D	7452-D572**
1995, SC400		/D	7452-D572**
<u>MAZDA (See Comments & Corrections)</u>			
1995, Protege		/N	8104-S702* (Note #18)
OR		/D	7514-D663** (Note #11)
<u>MERCURY (See Corrections)</u>			
1995-92, Grand Marquis Police		/D	7542-D662**
1995, Mystique	OR	/D	7541-D661**
<u>MITSUBISHI</u>			
1995, Eclipse	7365-D484**	D/N	1442-S644*
OR	7412-D530**	D/D	7272-D383**
OR		/D	7447-D567**
OR		/D	7414-D532**
1995, Montero	7412-D530**	D/D	7447-D567**
1995, Expo	7365-D484**	D/N	1445-S658*
OR		/D	7272-D383**
1995, Expo LRV	7365-D484**	D/N	1445-S658*
OR		/D	7272-D383**
<u>NISSAN</u>			
1995, Altima	7407-D526**	D/N	1457-S671*
OR		/D	7421-D540**
1995, Pathfinder	7228-D333**	D/N	1399-574*
OR		/D	7290-D401**
1994, Pathfinder		/N	1399-574*

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>NISSAN (con't)</u>			
1995, Pick-Up	7282-D441**	D/N	1399-574*
	OR 7228-D333**	D/N	1433-S631*
1995, Sentra 1.6L	7389-D510**	D/N	1438-S638*
	OR /D		7390-D511**
1995, Sentra 2.0L	7388-D509**	D/N	1438-S638*
	OR 7428-D549**	D/D	7390-D511**
	OR /D		7421-D595**
<u>PLYMOUTH (See Corrections)</u>			
1995, Acclaim	OR	/D	7438A-D658
<u>PORSCHE</u>			
1995, 928GTS	7473-D594**	D/	
<u>SAAB</u>			
1995, 900 Turbo	7522-D644**	D/	
<u>SUBARU</u>			
1995, SVX	7433-D554**	D/D	7351-D471**
<u>SUZUKI</u>			
1995, Samurai	7540-D660**	D/	
	(Notes #1 & #8)		
1995, Sidekick 2DR	7305-D418**	D/	
1995, Sidekick 4DR	7435-D556**	D/	
<u>TOYOTA</u>			
1995, Supra	7495-D619**	D/D	7491-D613**
1995, Supra Turbo	7508-D629**	D/D	7509-D630**
1995, Tercel	7153-D302**	D/N	1439-S642*
	OR 7153-D242**	D/	
1995, Pick-Up	7127-D207**	D/N	1358-505*
	OR 7320-D589**	D/	
1995, Previa	7408-D616**	D/N	1358-505*
	OR 7380-D615**	D/D	7381-D501**
1995, 4-Runner	7298-D611**	D/N	1397-589*

PARKING BRAKEJEEP

1994, Grand Cherokee

1484-S700*
(Notes #7 & #16)

1995, Grand Cherokee

1484-S701*
(Note #17)NISSAN

1995-91, Pathfinder (drum in hat)

1436-S635*

C O M M E N T SExisting lining used with new shoe:

<u>Lining</u>	<u>Assembly</u>	<u>Application</u>
7514	7514-D663	1995 Mazda Protege Rear
8104	8104-S702	1995 Mazda Protege Rear

C O R R E C T I O N S

In Bulletin 4-941 1995 Chrysler LeBaron, Dodge Spirit and Plymouth Acclaim rear disc was listed as 7438A-D559. The correct listing is 7438A-D658 except that set does not have insulators attached.

1995-92 Ford Crown Victoria Police and Mercury Grand Marquis Police listed rear brake as 7424A-D544. The correct listing is 7542-D662.

C O R R E C T I O N S (con't)

Bulletin 4-941 listed 1995 Land Rover Range Rover County, Range Rover County LWB and Discovery rear brakes as 7399-D518. The correct listing is 7398-D518.

Bulletin 4-941 listed 1995 Mazda Protege rear shoe as 8104-S659. The correct listing is 8104-S702.

Bulletin 4-941 listed 1995 Mazda Protege rear disc as 7338-D458. The correct listing is 7514-D663.

DISC BRAKE LINING ASSIGNMENTS

Note #1	<u>FMSI 7540</u> 39.6 x 15.1 x 97.5 (1.56 x .594 x 3.84)	7540-D660 4 IM
Note #2	<u>FMSI 7541</u> 33.8 x 14.7 x 89.9 (1.33 x .580 x 3.54)	7541-D661 4 IM
Note #3	<u>FMSI 7542</u> 40.9 x 16.1 x 111.0 40.1 x 16.1 x 111.0 (1.61 x .634 x 4.37) (1.58 x .634 x 4.37)	7542-D662 2 IM 2 IM
Note #4	<u>FMSI 7543</u> 30.0 x 13.3 x 125.5 (1.18 x .525 x 4.94)	7543-D664 4 IM
Note #5	<u>FMSI 7544</u> 60.5 x 16.3 x 113.0 (2.38 x .642 x 4.45)	7544-D665 4 IM
Note #6	<u>FMSI 7545A</u> 30.5 x 9.5 x 124.8 (1.20 x .374 x 4.91)	7545A-D667 4 - 24

DRUM BRAKE LINING ASSIGNMENTS

Note #7	<u>FMSI 1484</u> 184.0dd - 30.0 x 2.8 x 206.0 (7.24 - 1.18 x .110 x 8.11)	1484-S700 1484-S701 4 Bonded
---------	---	------------------------------------

DISC BRAKE SHOE ASSIGNMENTS

Note #8	<u>FMS D660</u> 110.3 x 5.1 (4.34 x .201)	7540-D660	Suzuki
Note #9	<u>FMS D661</u> 115.8 x 5.1 (4.56 x .201)	7541-D661	Ford Mercury
Note #10	<u>FMS D662</u> 155.6 x 5.0 155.7 x 5.0 (6.12 x .197) (6.13 x .197)	7542-D662	Ford Mercury

DISC BRAKE SHOE ASSIGNMENTS (con't)

Note #11	<u>FMS D663</u>	7514-D663	Mazda
	102.1 x 4.6		
	(4.02 x .181)		
Note #12	<u>FMS D664</u>	7543-D664	Ford
	140.2 x 5.0		
	(5.52 x .197)		
Note #13	<u>FMS D665</u>	7544-D665	Lexus
	115.6 x 5.1		
	(4.55 x .201)		
Note #14	<u>FMS D666</u>	7502A-D666	Jeep
	140.2 x 5.0		
	(5.52 x .197)		
Note #15	<u>FMS D667</u>	7545A-D667	Ford Truck
	140.2 x 5.0		
	(5.52 x .197)		
	<u>DRUM BRAKE SHOE ASSIGNMENTS</u>		
Note #16	<u>FMS S700</u>	1484-S700	Jeep
	184.0 x 30.0		
	(7.24 x 1.18)		
Note #17	<u>FMS S701</u>	1484-S701	Jeep
	184.0 x 30.0		
	(7.24 x 1.18)		
Note #18	<u>FMS S702</u>	8104-S702	Mazda
	200.0 x 35.0		
	(7.87 x 1.38)		

The data shown in this bulletin has been supplied by sources considered to be reliable. While we believe that such information is correct, the Institute cannot and does not accept any responsibility or liability for errors or omissions, or harm resulting therefrom.

The data shown in this bulletin indicates dimensions only and in no way refers to quality of any materials that may be embodied in the product or particular application involved, and moreover SINCE FIELD CONDITIONS AND OTHER FACTS MAY NECESSARILY VARY FROM ONE APPLICATION TO ANOTHER, FRICTION MATERIALS SUPPLIERS AND INSTALLERS SHOULD RELY ULTIMATELY AND SOLELY UPON THEIR OWN EXPERTISE AND JUDGMENT AS TO QUALITY AND DIMENSIONAL SIZE. Under no circumstances should replacement items be used when they do not appear to fit, nor be "forced" to fit, nor be modified in the field instead of obtaining a proper sized item from a supplier. If such items are modified in the field to fit, the Institute specifically disclaims all liability and responsibility for any harm resulting therefrom.

If any error or omission is noted in this bulletin, it should be reported immediately to the Friction Materials Standards Institute, Inc., 588 Monroe Turnpike, Monroe, Connecticut 06468.

As published in Bulletins #1-941 thru #5-941 we believe the application information for the following is complete.

Alfa Romeo	Audi	Buick	Cadillac	Chevrolet	Chev/GMC Truck
Chrysler	Dodge	Dodge Truck	Eagle	Ford	Infiniti
Isuzu	Land Rover	Lincoln	Mercedes	Mercury	Mitsubishi
Oldsmobile	Plymouth	Pontiac	Saturn	Subaru	Volvo

Listed below are 1995 make, model and application where we have no or partial information.

	<u>Front O.E.#</u>	<u>Front FMSI #</u>	<u>Rear O.E. #</u>	<u>Rear FMSI #</u>
Acura NSX or NSXT	_____	_____	_____	_____
BMW 318/325	3411-1161-445	7437-D558**	3421-1161-455	_____
BMW 840/850	3411-1162-175	7517-D639**	3421-1162-865	_____
GEO Metro	91171400	_____	91171399	_____
Honda Odyssey	45022-SM5-A00	7382-D503**	43022-SXO-A50	_____
Hyundai Accent	58101-22A00	7376-D497**	58305-22A01	_____
Jaguar XJ6,-R	JLM 1829	7395-D394**	JLM 11903	_____
KIA Sportage	OK0113323Z	_____	OK0112638Z	_____
Mazda: B2300,	ZZMO-49280	_____	ZZM3-26310	_____
B3000 & B4000			ZZM2-26310	_____
Nissan 200SX	_____	_____	_____	_____
Porsche 968	965-351-93903	_____	965-352-93904	_____
Porsche 928GTS	928-351-94902	7473-D594**	965-352-93904	_____
Saab 900 Turbo	4483723	7522-D644**	4400222	_____
Suzuki Samurai	58200-70812	7540-D660**	53200-60871	_____
Swift	55800-50G50	_____	53200-60821	_____
Sidekick 2DR	55200-62880	7305-D418**	53200-60861	_____
Sidekick 4DR	55200-56870	7435-D556**	53200-56821	_____
Toyota Avalon	04491-07010	_____	04492-07010	_____
Land Cruiser	_____	_____	_____	_____

- If anyone has any of the missing O.E. numbers please send the information to the Institute.
- If anyone has examined the O.E. part numbers and found them to be the same as (not-similar-to) existing FMSI assignments please send the information to the Institute.
- If anyone has examined the O.E. sets and found that no FMSI part exists please send a drawing or a representative sample of the set to the Institute for an assignment.

Thank you