



101

3401

HITE

-Gloss

Enamel

N • 3.785 LITRES

N17259

CAUTION! COMBUSTIBLE

Keep away from heat and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. Do not take internally. Close container after each use. Use With Adequate Ventilation.

**KEEP OUT OF THE REACH
OF CHILDREN**

11-42

CODE 3401 WHITE SEMI-GLOSS ENAMEL

A semi-gloss interior white ceiling and wall finish for use on wood, metal or masonry over suitable primers or existing sound finish.

Brush full-body.

Spray reduced 10-1 with Code 3851 Paint Thinner or V.M. & P. Naphtha.

Set to touch in 4-6 hours.

Recoat overnight.

POP-33-41

MADE IN U.S.



Uro 1

Code 3403

MEDIUM GREEN

**Semi-Gloss
Enamel**

ONE GALLON • 3.785 LITRES

CAUTION! COMBUSTIBLE

Keep away from heat and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. Do not take internally. Close container after each use. Use With Adequate Ventilation.

**KEEP OUT OF THE REACH
OF CHILDREN**

11-43

CODE 3403 MEDIUM GREEN SEMI-GLOSS ENAMEL

A dark green semi-gloss interior finish for ceilings and walls of wood, metal or masonry over suitable primer or existing sound finish.

Brush full-body.

Set to touch in 4-6 hours.

Recoat overnight.

POP-33-41

MADE IN U.S.A.

GL D005075



Urol

CODE 3300

WHITE

Enamel

(FOR BRUSHING AND SPRAYING)

ONE GALLON • 3.785 LITRES

CAUTION! COMBUSTIBLE

Keep away from heat and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. Do not take internally. Close container after each use. Use With Adequate Ventilation.

**KEEP OUT OF THE REACH
OF CHILDREN**

11-42

CODE 3300 WHITE ENAMEL

A durable white enamel for interior or exterior use over suitable primer or existing sound finish. Specified for pumps, hubsters, and other station equipment to be painted white, also for inside service station walls, etc.

Brush full-body.

Spray reduced with a maximum of 10% Code 3852 Synthetic Spraying Reducer.

Set to touch in 6-8 hours.

Recoat overnight.

FOR 33-41

MADE IN U.S.A.

GLD005076



VTOI

Code 3401

WHITE

**Semi-Gloss
Enamel**

3 GALLON • 3.785 LITRES

CAUTION! COMBUSTIBLE
Keep away from heat and open flame.
Avoid prolonged contact with skin and
breathing of vapor or spray mist. Do
not take internally. Close container after
each use. Use With Adequate
Ventilation.
**KEEP OUT OF THE REACH
OF CHILDREN**
11-42

CODE 3401 WHITE SEMI-GLOSS ENAMEL

A semi-gloss interior white ceiling and wall finish for use
on wood, metal or masonry over suitable primers or
existing sound finish.
Brush full-body.
Spray reduced 10-1 with Code 3851 Paint Thinner or
V.M. & P. Naphtha.
Set to touch in 4-6 hours.
Recoat overnight.

POP-33-41

MADE IN U.S.A.

GLD005077