

Memorandum
ESCAMBIA PLANT

AIR
PRODUCTS 

23.2.7

~~H. J. Smith~~ → 

To: Distribution Date: 1 May 1986

From: J. M. McManus Copies:

Re: Vinyl Chloride SWP for the Escambia Plant

Attached is the Vinyl Chloride Safe Work Practice for the Escambia Plant. The Safe Work Practice was prepared by the Health and Hygiene Subcommittee.


J. M. McManus

JMM:bg

Attachment

Distribution: R. L. Duggan
R. E. Gilbert
M. Chmura
J. P. Anderson

AP00032188

Marty Chmura:

Please see that
the gets the proper
signatures in Allentown
and return original
to R. Duggan.

Thanks,
Betty Greco
Escambia Plant

AP00032189

ADD. ALERT SYSTEM
ADD. NESHAPS

CHANGE MINIMUM MONITORING IS
QUARTERLY RATHER THAN
ANNUAL. BELOW ACTION
LEVEL, MONITORING MAY
→ BE REDUCED BUT NOT
ELIMINATED.

ADD - AREA MONITORING

DEL - RECOMMENDATION
LANGUAGE FOR REG. AREAS.
DESCRIBES FENCE AT ESCAMBU.

DEL - SPECIAL CLEARANCE

DEL - MOST RESP. PROT. DESCRIPTION

DEL - HAZARDOUS OPERATIONS,

ADD - EMERGENCIES - SAFETY SYSTEM

~~DEL - REPORTING OF VCM
RELEASES TO GROUP SAFETY.
LANGUAGE OCCURRENCE REPORT.
REPORTING TO LAW PUBLIC
RELATIONS ETC. ETC.~~

H. Joseph Smith
Chemicals Manufacturing
(215) 481-8374

AIR
PRODUCTS 

DEL - SERVICES OF EMERGENCY
MEDICAL - HOSPITALIZATION;
BLOOD TESTS, OBSERVATION

CHANGE ORIENTATION GOOD FOR
6 MONTHS INSTEAD OF 1 YEAR
CALVERT CITY

DAVID IS CHECKING
ENVIRONMENTAL

CHANGE
ESCAMBIA
TO 1 YEAR

AP00032191