

7/16

Georgia-Pacific



ck w/
LANCE

INTERDEPARTMENTAL COMMUNICATION

TO: Mr. E. B. Hollingsworth

DATE: February 8, 1974

LOCATION: Wilmington

FROM: J. D. Rauch

LOCATION: Akron

SUBJECT: O. S. H. A. ASBESTOS REINSPECTION

**PLAINTIFF'S
EXHIBIT**

GP-204

On February 1, 1974, we sent the O.S.H.A. area director a required 30 day progress report on asbestos fiber control. In this report I indicated that we would have our permanent engineering controls completed and in full use by 2/11/74.

I have now been advised by O.S.H.A. that we can expect an O.S.H.A. reinspection on 2/11/74 or shortly thereafter. In this regard we plan to curtail Joint System production on 2/9/73 and clean up the entire work area.

My main concern is regarding their requirement that we, "Establish a personal monitoring program to determine, at 6 month intervals, the concentration of asbestos dust." Our last series of tests cost us nearly \$1,000 and were unacceptable by O.S.H.A. I have requested O.S.H.A. to supply me with the names of consultants to run the required tests that would be acceptable. A list of consultants has been supplied, see attached. But to quote the area director, "the results would not be acceptable to determine O.S.H.A. compliance." So it would appear that we should take steps to have the tests conducted in as inexpensive a manner as possible. We need to know for our own purposes how our controls are working, but we do not need to have a high priced consultant and laboratory to lend credit to the tests if tests other than by O.S.H.A. will be unacceptable.

I believe we will pass this inspection with no real problem. However, I was in hope that we could have a 6 month self inspection program and not look forward to regular visits from O.S.H.A. Inspectors. Now it would appear that we can expect regular testing by O.S.H.A. until we remove asbestos from all of our products.

The attached list of consultants may be of some value to our other operations, but they should realize that tests other than by O.S.H.A. are not acceptable to the Department of Labor.

We will keep you advised regarding the outcome of the 2/11/74 inspection.

J. D. R.

cc: Mr. H. W. Peele - Wilm.
Mr. R. G. Tuttle - Portland
Mr. John DiLorenzo - Portland

k

FEB 11 1974

U. S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
700 MIDTOWN PLAZA, ROOM 203
SYRACUSE, N. Y. 13210



February 6, 1974

Mr. J. D. Rauch
Plant Manager
Georgia-Pacific Corporation
Bloomingdale Road
Akron, New York 14001

Dear Mr. Rauch:

Your letter dated February 1, 1974 has been received and reviewed at this office. Please be advised that we are aware that your administrative controls and permanent engineering controls will be in full use by February 11, 1974 and that these controls are within the dry mixing and packout areas to prevent employee exposure to asbestos dust.

Your request for consultants to run tests acceptable to OSHA was also reviewed and to this end we are submitting a list of individuals and companies capable of performing asbestos dust sampling. However, the results would not be acceptable to determine OSHA compliance.

To determine if the permanent engineering controls are effective, one of our OSHA Industrial Hygienists will resample the workplace. It is anticipated that this sampling will be conducted on February 11, 1974 or within seven working days after this date. Based on the OSHA sampling results, you will be informed if the permanent engineering controls are adequate.

Meanwhile, temporary administrative controls (PPE) are to be conducted pending the outcome of our sampling.

Sincerely,

A handwritten signature in dark ink, appearing to read "Chester C. Whitside".

Chester C. Whitside
Area Director

Enclosure

CONSULTANTS

Expertise

<u>IH</u>	Industrial Hygiene	<u>OM</u>	Occupational Medicine
<u>IHL</u>	Industrial Hygiene Laboratory	<u>HP</u>	Health Physics
<u>TOX</u>	Toxicology	<u>ERG</u>	Ergonomics
<u>VE</u>	Ventilation Engineering	<u>AP</u>	Air Pollution
<u>NC</u>	Noise Control	<u>WP</u>	Water Pollution
<u>CH</u>	Conservation of Hearing (Medical Responsibility)	<u>WD</u>	Waste Disposal
<u>AE</u>	Audiometric Examination	<u>SAF</u>	Safety
<u>VC</u>	Vibration Control	<u>PS</u>	Product Safety
		<u>TRA</u>	Training

<u>Name and Address</u>	<u>Areas of Expertise As Shown Above</u>	<u>Other</u>
Frank E. Adley, Manager Division of Environmental Health Northwest Health Services 805 Goethals Richland, Washington 99352 509/945-4100	IH, IHL, VE NC, CH, AE OM, AP, WP	Respirator testing; quantitative mask fitting laboratory
Walter H. Poppe Eco Engineering 7127 South Sunnycrest Road Seattle, Washington 98178 206/772-2855	IH, IHL, VE NC, HP, AP WP, WD, SAF PS, TRA	
Ted Hikel Safety Engineering Consultants, Inc. 941 White Henry Stuart Building Seattle, Washington 98101 206/682-3952	IH, TOX, VE NC, AE, VC HP, ERG, AP WP, WD, SAF PS, TRA	Develop and manage safety programs; plan and conduct safety seminars and conferences
David R. Showalter, President Human Resources Conservancy Post Office Box 11007 Tacoma, Washington 98411 206/752-4888	CH, AE, SAF TRA	Specialize in development and packaging of curricula - training and education for occupational health and safety personnel

1. Format for listing consultants and names of consultants from the Illinois area were prepared by the Chicago Section, American Industrial Hygiene Association (AIHA). However, the AIHA does not endorse, evaluate, or certify the advice or service of these consultants.

2. This list is merely for information purposes and is not endorsed by any official agency of the U.S. Government; neither does it imply a total listing of consultants, as names will be added as they are identified.

3. Edited by Stanley J. Reno, National Institute for Occupational Safety and Health, U.S. Department of Health, Education, and Welfare, Region VIII, 9017 Federal Building, Denver 80202.

August 10, 1972

<u>Name and Address</u>	<u>Areas of Expertise</u>	<u>Other</u>
Irving R. Tabershaw or Dr. W. Clark Cooper Tabershaw-Cooper Associates 2180 Milvia Street Berkeley, California 94704 415/845-3355	IH, TOX, CH OM, SAF, PS TRA	Epidemiologic studies, medical records
Howard B. Spielman or Eugene A. Port Health Science Associates 10710 East Felson Circle Cerritos, California 90701 213/867-4100	IH, IHL, TOX* VE, NC, CH AE, OM, HP AP, WD, SAF TRA	*Research of literature only
Jerry Cohen or Joe Tinney Health and Safety Technology, Inc. Post Office Box 861 Livermore, California 94550 415/443-9234	IH, IHL, VE NC, HP, AP WD, SAF, TRA	
Werner Schwarz or David Claridge Trapelo/West Division of LFE Corporation 2030 Wright Avenue Fmond, California 94804 415/235-2633	IH, IHL, VE HP, AP, WP WD, TRA	Industrial hygiene services, environmental quality, total capa- bilities, particle analysis, radiochemistry
Richard F. Krug Industrial Noise Control Associates 2765 Julliard Street Boulder, Colorado 80303 303/494-0766	NC, CH, AE	
Donald J. Northey Audiological Consultants, Inc. 222 Milwaukee Street, Suite 109 Denver, Colorado 80206 303/322-6930	NC, CH, AE	Sound level surveys and octave band analysis
J. D. Garber Johns-Manville Corporation Post Office Box 5108 Denver, Colorado 80217 303/770-1000 (Ext. 2270)	IH, IHL, TOX VE, NC, CH VC, ERG, AP WP, WD, TRA	
Robert Jurovich Juro's Hearing Conservation r Industry 52 - 24th Street, West Billings, Montana 59102 401/656-7850	NC, CH, AE VC	

<u>Name and Address</u>	<u>Areas of Expertise</u>	<u>Other</u>
M. Barthelmess, Gen. Mgr. Northwest Environmental Services Post Office Box 1243 Missoula, Montana 59801 406/549-9471	IH, IHL, VE NC, CH, AE AP, WP	
William S. Johnson, Sr. Vice President Eberline Instrument Corporation Post Office Box 2108 Santa Fe, New Mexico 87501 505/982-1881	IH, IHL, NC OM, HP, AP WP, WD, TRA	Environmental impact statements and implementing programs
John Welton Safety Consultant Services 1542 North Fourth Street Fargo, North Dakota 58102 701/232-6806	SAF, TRA	General walk-thru inspec., internal safety program guidance, recordkeeping program assistance
J. W. Bruns Hazard Specialists, Inc. 3209 South Prairie Avenue Sioux Falls, South Dakota 57105 605/339-2698	SAF, TRA	
Eudie Anderson Hearing Conservation Noise Control 1365 Peachtree Street, N.E. Atlanta, Georgia 30309 404/892-1140	NC, CH, AE	Office also located at 1716 Panama Street, Philadelphia 19103 215/735-7487
Dr. Richard D. Strunk Manager of Engineering Acoustics Bolt Beranek and Newman, Inc. 1740 Ogden, Downers Grove, Ill. 60515 312/969-6150	NC, VC	
Lyle A. Westrom, Vice President Bureau of Safety, Inc. 69 West Washington Chicago, Illinois 60602	WD, SAF	
Herman Comber, Ph.D., Professor Civil Engineering Department Northwestern University Evanston, Illinois 60201	HP	
George Harper, Professor Mechanical Engineering Department University of Illinois Urbana, Illinois 61801	SAF, PS, TRA	

<u>Name and Address</u>	<u>Areas of Expertise</u>	<u>Other</u>
Edward R. Hermann, Ph.D. Associate Professor, Environmental Health Engineering Northwestern University 627 Dartmouth Place Evanston, Illinois 60201	IH, NC, CH* AE, WP, WD TRA	*Consulting to medical practitioner or medical depts..
Bruce A. Hertig, Sc.D., Assoc. Prof. University of Illinois 119 M.E. Laboratory Urbana, Illinois 61801	VE, ERG	
Joseph C. Calandra, M.D., Pres. Industrial Bio-Test Labs, Inc. 1810 Frontage Road Northbrook, Illinois 60062	IH, IHL, TOX OM, AP, WP SAF	
n Kirschner, Director Industrial Hazard Analysts, Inc. 7650 Lavergho Avenue Skokie, Illinois 60076	IH, IHL, AP WP, PS	
Paul D. Halley, Vice President Lifestream Corporation 624 South Michigan Avenue Chicago, Illinois 60680	IH, TOX, VE NC, AP, WP	
Murrell G. Soldon, Jr., Manager Walter C. McCrone Associates, Inc. Environmental Systems Program 493 East 31st Street Chicago, Illinois 60616	IH, IHL, AP	
Robert W. Satterfield, Manager National Loss Control Service Corp. Environmental Sciences Div. 4750 Sheridan Road Chicago, Illinois 60640	IH, IHL, VE NC, AP, WD SAF	
Arthur A. Krawetz, Ph.D., Research Dir. Phoenix Chemical Lab, Inc. 3 West Shakespeare Avenue Chicago, Illinois 60647	IH, AP, SAF	
Dennis M. Michaelson, Assoc. Chemist Polytechnic, Inc. 2600 South Michigan Avenue Chicago, Illinois 60616	TOX, NC, AP WP, SAF	

<u>Name and Address</u>	<u>Areas of Expertise</u>	<u>Other</u>
J. Quon, Ph.D., Professor Civil Engineering Department Northwestern University Evanston, Illinois 60201	AP	
William M. Ihde, Consult. Engineer S. V. Engineering 420 South Waiola Avenue LaGrange, Illinois 60525	NC, VC	
Charles W. Wyman Industrial Hygienist/Safety Engineer 4909 Middaugh Avenue Downers Grove, Illinois 60515	IH, SAF	
Joe Zuithoff, Director Personalized Industrial Training Svc. Post Office Box 36 Crete, Illinois 60417	SAF, TRA	
Dr. R. E. Kary Swanson Environmental Consultants, Inc. 7 South Dearborn, Suite 1631 Chicago, Illinois 60603 (312) 372-5493	IH, TOX, NC OM, HP, AP WP, TRA	Environmental Impact
Joseph B. Olivieri or George Hama JL Associates, Inc. 29111 Harper Avenue St. Clair Shores, Michigan 48081 313/771-5320	IH, IHL, VE NC, VC, AP WP	
F. I. Grunder, Chief-Inorganic Anal. George D. Clayton & Associates 25711 Southfield Road (313/352-3120) Southfield, Michigan 48075	IH, IHL, VE NC, VC, HP AP, WP, WD SAF, PS, TRA	
Theodore D. Striggles P/E Development Company 76 Atkinson Square Cincinnati, Ohio 45246 513/771-4330	VE, NC, AP WP, WD, SAF	
Arnold W. Doyle, Vice President Malden Research Corporation 359 Allston Street Cambridge, Massachusetts 02139 617/868-3940	IHL, NC, AP WP, WD	
William R. Bradley William R. Bradley & Associates 72 County Road Tenafly, New Jersey 07670 201/567-7929	IH, IHL, TOX VE, NC, CH AE, HP, ERG AP, WP, WD SAF, PS, TRA	

<u>Name and Address</u>	<u>Areas of Expertise</u>	<u>Other</u>
← ...s. R. S. Stewart Environmental Analysts, Inc. 224 Seventh Street Garden City, New York 11530 516/741-3061	IH, IHL, VE NC, HP, AP WP, WD	
Dr. L. V. Bristol or M. L. Roberts Trudeau Institute (Silicosis Control Unit) Post Office Box 59 Saranac Lake, New York 12983 518/891-3080 ←	IH-Dust VE-Mine	Radiology
Daniel C. Braun, M.D., President Industrial Health Foundation, Inc. 5231 Centre Avenue Pittsburgh, Pennsylvania 15232 412/687-2100	IH, TOX, CH OM, SAF, TRA	Information source, literature searches
Hearing Conservation Noise Control 1716 Panama Street Philadelphia, Pennsylvania 19103 215/735-7487	NC, CH, AE	Office also located in Atlanta, Georgia
C. Les Stevens Spotts, Stevens & McCoy, Inc. 345 North Wyomissing Boulevard Wyomissing, Pennsylvania 19610 215/376-6581	IH, VE, AP WP	
Arley J. Mead Hazleton Laboratories, Inc. 9200 Leesburg Turnpike Vienna, Virginia 22180 703/893-5400	IH, IHL, TOX AP, WP, WD PS	