

Industrial Hygiene**Test Results**

Sample Date Range 1/1/70 8/9/01
 Concentration Range
 Action Level 100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 08 TEFLON@									
LOC : 100 P/S - MONOMER OPERATOR CONTROL ROOM (08PA/PB/PC)									
5/10/99	33692	360	P	BARROW, THOMAS L	08PH	C-8/FC-143	<0.01	MPB	1.8%
BTO : 08 TEFLON@									
LOC : 101 P/S - TFE FIELD OPERATOR (08PA)									
1/30/98	27147	360	P	LEWIS, JEFFREY BOYD	08PA	C-8/FC-143	0.05	MPB	8.9%
2/5/98	27150	360	P	SPAUR, MICHAEL E	08PA	C-8/FC-143	0.27	MPB	48.2%
8/10/98	27989	360	P	PARSONS, TROY ALAN	08PA	C-8/FC-143	0.03	MPB	5.4%
11/18/98	28543	360	P		08PA	C-8/FC-143	0.02	MPB	3.6%
2/8/99	28855	360	P		08PA	C-8/FC-143	0.1	MPB	17.9%
6/3/99	33689	360	P	GOBEL, STUART J	08PA	C-8/FC-143	<0.01	MPB	1.8%
9/9/99	34048	360	P	ESKINS, ROBERT M	08PA	C-8/FC-143	<0.01	MPB	1.8%
12/15/99	34415	360	P	DELLINGER, JAMES D	08PA	C-8/FC-143	<0.01	MPB	1.8%
3/6/00	34707	360	P	COX, JOHN A	08PA	C-8/FC-143	<0.01	MPB	1.8%
7/10/00	35067	360	P	SKILES, JAMES S	08PA	C-8/FC-143	<0.01	MPB	1.8%
10/19/00	35395	360	P	COX, JOHN A	08PA	C-8/FC-143	<0.01	MPB	1.8%
1/10/01	35641	360	P	BOWERS, JASON S	08PA	C-8/FC-143	1.59	MPB	283.9%
4/9/01	35986	360	P	MACKEY, DAVID AARON	08PA	C-8/FC-143	0.0102	MPB	

AJP006335

									1.8%
7/3/01	36279	360	P	HOLDREN, KEVIN S	08PA	C-8/FC-143	0.0132	MPB	
									2.4%
BTO: 08 TEFLON@									
LOC: 102 P/S - HFP FIELD OPERATOR (08PB)									
1/30/98	27146	360	P		08PB	C-8/FC-143	0.34	MPB	60.7%
2/5/98	27151	360	P		08PB	C-8/FC-143	0.24	MPB	42.9%
5/27/98	27714	360	P		08PB	C-8/FC-143	<.05	MPB	8.9%
8/11/98	28002	360	P		10PC	C-8/FC-143	0.09	MPB	16.1%
11/18/98	28544	360	P		08PB	C-8/FC-143	<0.05	MPB	8.9%
2/8/99	28856	360	P		08PB	C-8/FC-143	0.12	MPB	21.4%
5/12/99	33690	360	P	HOLDREN, KEITH A	08PB	C-8/FC-143	0.076	MPB	13.6%
8/11/99	33940	360	P	DENNISON, RODNEY J	08PB	C-8/FC-143	0.08	MPB	14.3%
11/5/99	34284	360	P	GOBEL, STUART J	08PB	C-8/FC-143	0.01	MPB	1.8%
2/2/00	34583	360	P	WALKER, PATRICK M	08PB	C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34880	360	P	MOON, GARY E	08PB	C-8/FC-143	<0.01	MPB	1.8%
8/7/00	35134	360	P	YOUNG, ERIC M	08PB	C-8/FC-143	<0.01	MPB	1.8%

Thursday, August 09, 2001 1:47:01 PM

Page 1 of 5

AJP006336

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/9/00	35488	360	P	WALKER, PATRICK M	08PB	C-8/FC-143	0.0519	MPB	9.3%
2/9/01	35761	360	P	HEWITT, JAMES M	08PB	C-8/FC-143	0.12	MPB	21.4%

5/16/01	36121	360	P	YOUNG, ERIC M	08PB C-8/FC-143	0.0124	MPB	2.2%
BTO: 08 TEFLON@								
LOC: 106 P/S - TFE/HFP NORTH TANK FARM OPERATOR (08PC)								
1/26/98	27148	360	P	LOCKARD JR, FRED N	08PA C-8/FC-143	0.08	MPB	14.3%
8/10/98	27990	360	P	ESKINS, ROBERT M	08PA C-8/FC-143	0.01	MPB	1.8%
9/10/98	28097	360	P		08PA C-8/FC-143	<0.056	MPB	10.0%
11/18/98	28542	360	P	RODGERS, JAMES L	08PA C-8/FC-143	<0.05	MPB	8.9%
1/25/99	28848	210	P	GOBEL, STUART J	08PA C-8/FC-143	0.05	MPB	8.9%
4/12/99	29096	360	P	WRIGHT, PHILLIP N	08PA C-8/FC-143	0.0436	MPB	7.8%
7/14/99	33826	360	P	PARSONS, TROY ALAN	08PC C-8/FC-143	<0.01	MPB	1.8%
11/5/99	34285	360	P	SMITH, DARRELL E	08PC C-8/FC-143	0.008	MPB	1.4%
2/2/00	34584	360	P	KING, BRIAN W	08PC C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34881	360	P	KING, BRIAN W	08PC C-8/FC-143	0.072	MPB	12.9%
8/7/00	35135	360	P	PARSONS, TROY ALAN	08PC C-8/FC-143	<0.01	MPB	1.8%
11/9/00	35489	360	P	BARNHOUSE, HAROLD L	08PC C-8/FC-143	0.0538	MPB	9.6%
2/9/01	35762	360	P	PARSONS, TROY ALAN	08PC C-8/FC-143	0.08	MPB	14.3%
5/16/01	36122	360	P	FLEMING, MICHAEL B	08PC C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@

LOC: 109 P/S - DAY POLY/MON E&I MECH (COMB W/TMO108)

7/27/88	14397	420	P		none C-8/FC-143	<0.03	MPB	5.4%
---------	-------	-----	---	--	-----------------	-------	-----	------

BTO: 08 TEFLON@

LOC: 110 P/S-DAY/SHIFT STLHOUSE/N TNKFRM MECH (58MA/MD)

8/12/98	28003	360	P	ROBERTS, SCOTT E	58MA C-8/FC-143	0.53	MPB	94.6%
9/4/98	28078	360	P	BALL, JAMES A	58MA C-8/FC-143	0.006	MPB	

AJP006337

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/25/99	28849	390	P	BLAIR, BRYAN D	58MA	C-8/FC-143	0.09	MPB	1.1%
4/12/99	29097	360	P	BLAIR, BRYAN D	58MA	C-8/FC-143	0.016	MPB	16.1%
5/11/99	33687	360	P	GRANDICK, PAUL R	58MA	C-8/FC-143	0.009	MPB	2.9%
8/18/99	33959	360	P	HAID, WOODROW L	58MA	C-8/FC-143	0.02	MPB	1.6%
11/5/99	34291	360	P	PAXTON, GARY L	58MA	C-8/FC-143	0.03	MPB	3.6%
2/2/00	34586	360	P	WOODRUM, DAVID L	58MA	C-8/FC-143	<0.01	MPB	5.4%
5/12/00	34882	360	P	BOWE, JOHNNY W	58MA	C-8/FC-143	<0.01	MPB	1.8%
8/7/00	35138	360	P	MACE JR, DONALD J	58MA	C-8/FC-143	0.05	MPB	1.8%
11/13/00	35493	360	P	DAILEY, CHAD D	58MA	C-8/FC-143	0.0631	MPB	8.9%
2/8/01	35752	360	P	PULIT JR, CHARLES R	58MA	C-8/FC-143	0.09	MPB	11.3%
5/22/01	36150	360	P	BOWE, JOHNNY W	58MA	C-8/FC-143	0.0071	MPB	16.1%
									1.3%

Thursday, August 09, 2001 1:47:01 PM

Page 2 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO :	08			TEFLON@					
LOC :	111			P/S-DY/SHIFT S-TNKFRM/DIS SCBR MCH(58MA/MD)					
4/8/99	29095	360	P	ASBURY, WILLIAM M	58MA	C-8/FC-143	<0.01	MPB	1.8%
7/15/99	33835	360	P	ADAMS, JOHN S	58MA	C-8/FC-143	0.1646	MPB	29.4%
11/9/99	34315	360	P	CARNEY, GREGORY H	58MA	C-8/FC-143	0.02	MPB	3.6%
2/3/00	34589	360	P	FERREBEE, DONALD R	58MA	C-8/FC-143	<0.01	MPB	1.8%

AIP006338

5/12/00	34883	360	P	FERREBEE, DONALD R	58MA C-8/FC-143	0.104	MPB	18.6%
8/7/00	35139	360	P	WHITE, JAMES D	58MA C-8/FC-143	<0.01	MPB	1.8%
11/13/00	35494	360	P	CARNEY, GREGORY H	58MA C-8/FC-143	0.0488	MPB	8.7%
2/9/01	35773	360	P	BOWE, JOHNNY W	58MA C-8/FC-143	0.04	MPB	7.1%
5/17/01	36128	360	P	MIDKIFF, DONALD F	58MA C-8/FC-143	0.0217	MPB	3.9%

BTO: 08 TEFLON@

LOC: 113 P/S - SHIFT MECHANIC (58MD)

11/16/93	19224	360	P		58MD C-8/FC-143	<.03	MPB	5.4%
2/2/94	19405	360	P		58MD C-8/FC-143	<.03	MPB	5.4%
5/17/94	19813	390	P		58MD C-8/FC-143	<.03	MPB	5.4%
8/26/94	20160	360	P		58MD C-8/FC-143	0.1	MPB	17.9%
12/13/94	20672	380	P		58MD C-8/FC-143	0.09	MPB	16.1%
4/4/95	21087	420	P		58MD C-8/FC-143	0.11	MPB	19.6%
1/10/96	22569	330	P		58MD C-8/FC-143	0.019	MPB	3.4%
8/26/96	24210	360	P		58MD C-8/FC-143	0.03	MPB	5.4%
3/13/97	25282	390	P		55MD C-8/FC-143	0.37	MPB	66.1%
6/25/97	25793	370	P		58MD C-8/FC-143	0.14	MPB	25.0%
10/21/97	26712	360	P		58MD C-8/FC-143	0.03	MPB	5.4%
1/30/98	27145	360	P	WEESE, RANDALL G	58MD C-8/FC-143	0.17	MPB	30.4%
4/2/98	27706	360	P		58MD C-8/FC-143	0.22	MPB	39.3%
8/12/98	28004	360	P		58MD C-8/FC-143	0.22	MPB	39.3%
11/18/98	28545	360	P	BLAIR, BRYAN D	58MD C-8/FC-143	0.07	MPB	12.5%
2/4/99	28853	360	P		58MD C-8/FC-143	0.03	MPB	

AJP006339

5.4%

BTO : 08 TEFLON@
LOC : 703 FINE POWDER PACKOUT ROOM

8/25/81	31236		P	none	C-8/FC-143	0.04	MPB	7.1%
9/22/82	9395	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/10/90	15515	355	P	08PJ	C-8/FC-143	<0.03	MPB	5.4%
1/27/94	19338	370	P	08PJ	C-8/FC-143	<.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 3 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 08 TEFLON@									
LOC : 705 DISPERSION PACK OUT AREA									
1/18/82	33217		P		none	C-8/FC-143	0.14	MPB	25.0%
6/12/82	11658	360	P		none	C-8/FC-143	0.05	MPB	8.9%
6/20/82	11659	420	P		none	C-8/FC-143	0.1	MPB	17.9%
3/24/89	14882	435	P		none	C-8/FC-143	<.03	MPB	5.4%
3/27/89	14881	435	P		none	C-8/FC-143	<.03	MPB	5.4%

BTO : 08 TEFLON@
LOC : 708 P/S - FINE POWDER PACKOUT (08PJ)

8/6/81	31233		P	none	C-8/FC-143	<0.03	MPB	5.4%
8/8/81	31234		P	none	C-8/FC-143	0.05	MPB	8.9%

AJP006340

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

8/19/81	31235		P	none	C-8/FC-143	0.9	MPB	160.7% **
8/24/82	9385	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	9386	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	9387	350	P	none	C-8/FC-143	0.08	MPB	14.3%
8/29/82	9388	360	P	none	C-8/FC-143	0.32	MPB	57.1%
8/29/82	9389	360	P	none	C-8/FC-143	0.32	MPB	57.1%
10/27/82	9390	417	P	none	C-8/FC-143	0.03	MPB	5.4%
9/8/83	9391	390	P	none	C-8/FC-143	0.06	MPB	10.7%
6/12/84	9392	380	P	none	C-8/FC-143	0.06	MPB	10.7%
7/2/84	9393	360	P	none	C-8/FC-143	0.06	MPB	10.7%
7/3/84	9394	345	P	none	C-8/FC-143	0.14	MPB	25.0%
6/2/85	9397	300	P	none	C-8/FC-143	0.8	MPB	142.9% **
6/26/85	9396	360	P	none	C-8/FC-143	0.3	MPB	53.6%
6/4/86	9405	360	P	none	C-8/FC-143	0.187	MPB	33.4%
6/15/86	9403	360	P	none	C-8/FC-143	0.292	MPB	52.1%
6/15/86	9404	360	P	none	C-8/FC-143	0.202	MPB	36.1%
12/16/86	9408	330	P	none	C-8/FC-143	0.097	MPB	17.3%
6/13/87	9410	360	P	none	C-8/FC-143	0.12	MPB	21.4%
12/18/87	9413	450	P	none	C-8/FC-143	0.1	MPB	17.9%
4/14/88	14135	420	P	none	C-8/FC-143	0.178	MPB	31.8%
4/29/88	14147	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/23/88	14195	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/7/88	14349	420	P	none	C-8/FC-143	<0.03	MPB	

ALP006341

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/18/88	14403	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/27/88	14399	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/10/88	14394	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/14/89	14875	420	P		none	C-8/FC-143	<.03	MPB	5.4%
4/7/89	14943	430	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 4 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/20/89	14963	435	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%
12/2/89	15475	374	P		08PJ	C-8/FC-143	0.98	MPB	175.0% **
4/1/91	16722	370	P		08PJ	C-8/FC-143	<0.03	MPB	5.4%
4/3/92	17586	465	P		08PJ	C-8/FC-143	0.01	MPB	1.8%
8/26/93	18878	360	P	HARDING, DARLENE J	08PJ	C-8/FC-143	<.03	MPB	5.4%
8/26/93	18879	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/31/93	18880	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18950	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18951	340	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
10/20/93	19022	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
11/8/93	19094	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/25/94	20153	390	P		08PJ	C-8/FC-143	<.03	MPB	

AJP006342

									5.4%
3/8/95	20988	405	P		none	C-8/FC-143	0.02	MPB	
									3.6%
3/8/95	20989	405	P		08PJ	C-8/FC-143	0.02	MPB	
									3.6%
3/11/96	23060	360	P		08PJ	C-8/FC-143	0.07	MPB	
									12.5%
12/5/96	24677	420	P		08PJ	C-8/FC-143	0.026	MPB	
									4.6%
6/24/97	25792	360	P		08PJ	C-8/FC-143	0.07	MPB	
									12.5%
10/6/97	26426	390	P	HEADLEY, ANNE MARIE	08PJ	C-8/FC-143	<.01	MPB	
									1.8%
4/3/98	27708	360	P	BARROW, THOMAS L	08PJ	C-8/FC-143	<.05	MPB	
									8.9%
9/10/98	28098	360	P		08PJ	C-8/FC-143	<0.056	MPB	
									10.0%
3/1/99	28983	360	P	NELSON, TODD D	08PJ	C-8/FC-143	<0.01	MPB	
									1.8%
8/12/99	33942	360	P	HEADLEY, ANNE MARIE	08PJ	C-8/FC-143	<0.01	MPB	
									1.8%
2/4/00	34594	360	P	DUCKWORTH, MARY R	08PJ	C-8/FC-143	<0.01	MPB	
									1.8%
8/8/00	35151	360	P	ALLEN, JUDY A	08PJ	C-8/FC-143	<0.01	MPB	
									1.8%
2/7/01	35743	360	P	HILL, MARGARET A	08PJ	C-8/FC-143	<0.01	MPB	
									1.8%

BTO: 08 TEFLON@

LOC: 712 NORTH END OF DRYER #3

5/3/82	29568	289	P		none	C-8/FC-143	0.45	MPB	
									80.4%

BTO: 08 TEFLON@

LOC: 713 FINE POWDER OFFICE AREA-GENERAL

3/17/89	29775	420	P		none	C-8/FC-143	0.1	MPB	
									17.9%
3/22/89	29776	420	P		none	C-8/FC-143	0.07	MPB	
									12.5%
3/28/89	29777	420	P		none	C-8/FC-143	0.07	MPB	
									12.5%

AJP006343

BTO: 08 TEFLON@

LOC: 714 C-8 STORAGE ROOM

11/5/81 33533

P

none C-8/FC-143

0.03 MPB

5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 5 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08	TEFLON@								
LOC: 719	MOISTURE CHECK								
8/4/81	33591		P		none	C-8/FC-143	2.36	MPB	421.4% **
8/5/81	33592		P		none	C-8/FC-143	2.46	MPB	439.3% **
8/8/81	33593		P		none	C-8/FC-143	2.69	MPB	480.4% **
8/25/81	33594		P		none	C-8/FC-143	4.4	MPB	785.7% **
8/31/81	33595		P		none	C-8/FC-143	0.83	MPB	148.2% **
9/2/81	33596		P		none	C-8/FC-143	0.25	MPB	44.6%
9/2/81	33597		P		none	C-8/FC-143	1.58	MPB	282.1% **
9/18/81	33598		P		none	C-8/FC-143	0.08	MPB	14.3%
9/22/81	33599		P		none	C-8/FC-143	0.04	MPB	7.1%
9/25/81	33600		P		none	C-8/FC-143	0.56	MPB	100.0% **
9/26/81	33601		P		none	C-8/FC-143	0.17	MPB	30.4%
9/27/81	33602		P		none	C-8/FC-143	0.17	MPB	30.4%
9/30/81	33603		P		none	C-8/FC-143	0.08	MPB	14.3%
10/5/81	33604		P		none	C-8/FC-143	0.08	MPB	14.3%
10/6/81	33605		P		none	C-8/FC-143	0.08	MPB	

ALP006344

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/9/82	29551	361	P	none	C-8/FC-143	0.17	MPB	14.3%
6/12/82	29552	360	P	none	C-8/FC-143	0.06	MPB	30.4%
6/20/82	29553	408	P	none	C-8/FC-143	0.07	MPB	10.7%
6/21/82	29554	390	P	none	C-8/FC-143	0.06	MPB	12.5%
10/20/82	29555	300	P	none	C-8/FC-143	0.1	MPB	10.7%
10/21/82	29556	390	P	none	C-8/FC-143	0.25	MPB	17.9%
9/2/83	29557	380	P	none	C-8/FC-143	0.03	MPB	44.6%
9/7/83	29558	360	P	none	C-8/FC-143	0.04	MPB	5.4%
7/8/84	29559	340	P	none	C-8/FC-143	0.25	MPB	7.1%
7/30/84	29560	360	P	none	C-8/FC-143	<0.03	MPB	44.6%
8/1/84	29561	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/1/85	29564	330	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/2/85	29563	330	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/5/85	29562	380	P	none	C-8/FC-143	0.2	MPB	35.7%
7/1/86	29567	335	P	none	C-8/FC-143	0.219	MPB	39.1%
7/15/86	29566	390	P	none	C-8/FC-143	0.246	MPB	43.9%
7/25/86	29565	450	P	none	C-8/FC-143	0.217	MPB	38.8%

BTO: 08 TEFLON@
LOC: 752 TA BLDG-HEAT TREATER

3/29/89	14936	435	P	08PG	C-8/FC-143	<0.03	MPB	5.4%
4/3/89	14938	450	P	08PG	C-8/FC-143	<0.03	MPB	5.4%
4/4/89	14941	435	P	08PG	C-8/FC-143	<0.03	MPB	5.4%

AJP006345

Thursday, August 09, 2001 1:47:01 PM

Page 6 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/11/89	14949	435	P		08PG	C-8/FC-143	<0.03	MPB	5.4%
4/13/89	14956	430	P		08PG	C-8/FC-143	<0.03	MPB	5.4%
4/17/89	14952	430	P		08PG	C-8/FC-143	<0.03	MPB	5.4%
4/17/89	14957	435	P		08PG	C-8/FC-143	<0.03	MPB	5.4%
4/24/89	14958	430	P		08PG	C-8/FC-143	<0.03	MPB	5.4%

BTO : 08 TEFLON@

LOC : 755 TA BLDG-3RD FLOOR

3/30/89	14937	435	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/3/89	14939	430	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/11/89	14950	435	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/12/89	14953	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/18/89	14965	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/24/89	14960	430	P		none	C-8/FC-143	0.05	MPB	8.9%

BTO : 08 TEFLON@

LOC : 760 GRANULAR PK CONTROL ROOM

3/15/89	14876	415	P		none	C-8/FC-143	0.04	MPB	7.1%
4/6/89	14942	435	P		08PF	C-8/FC-143	0.22	MPB	39.3%
4/21/89	14959	435	P		08PF	C-8/FC-143	0.18	MPB	32.1%

AJP006346

BTO : 08 TEFLON@

LOC : 768 P/S - C-8 RECOV OP CHG ROOF FLTRS (08PM)

11/8/93	19095	375	P	08PM C-8/FC-143	<.03	MPB	5.4%
1/28/94	19357	380	P	08PM C-8/FC-143	<.03	MPB	5.4%
5/17/94	19812	390	P	08PM C-8/FC-143	<.03	MPB	5.4%
8/25/94	20154	390	P	08PM C-8/FC-143	0.11	MPB	19.6%
10/25/94	20396	405	P	08PM C-8/FC-143	<.03	MPB	5.4%
12/13/94	20554	420	P	08PM C-8/FC-143	0.03	MPB	5.4%
3/8/95	20990	405	P	08PM C-8/FC-143	0.03	MPB	5.4%
7/25/95	21653	360	P	08PM C-8/FC-143	0.04	MPB	7.1%
3/11/96	23061	360	P	08PM C-8/FC-143	<.01	MPB	1.8%
6/14/96	23763	375	P	08PM C-8/FC-143	<.01	MPB	1.8%
8/27/96	24204	390	P	08PM C-8/FC-143	0.1	MPB	17.9%
12/5/96	24678	420	P	08PM C-8/FC-143	0.003	MPB	0.5%
2/5/97	25021	360	P	08PM C-8/FC-143	0.02	MPB	3.6%
5/27/97	25654	360	P	08PM C-8/FC-143	0.02	MPB	3.6%
7/8/97	25933	45	P	08PM C-8/FC-143	<0.01	MPB	1.8%
7/17/97	25937	70	P	08PM C-8/FC-143	0.12	MPB	21.4%
8/5/97	26017	220	P	08PM C-8/FC-143	0.06	MPB	10.7%

Thursday, August 09, 2001 1:47:01 PM

Page 7 of 51

AJP006347

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/8/97	26109	50	P		08PM	C-8/FC-143	<.01	MPB	1.8%
10/21/97	26713	360	P		08PE	C-8/FC-143	<.01	MPB	1.8%
12/8/97	26862	360	P		08PM	C-8/FC-143	<.01	MPB	1.8%
1/26/98	27149	360	P		08PM	C-8/FC-143	0.78	MPB	139.3% **
4/2/98	27707	360	P		08PM	C-8/FC-143	0.05	MPB	8.9%
8/13/98	28005	360	P		08PM	C-8/FC-143	0.16	MPB	28.6%
9/4/98	28079	360	P		08PM	C-8/FC-143	0.16	MPB	28.6%
11/11/98	28541	360	P		08PM	C-8/FC-143	0.03	MPB	5.4%
2/4/99	28854	390	P		08PM	C-8/FC-143	0.04	MPB	7.1%
7/15/99	33839	360	P	CHANEY, RONALD P	08PM	C-8/FC-143	0.0568	MPB	10.1%
12/15/99	34417	360	P	CHANEY, RONALD P	08PM	C-8/FC-143	0.001	MPB	0.2%
3/8/00	34720	360	P	MCCLUNG, RANDY L	08PM	C-8/FC-143	0.087	MPB	15.5%
7/12/00	35071	360	P	CHANEY, RONALD P	08PM	C-8/FC-143	0.1347	MPB	24.1%
10/19/00	35396	360	P	SMITH, MARY A	08PM	C-8/FC-143	0.0533	MPB	9.5%
1/10/01	35642	360	P	MCCLUNG, RANDY L	08PM	C-8/FC-143	0.35	MPB	62.5%
4/19/01	36027	360	P	MCCLUNG, RANDY L	08PM	C-8/FC-143	0.0509	MPB	9.1%

BTO: 08 TEFLON@

LOC: 770 C-8 RECOVERY BUILDING - B-124

1/14/91	16486	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/21/91	16487	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/31/91	16551	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%

AJP006348

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

2/5/91	16552	450	P	08PI	C-8/FC-143	<0.03	MPB	5.4%
3/6/91	16673	450	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/11/91	16674	450	P	none	C-8/FC-143	0.044	MPB	7.9%

BTO: 08 TEFLON@

LOC: 771 MATERIAL HANDLER-WAREHOUSE

4/3/91	16723	450	P	08PD	C-8/FC-143	<0.03	MPB	5.4%
--------	-------	-----	---	------	------------	-------	-----	------

BTO: 08 TEFLON@

LOC: 800 P/S - DISPERSION PACKOUT (08PH)

8/3/81	33534		P	none	C-8/FC-143	0.17	MPB	30.4%
8/5/81	33535		P	none	C-8/FC-143	1.39	MPB	248.2% **
8/5/81	33536		P	none	C-8/FC-143	0.15	MPB	26.8%
8/8/81	33537		P	none	C-8/FC-143	0.66	MPB	117.9% **
8/21/81	33538		P	none	C-8/FC-143	0.12	MPB	21.4%
9/22/81	33539		P	none	C-8/FC-143	<0.03	MPB	5.4%
9/24/81	33540		P	none	C-8/FC-143	0.06	MPB	10.7%
9/25/81	33541		P	none	C-8/FC-143	0.04	MPB	7.1%

Thursday, August 09, 2001 1:47:01 PM

Page 8 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/27/81	33542		P		none	C-8/FC-143	0.12	MPB	21.4%
9/27/81	33543		P		none	C-8/FC-143	0.25	MPB	

ALP006349

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

								44.6%
10/5/81	33544		P	none	C-8/FC-143	0.16	MPB	28.6%
9/1/82	29431	300	P	none	C-8/FC-143	0.31	MPB	55.4%
8/26/83	29432	360	P	none	C-8/FC-143	0.12	MPB	21.4%
8/27/83	29433	360	P	none	C-8/FC-143	0.16	MPB	28.6%
10/10/83	29434	360	P	none	C-8/FC-143	0.03	MPB	5.4%
5/7/84	29435	390	P	none	C-8/FC-143	0.08	MPB	14.3%
5/8/84	29436	420	P	none	C-8/FC-143	0.06	MPB	10.7%
6/3/84	29437	345	P	none	C-8/FC-143	0.07	MPB	12.5%
6/5/84	29438	400	P	none	C-8/FC-143	0.09	MPB	16.1%
6/12/84	29439	375	P	none	C-8/FC-143	0.15	MPB	26.8%
12/17/84	29440	340	P	none	C-8/FC-143	0.04	MPB	7.1%
12/18/84	29441	360	P	none	C-8/FC-143	0.05	MPB	8.9%
12/23/84	29442	345	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/14/85	29443	395	P	none	C-8/FC-143	0.15	MPB	26.8%
4/14/85	29444	395	P	none	C-8/FC-143	0.15	MPB	26.8%
4/23/85	29445	330	P	none	C-8/FC-143	0.04	MPB	7.1%
5/28/85	29446	375	P	none	C-8/FC-143	0.12	MPB	21.4%
4/8/86	29457	390	P	none	C-8/FC-143	0.28	MPB	50.0%
5/20/86	29458	360	P	none	C-8/FC-143	0.169	MPB	30.2%
11/29/86	29460	360	P	none	C-8/FC-143	0.088	MPB	15.7%
12/2/86	29459	390	P	none	C-8/FC-143	0.14	MPB	25.0%
12/16/86	29461	330	P	none	C-8/FC-143	0.093	MPB	16.6%

AJP006350

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/14/87	29462	360	P		none	C-8/FC-143	0.091	MPB	16.3%
1/3/88	29463	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/11/88	29464	420	P		none	C-8/FC-143	0.049	MPB	8.8%
5/2/88	29465	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/6/88	29466	360	P		none	C-8/FC-143	0.09	MPB	16.1%
6/24/88	29467	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/1/88	29470	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/8/88	29471	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/19/88	29469	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/22/88	29468	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/11/90	29840	480	P	DELLINGER, RICHARD E	08PH	C-8/FC-143	<0.03	MPB	5.4%
1/17/91	29865	420	P		08PH	C-8/FC-143	<0.03	MPB	5.4%
2/6/91	29881	450	P	RODGERS, JAMES L	08PH	C-8/FC-143	<0.03	MPB	5.4%
2/11/91	29884	450	P	DEEM, WILLIAM R	08PH	C-8/FC-143	<0.03	MPB	5.4%
10/3/91	29937	375	P	STARKEY, KELLY D	08PH	C-8/FC-143	0.005	MPB	0.9%

Thursday, August 09, 2001 1:47:01 PM

Page 9 of 51

AJP006351

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/6/92	29950	480	P	NORMAN, MARLENE R	08PH	C-8/FC-143	0.125	MPB	22.3%
5/18/94	30107	390	P	RAWSON, KEVIN WAYNE	08PH	C-8/FC-143	<.03	MPB	

								5.4%
8/25/94	30119	390	P	RAWSON, KEVIN WAYNE	08PH C-8/FC-143	0.1	MPB	17.9%
10/25/94	30125	405	P	LEWIS, JEFFREY BOYD	08PH C-8/FC-143	<.03	MPB	5.4%
12/13/94	30133	420	P	LEWIS, JEFFREY BOYD	08PH C-8/FC-143	0.05	MPB	8.9%
3/8/95	30138	405	P	RAWSON, KEVIN WAYNE	08PH C-8/FC-143	0.11	MPB	19.6%
7/25/95	30156	360	P	STANLEY, DAVID A	08PH C-8/FC-143	0.12	MPB	21.4%
3/11/96	30268	360	P	BARROW, THOMAS L	08PH C-8/FC-143	0.07	MPB	12.5%
5/23/96	30289	90	P	STEELE, MARK S	08PH C-8/FC-143	<.03	MPB	5.4%
8/27/96	30355	390	P	STEELE, MARK S	08PH C-8/FC-143	0.04	MPB	7.1%
12/5/96	30389	420	P	BERLIN, REBECCA J	08PH C-8/FC-143	0.013	MPB	2.3%
2/5/97	30406	360	P	VALENTINE, JEFFERY S	08PH C-8/FC-143	<.01	MPB	1.8%
2/5/97	30416	360	P	VALENTINE, JEFFERY S	08PH C-8/FC-143	0.08	MPB	14.3%
2/5/97	30417	360	P		08PM C-8/FC-143	0.08	MPB	14.3%
5/29/97	30474	370	P	VALENTINE, JEFFERY S	08PH C-8/FC-143	0.04	MPB	7.1%
7/30/97	30515	405	P	BUCHMAN, BETH A	08PL C-8/FC-143	0.36	MPB	64.3%
10/6/97	30541	390	P	BERLIN, REBECCA J	08PH C-8/FC-143	0.01	MPB	1.8%
12/16/97	30589	340	P	BUCHMAN, BETH A	08PH C-8/FC-143	0.02	MPB	3.6%
8/5/98	30677	360	P	BARROW, THOMAS L	08PH C-8/FC-143	0.05	MPB	8.9%
11/12/98	30710	360	P	NELSON, TODD D	08PH C-8/FC-143	0.07	MPB	12.5%
2/4/99	30734	390	P	NELSON, TODD D	08PH C-8/FC-143	0.08	MPB	14.3%
5/10/99	33824	360	P	BARROW, THOMAS L	08PH C-8/FC-143	<0.01	MPB	1.8%
8/12/99	33943	360	P	BERLIN, REBECCA J	08PH C-8/FC-143	<0.01	MPB	1.8%
11/4/99	34282	360	P	BERLIN, REBECCA J	08PH C-8/FC-143	0.005	MPB	0.9%

AJP006352

2/7/00	34602	360	P	MCHENRY II, CARL R	08PH C-8/FC-143	<0.01	MPB	1.8%
5/12/00	34884	360	P	RUSH, RYAN E	08PH C-8/FC-143	0.026	MPB	4.6%
8/9/00	35157	360	P	SIERS, DAVID S	08PH C-8/FC-143	0.02	MPB	3.6%
11/13/00	35495	360	P	BUSH, NICHOLA S	08PH C-8/FC-143	0.0076	MPB	1.4%
2/8/01	35753	360	P	ALLEN, TINA A	08PH C-8/FC-143	0.12	MPB	21.4%
5/17/01	36140	360	P	SMITH, MARK A	08PH C-8/FC-143	0.0129	MPB	2.3%

BTO: 08 TEFLON@

LOC: 801 P/S - GRAN TA PO B-164 DN (08PL) (rec mat typ)

8/30/89	29809	405	P		08PL C-8/FC-143	<0.03	MPB	5.4%
9/1/89	29811	405	P		08PL C-8/FC-143	<0.03	MPB	5.4%
9/5/89	29813	405	P	BOWIE, DONALD L	08PL C-8/FC-143	<0.03	MPB	5.4%
6/14/96	30310	355	P	LYONS, TERESA A	08PC C-8/FC-143	0.1	MPB	17.9%
12/16/97	30587	340	P	SINSEL, PATRICIA A	08PL C-8/FC-143	0.02	MPB	3.6%
8/5/98	30673	360	P	CORBIN, CHRISTOPHER JAMES	08PL C-8/FC-143	0.04	MPB	7.1%
2/4/99	30735	360	P	LYONS, TERESA A	08PL C-8/FC-143	0.13	MPB	23.2%

Thursday, August 09, 2001 1:47:01 PM

Page 10 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/12/99	33947	360	P	CALTRIDER, REBECKAH J	08PL	C-8/FC-143	<0.01	MPB	1.8%
2/7/00	34603	360	P	HOWARD, SUE E	08PL	C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35164	360	P	SINSEL, PATRICIA A	08PL	C-8/FC-143	0.01	MPB	

AJP006353

2/9/01	35763	360	P	ROBERTS II, JAMES D	08PL	C-8/FC-143	0.09	MPB	1.8%
									16.1%
BTO: 08 TEFLON@									
LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)									
8/4/81	33500		P		none	C-8/FC-143	0.84	MPB	150.0% **
8/5/81	33501		P		none	C-8/FC-143	0.58	MPB	103.6% **
8/19/81	33502		P		none	C-8/FC-143	0.06	MPB	10.7%
8/20/81	33503		P		none	C-8/FC-143	0.16	MPB	28.6%
8/24/81	33504		P		none	C-8/FC-143	0.3	MPB	53.6%
8/25/81	33505		P		none	C-8/FC-143	0.99	MPB	176.8% **
8/27/81	33506		P		none	C-8/FC-143	0.13	MPB	23.2%
8/28/81	33507		P		none	C-8/FC-143	0.32	MPB	57.1%
9/1/81	33508		P		none	C-8/FC-143	3.68	MPB	657.1% **
9/2/81	33509		P		none	C-8/FC-143	3.21	MPB	573.2% **
9/2/81	33510		P		none	C-8/FC-143	0.9	MPB	160.7% **
9/9/81	33511		P		none	C-8/FC-143	0.25	MPB	44.6%
9/17/81	33512		P		none	C-8/FC-143	0.12	MPB	21.4%
9/18/81	33513		P		none	C-8/FC-143	0.28	MPB	50.0%
9/22/81	33514		P		none	C-8/FC-143	0.49	MPB	87.5%
9/22/81	33515		P		none	C-8/FC-143	0.2	MPB	35.7%
9/25/81	33516		P		none	C-8/FC-143	0.16	MPB	28.6%
9/26/81	33517		P		none	C-8/FC-143	1.07	MPB	191.1% **
9/27/81	33518		P		none	C-8/FC-143	0.8	MPB	142.9% **

AJP006354

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

9/30/81	33519	P	none	C-8/FC-143	0.12	MPB	21.4%
10/5/81	33520	P	none	C-8/FC-143	0.24	MPB	42.9%
10/6/81	33521	P	none	C-8/FC-143	0.24	MPB	42.9%
10/12/81	33522	P	none	C-8/FC-143	0.67	MPB	119.6% **
12/15/81	33523	P	none	C-8/FC-143	0.11	MPB	19.6%
12/16/81	33524	P	none	C-8/FC-143	0.08	MPB	14.3%
12/30/81	33525	P	none	C-8/FC-143	0.28	MPB	50.0%
1/23/82	33526	P	none	C-8/FC-143	0.44	MPB	78.6%
1/27/82	33527	P	none	C-8/FC-143	0.04	MPB	7.1%
1/28/82	33528	P	none	C-8/FC-143	0.14	MPB	25.0%
2/13/82	33529	P	none	C-8/FC-143	0.46	MPB	82.1%
2/25/82	33530	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/1/82	33531	P	none	C-8/FC-143	0.23	MPB	41.1%
3/3/82	33532	P	none	C-8/FC-143	0.2	MPB	35.7%

Thursday, August 09, 2001 1:47:01 PM

Page 11 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/24/82	29385	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29386	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/26/82	29387	350	P		none	C-8/FC-143	0.04	MPB	7.1%

AJP006355

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

9/9/82	29388	360	P	none	C-8/FC-143	0.28	MPB	50.0%
9/23/82	29389	375	P	none	C-8/FC-143	0.2	MPB	35.7%
9/29/82	29390	334	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/9/83	29391	375	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/10/83	29392	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/12/83	29393	420	P	none	C-8/FC-143	0.12	MPB	21.4%
3/19/83	29394	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/10/83	29395	360	P	none	C-8/FC-143	0.11	MPB	19.6%
4/14/83	29396	410	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/21/83	29397	335	P	none	C-8/FC-143	0.05	MPB	8.9%
4/22/83	29398	364	P	none	C-8/FC-143	0.03	MPB	5.4%
6/5/83	29399	410	P	none	C-8/FC-143	0.04	MPB	7.1%
6/10/83	29400	420	P	none	C-8/FC-143	0.14	MPB	25.0%
6/14/83	29401	405	P	none	C-8/FC-143	0.04	MPB	7.1%
10/7/83	29402	373	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/31/83	29403	300	P	none	C-8/FC-143	0.07	MPB	12.5%
11/22/83	29404	330	P	none	C-8/FC-143	0.08	MPB	14.3%
11/23/83	29405	330	P	none	C-8/FC-143	0.08	MPB	14.3%
1/8/84	29406	390	P	none	C-8/FC-143	0.4	MPB	71.4%
1/13/84	29407	370	P	none	C-8/FC-143	0.06	MPB	10.7%
1/23/84	29408	340	P	none	C-8/FC-143	0.13	MPB	23.2%
1/24/84	29409	360	P	none	C-8/FC-143	0.07	MPB	12.5%
1/27/84	29410	420	P	none	C-8/FC-143	0.06	MPB	

AJP006356

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/24/84	29411	330	P		none	C-8/FC-143	0.38	MPB	10.7%
8/25/84	29412	405	P		none	C-8/FC-143	0.3	MPB	67.9%
8/26/85	29414	330	P		none	C-8/FC-143	0.783	MPB	53.6%
10/20/85	29415	360	P		none	C-8/FC-143	0.376	MPB	139.8% **
8/25/86	29416	340	P		none	C-8/FC-143	0.501	MPB	67.1%
9/6/86	29418	390	P		none	C-8/FC-143	0.501	MPB	89.5%
9/7/86	29417	390	P		none	C-8/FC-143	1.743	MPB	89.5%
5/21/87	29422	330	P		none	C-8/FC-143	0.057	MPB	311.3% **
5/23/87	29421	360	P		none	C-8/FC-143	0.148	MPB	10.2%
5/28/87	29420	375	P		none	C-8/FC-143	0.102	MPB	26.4%
5/30/87	29419	285	P		none	C-8/FC-143	0.144	MPB	18.2%
4/12/88	29424	420	P		none	C-8/FC-143	0.345	MPB	25.7%
4/26/88	29423	420	P		none	C-8/FC-143	0.141	MPB	61.6%
									25.2%

Thursday, August 09, 2001 1:47:01 PM

Page 12 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/14/88	29425	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/21/88	29426	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/5/88	29427	420	P		none	C-8/FC-143	0.07	MPB	12.5%

AJP006357

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

7/28/88	29428	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/2/88	29429	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/15/88	29430	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/21/89	29788	360	P		08PI	C-8/FC-143	2.2	MPB	392.9% **
12/2/89	29821	382	P		08PI	C-8/FC-143	0.42	MPB	75.0%
1/3/91	29860	435	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
1/10/91	29861	450	P	RODGERS, JAMES L	08PI	C-8/FC-143	0.047	MPB	8.4%
2/4/91	29880	450	P		08PI	C-8/FC-143	0.105	MPB	18.8%
2/15/91	29887	450	P	PICKRELL JR, CHARLES W	08PI	C-8/FC-143	<0.03	MPB	5.4%
2/28/91	29894	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/5/91	29897	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/8/91	29898	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/14/91	29901	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/18/91	29902	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/21/91	29905	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/25/91	29906	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
4/2/91	29913	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
3/8/92	29946	420	P	PICKRELL JR, CHARLES W	08PI	C-8/FC-143	0.11	MPB	19.6%
1/27/94	30065	360	P	HARDING, DARLENE J	08PI	C-8/FC-143	<.03	MPB	5.4%
5/18/94	30110	390	P		08PI	C-8/FC-143	<.03	MPB	5.4%
8/25/94	30120	390	P	PICKRELL JR, CHARLES W	08PI	C-8/FC-143	<.03	MPB	5.4%
10/25/94	30126	405	P	TOWNSEND, KEVIN L	08PI	C-8/FC-143	<.03	MPB	5.4%
12/13/94	30134	420	P		08PI	C-8/FC-143	0.09	MPB	

AJP006358

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
									16.1%
3/8/95	30139	405	P		08PI	C-8/FC-143	0.04	MPB	
									7.1%
7/25/95	30157	360	P		08PI	C-8/FC-143	0.07	MPB	
									12.5%
3/29/96	30270	300	P	DYE, DAVID M	08PI	C-8/FC-143	0.03	MPB	
									5.4%
3/29/96	30308	300	P	DYE, DAVID M	08PI	C-8/FC-143	<.01	MPB	
									1.8%
3/29/96	30309	300	P	DYE, DAVID M	08PI	C-8/FC-143	<.01	MPB	
									1.8%
6/14/96	30312	380	P		08PI	C-8/FC-143	0.27	MPB	
									48.2%
8/27/96	30357	390	P	WALKER, JOEY D	08PI	C-8/FC-143	0.06	MPB	
									10.7%
5/29/97	30475	370	P		08PI	C-8/FC-143	0.06	MPB	
									10.7%
7/14/97	30485	135	P	TEWKSBURY, PAULA S	08PI	C-8/FC-143	<.01	MPB	
									1.8%
7/14/97	30488	240	P		08PI	C-8/FC-143	2.4	MPB	
									428.6% **
7/25/97	30498	265	P		08PI	C-8/FC-143	0.26	MPB	
									46.4%
7/25/97	30499	265	P		08PE	C-8/FC-143	0.18	MPB	
									32.1%
8/6/97	30501	360	P	STEELE, MARK S	08PI	C-8/FC-143	0.16	MPB	
									28.6%

Thursday, August 09, 2001 1:47:01 PM

Page 13 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/6/97	30502	355	P	WALKER, JOEY D	08PI	C-8/FC-143	0.06	MPB	
									10.7%
8/12/97	30512	420	P	WALKER, JEFFREY A	08PI	C-8/FC-143	0.06	MPB	
									10.7%
8/12/97	30513	690	P		08PI	C-8/FC-143	<0.01	MPB	
									1.8%

AIP006359

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

8/12/97	30514	690	P		08PI C-8/FC-143	<0.01	MPB	1.8%
10/6/97	30542	390	P		08PI C-8/FC-143	0.03	MPB	5.4%
12/16/97	30590	340	P	VALENTINE, JEFFERY S	08PI C-8/FC-143	0.12	MPB	21.4%
1/21/98	30597	360	P	HARDING, DARLENE J	08PI C-8/FC-143	<.01	MPB	1.8%
5/27/98	30646	360	P		08PI C-8/FC-143	<.05	MPB	8.9%
9/14/98	30682	360	P		08PI C-8/FC-143	<0.056	MPB	10.0%
2/4/99	30733	390	P		08PI C-8/FC-143	0.53	MPB	94.6%
3/2/99	30744	360	P		08PI C-8/FC-143	0.027	MPB	4.8%
7/13/99	33822	360	P	TEWKSBURY, PAULA S	08PI C-8/FC-143	<0.01	MPB	1.8%
11/4/99	34283	360	P	SMITH, JAMES ROBERT	08PI C-8/FC-143	0.009	MPB	1.6%
3/6/00	34705	360	P	CHEVALIER, ALLAN D	08PI C-8/FC-143	0.027	MPB	4.8%
7/10/00	35063	360	P	STEWART, TIMOTHY LYNN	08PI C-8/FC-143	0.0065	MPB	1.2%
11/13/00	35496	360	P	MCHENRY II, CARL R	08PI C-8/FC-143	0.1434	MPB	25.6%
3/12/01	35883	360	P	DAVIS, BARBARA JEAN	08PI C-8/FC-143	0.013	MPB	2.3%
7/3/01	36275	360	P	CARMICHAEL, TIMOTHY NOLEN	08PI C-8/FC-143	<0.01	MPB	1.8%

BTO: 08 TEFLON@

LOC: 803 P/S - VORTAC MILL PACKOUT

4/7/84	29619	32	P		none C-8/FC-143	0.15	MPB	26.8%
--------	-------	----	---	--	-----------------	------	-----	-------

BTO: 08 TEFLON@

LOC: 804 P/S - FINE POWDER AUTOCLAVE OPERATOR (08PE)

8/4/81	33571		P		none C-8/FC-143	1.03	MPB	183.9% **
8/5/81	33572		P		none C-8/FC-143	<0.03	MPB	5.4%
8/8/81	33573		P		none C-8/FC-143	0.14	MPB	25.0%

AJP006360

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

8/9/81	33574	P	none	C-8/FC-143	0.14	MPB	25.0%
8/26/81	33575	P	none	C-8/FC-143	0.14	MPB	25.0%
8/26/81	33576	P	none	C-8/FC-143	0.25	MPB	44.6%
9/22/81	33577	P	none	C-8/FC-143	0.23	MPB	41.1%
9/23/81	33578	P	none	C-8/FC-143	0.08	MPB	14.3%
9/25/81	33579	P	none	C-8/FC-143	0.35	MPB	62.5%
9/30/81	33580	P	none	C-8/FC-143	0.33	MPB	58.9%
9/30/81	33581	P	none	C-8/FC-143	0.19	MPB	33.9%
9/30/81	33582	P	none	C-8/FC-143	0.33	MPB	58.9%
9/30/81	33583	P	none	C-8/FC-143	0.45	MPB	80.4%
10/5/81	33584	P	none	C-8/FC-143	0.08	MPB	14.3%
10/12/81	33585	P	none	C-8/FC-143	0.34	MPB	60.7%

Thursday, August 09, 2001 1:47:01 PM

Page 14 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/25/82	33586		P		none	C-8/FC-143	0.14	MPB	25.0%
3/10/82	33587		P		none	C-8/FC-143	0.16	MPB	28.6%
3/31/82	29501	368	P		none	C-8/FC-143	0.04	MPB	7.1%
4/8/82	29502	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29503	330	P		none	C-8/FC-143	<0.03	MPB	5.4%

AJP006361

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/6/82	29504	360	P	none	C-8/FC-143	0.1	MPB	17.9%	
12/2/82	29505	360	P	none	C-8/FC-143	1.88	MPB	335.7%	**
12/16/82	29506	330	P	none	C-8/FC-143	<0.03	MPB	5.4%	
12/17/82	29507	360	P	none	C-8/FC-143	<0.03	MPB	5.4%	
12/18/82	29508	600	P	none	C-8/FC-143	<0.03	MPB	5.4%	
12/19/82	29509	417	P	none	C-8/FC-143	<0.03	MPB	5.4%	
12/19/82	29510	409	P	none	C-8/FC-143	0.07	MPB	12.5%	
12/19/82	29511	405	P	none	C-8/FC-143	<0.03	MPB	5.4%	
1/12/83	29512	360	P	none	C-8/FC-143	0.08	MPB	14.3%	
1/13/83	29513	390	P	none	C-8/FC-143	0.12	MPB	21.4%	
10/3/83	29514	330	P	none	C-8/FC-143	<0.03	MPB	5.4%	
10/3/83	29515	300	P	none	C-8/FC-143	<0.03	MPB	5.4%	
3/5/84	29516	375	P	none	C-8/FC-143	0.22	MPB	39.3%	
3/5/84	29517	375	P	none	C-8/FC-143	1.29	MPB	230.4%	**
3/11/84	29518	360	P	none	C-8/FC-143	0.12	MPB	21.4%	
3/17/84	29519	360	P	none	C-8/FC-143	0.08	MPB	14.3%	
3/17/84	29520	360	P	none	C-8/FC-143	0.06	MPB	10.7%	
3/29/84	29521	390	P	none	C-8/FC-143	0.04	MPB	7.1%	
3/29/84	29522	390	P	none	C-8/FC-143	0.04	MPB	7.1%	
9/12/84	29523	180	P	none	C-8/FC-143	0.51	MPB	91.1%	
10/2/84	29524	360	P	none	C-8/FC-143	0.29	MPB	51.8%	
10/21/84	29525	360	P	none	C-8/FC-143	0.65	MPB	116.1%	
10/22/84	29526	330	P	none	C-8/FC-143	0.16	MPB		

AJP006362

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/16/85	29527	385	P		none	C-8/FC-143	0.35	MPB	28.6%
3/9/86	29530	360	P		none	C-8/FC-143	0.199	MPB	62.5%
3/22/86	29528	405	P		none	C-8/FC-143	0.889	MPB	35.5%
3/22/86	29529	405	P		none	C-8/FC-143	0.156	MPB	158.8% **
7/11/86	29531	210	P		none	C-8/FC-143	0.962	MPB	27.9%
10/8/86	29533	360	P		none	C-8/FC-143	0.689	MPB	171.8% **
10/8/86	29534	360	P		none	C-8/FC-143	0.34	MPB	123.0% **
10/19/86	29532	375	P		none	C-8/FC-143	0.102	MPB	60.7%
10/29/86	29535	420	P		none	C-8/FC-143	0.367	MPB	18.2%
10/29/86	29536	420	P		none	C-8/FC-143	0.271	MPB	65.5%
4/8/87	29537	330	P		none	C-8/FC-143	2.133	MPB	48.4%
									380.9% **

Thursday, August 09, 2001 1:47:01 PM

Page 15 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/21/87	29538	330	P		none	C-8/FC-143	0.035	MPB	6.3%
12/19/87	29539	314	P		none	C-8/FC-143	0.106	MPB	18.9%
4/25/88	29540	420	P		none	C-8/FC-143	<0.005	MPB	0.9%
5/4/88	29542	420	P		none	C-8/FC-143	0.215	MPB	38.4%
6/9/88	29541	420	P		none	C-8/FC-143	0.053	MPB	9.5%

A1P006363

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/17/88	29543	420	P	none	C-8/FC-143	0.198	MPB	35.4%	
7/6/88	29546	420	P	none	C-8/FC-143	0.137	MPB	24.5%	
7/11/88	29545	420	P	none	C-8/FC-143	0.05	MPB	8.9%	
7/13/88	29544	420	P	none	C-8/FC-143	0.3	MPB	53.6%	
7/20/88	29550	420	P	none	C-8/FC-143	<0.03	MPB	5.4%	
7/21/88	29549	420	P	none	C-8/FC-143	<0.03	MPB	5.4%	
7/26/88	29548	420	P	none	C-8/FC-143	<0.03	MPB	5.4%	
8/4/88	29547	420	P	none	C-8/FC-143	0.05	MPB	8.9%	
6/21/89	29787	360	P	08PE	C-8/FC-143	<0.03	MPB	5.4%	
8/17/89	29801	390	P	none	C-8/FC-143	0.07	MPB	12.5%	
8/21/89	29798	420	P	none	C-8/FC-143	0.17	MPB	30.4%	
8/21/89	29799	405	P	none	C-8/FC-143	0.32	MPB	57.1%	
8/23/89	29800	405	P	none	C-8/FC-143	0.11	MPB	19.6%	
8/28/89	29807	405	P	08PE	C-8/FC-143	0.14	MPB	25.0%	
8/29/89	29808	405	P	08PE	C-8/FC-143	1.09	MPB	194.6% **	
9/6/89	29812	405	P	08PE	C-8/FC-143	0.08	MPB	14.3%	
9/7/89	29815	405	P	08PE	C-8/FC-143	<0.03	MPB	5.4%	
9/8/89	29814	405	P	08PE	C-8/FC-143	0.05	MPB	8.9%	
1/16/91	29864	450	P	08PF	C-8/FC-143	<0.03	MPB	5.4%	
1/18/91	29866	420	P	08PE	C-8/FC-143	<0.03	MPB	5.4%	
1/22/91	29867	450	P	PAHL, MICHAEL T	08PE	C-8/FC-143	<0.03	MPB	5.4%
1/29/91	29870	450	P	08PE	C-8/FC-143	0.076	MPB	13.6%	

AJP006364

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

1/30/91	29871	450	P	08PE	C-8/FC-143	<0.03	MPB	5.4%
2/1/91	29879	450	P	08PE	C-8/FC-143	0.107	MPB	19.1%
2/7/91	29882	450	P	08PF	C-8/FC-143	0.097	MPB	17.3%
2/8/91	29883	450	P	08PE	C-8/FC-143	0.043	MPB	7.7%
2/12/91	29885	450	P	08PF	C-8/FC-143	<0.03	MPB	5.4%
2/14/91	29886	450	P	08PE	C-8/FC-143	0.043	MPB	7.7%
2/20/91	29889	450	P	08PF	C-8/FC-143	0.029	MPB	5.2%
2/21/91	29890	450	P	08PE	C-8/FC-143	0.101	MPB	18.0%
2/22/91	29891	450	P	08PF	C-8/FC-143	0.052	MPB	9.3%
2/26/91	29892	450	P	08PE	C-8/FC-143	0.042	MPB	7.5%
3/4/91	29895	450	P	08PF	C-8/FC-143	0.051	MPB	9.1%
3/12/91	29899	450	P	08PF	C-8/FC-143	0.207	MPB	37.0%

Thursday, August 09, 2001 1:47:01 PM

Page 16 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/19/91	29903	450	P		08PF	C-8/FC-143	<0.03	MPB	5.4%
6/14/96	30311	375	P		08PG	C-8/FC-143	0.2	MPB	35.7%
8/27/96	30356	390	P	TOWNSEND, KEVIN L	08PE	C-8/FC-143	0.09	MPB	16.1%
2/5/97	30407	360	P		08PE	C-8/FC-143	0.02	MPB	3.6%
2/5/97	30418	360	P		08PE	C-8/FC-143	0.02	MPB	3.6%

AJP006365

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

5/29/97	30476	370	P		08PE C-8/FC-143	0.03	MPB	5.4%
6/24/97	30484	360	P		08PE C-8/FC-143	0.05	MPB	10.7%
10/21/97	30550	360	P		08PE C-8/FC-143	<.01	MPB	1.8%
12/16/97	30588	340	P		08PE C-8/FC-143	0.01	MPB	1.8%
8/5/98	30674	360	P		08PE C-8/FC-143	0.005	MPB	0.9%
2/9/99	30736	360	P		08PE C-8/FC-143	0.17	MPB	30.4%
8/11/99	33944	360	P	SWARTZMILLER, CARL J	08PE C-8/FC-143	0.01	MPB	1.8%
2/7/00	34605	360	P	EVANS, TIMMY J	08PE C-8/FC-143	<.01	MPB	1.8%
8/9/00	35158	360	P	LOCKHART, ORRIN S	08PE C-8/FC-143	0.005	MPB	0.9%
2/8/01	35754	360	P	JONES, GARY L	08PE C-8/FC-143	0.25	MPB	44.6%

BTO : 08 TEFLON@

LOC : 805 P/S - FINE POWDER FINISHING DISPERSION OP (08PH

8/4/81	33454		P		none C-8/FC-143	<.03	MPB	5.4%
8/8/81	33455		P		none C-8/FC-143	0.18	MPB	32.1%
8/12/81	33456		P		none C-8/FC-143	0.28	MPB	50.0%
8/19/81	33457		P		none C-8/FC-143	0.18	MPB	32.1%
8/19/81	33458		P		none C-8/FC-143	0.04	MPB	7.1%
8/21/81	33459		P		none C-8/FC-143	0.34	MPB	60.7%
8/24/81	33460		P		none C-8/FC-143	0.13	MPB	23.2%
8/25/81	33461		P		none C-8/FC-143	<.03	MPB	5.4%
8/30/81	33462		P		none C-8/FC-143	<.03	MPB	5.4%
3/1/82	33463		P		none C-8/FC-143	0.16	MPB	28.6%
3/31/82	29348	368	P		none C-8/FC-143	0.08	MPB	

AJP006366

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/5/82	29349	280	P		none	C-8/FC-143	<0.03	MPB	14.3%
4/8/82	29350	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29351	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	29352	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/12/82	29353	360	P		none	C-8/FC-143	0.04	MPB	7.1%
6/20/82	29354	420	P		none	C-8/FC-143	0.14	MPB	25.0%
6/21/82	29355	390	P		none	C-8/FC-143	0.13	MPB	23.2%
6/21/82	29356	390	P		none	C-8/FC-143	0.24	MPB	42.9%
8/1/82	29357	420	P		none	C-8/FC-143	0.15	MPB	26.8%
8/24/82	29358	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/82	29359	390	P		none	C-8/FC-143	0.08	MPB	14.3%

Thursday, August 09, 2001 1:47:01 PM

Page 17 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/26/82	29360	350	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/29/82	29361	360	P		none	C-8/FC-143	0.09	MPB	16.1%
1/19/83	29362	375	P		none	C-8/FC-143	0.1	MPB	17.9%
8/15/83	29363	400	P		none	C-8/FC-143	0.1	MPB	17.9%
4/8/84	29364	410	P		none	C-8/FC-143	0.04	MPB	7.1%
4/10/84	29365	395	P		none	C-8/FC-143	<0.03	MPB	

AIP006367

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

								5.4%
4/19/84	29366	360	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
4/20/84	29367	405	P	none	C-8/FC-143	0.04	MPB	
								7.1%
4/29/84	29368	390	P	none	C-8/FC-143	0.07	MPB	
								12.5%
11/24/84	29369	345	P	none	C-8/FC-143	0.28	MPB	
								50.0%
4/23/85	29370	335	P	none	C-8/FC-143	0.05	MPB	
								8.9%
11/9/85	29371	360	P	none	C-8/FC-143	0.102	MPB	
								18.2%
5/20/86	29372	360	P	none	C-8/FC-143	0.277	MPB	
								49.5%
10/14/86	29373	330	P	none	C-8/FC-143	0.176	MPB	
								31.4%
11/4/86	29375	360	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
11/14/86	29374	360	P	none	C-8/FC-143	0.105	MPB	
								18.8%
5/20/87	29376	370	P	none	C-8/FC-143	0.124	MPB	
								22.1%
2/29/88	29377	360	P	none	C-8/FC-143	0.057	MPB	
								10.2%
4/13/88	29379	420	P	none	C-8/FC-143	0.045	MPB	
								8.0%
4/27/88	29378	420	P	none	C-8/FC-143	<0.005	MPB	
								0.9%
6/15/88	29380	420	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
6/22/88	29381	420	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
7/28/88	29384	420	P	none	C-8/FC-143	0.03	MPB	
								5.4%
8/23/88	29383	420	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
8/29/88	29382	420	P	none	C-8/FC-143	0.05	MPB	
								8.9%
4/16/89	29780	237	P	08PH	C-8/FC-143	0.08	MPB	
								14.3%
1/15/91	29863	450	P	08PH	C-8/FC-143	<0.03	MPB	
								5.4%
1/23/91	29868	450	P	08PH	C-8/FC-143	<0.03	MPB	
								5.4%

AJP006368

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

2/27/91	29893	450	P	MORRIS, DANIEL L	08PH C-8/FC-143	<0.03	MPB	5.4%
3/7/91	29896	450	P		08PH C-8/FC-143	0.215	MPB	38.4%
3/13/91	29900	450	P		08PH C-8/FC-143	<0.03	MPB	5.4%
5/5/92	29949	480	P		08PH C-8/FC-143	0.197	MPB	35.2%
1/28/94	30066	390	P		08PH C-8/FC-143	0.03	MPB	5.4%
5/22/96	30284	210	P		08PH C-8/FC-143	<.03	MPB	5.4%
5/22/96	30288	210	P	STEELE, MARK S	08PH C-8/FC-143	<.03	MPB	5.4%
2/5/97	30408	360	P		08PH C-8/FC-143	<.01	MPB	1.8%
2/5/97	30419	360	P		08PH C-8/FC-143	0.06	MPB	10.7%
2/5/98	30605	360	P		08PH C-8/FC-143	<.01	MPB	1.8%
8/14/98	30679	360	P	PICKRELL JR, CHARLES W	08PH C-8/FC-143	0.01	MPB	1.8%

Thursday, August 09, 2001 1:47:01 PM

Page 18 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/9/99	30737	360	P	PICKRELL JR, CHARLES W	08PH	C-8/FC-143	0.09	MPB	16.1%
8/18/99	33961	360	P	SMITH, GREGORY A	08PH	C-8/FC-143	0.01	MPB	1.8%
2/7/00	34606	360	P	PICKRELL JR, CHARLES W	08PH	C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35159	360	P	RIDGWAY, RANDALL E	08PH	C-8/FC-143	0.01	MPB	1.8%
2/8/01	35755	360	P	PICKRELL JR, CHARLES W	08PH	C-8/FC-143	0.05	MPB	8.9%

AJP006369

BTO : 08 TEFLON@

LOC : 807 P/S - ENVIRONMENTAL CONTROL OPERATOR

8/4/81	33545	P	none	C-8/FC-143	0.74	MPB	132.1%	**
8/5/81	33546	P	none	C-8/FC-143	0.24	MPB	42.9%	
8/19/81	33547	P	none	C-8/FC-143	0.12	MPB	21.4%	
8/20/81	33548	P	none	C-8/FC-143	0.24	MPB	42.9%	
8/24/81	33549	P	none	C-8/FC-143	0.69	MPB	123.2%	**
8/25/81	33550	P	none	C-8/FC-143	0.75	MPB	133.9%	**
8/27/81	33551	P	none	C-8/FC-143	0.09	MPB	16.1%	
9/18/81	33552	P	none	C-8/FC-143	0.63	MPB	112.5%	**
9/22/81	33553	P	none	C-8/FC-143	0.11	MPB	19.6%	
9/23/81	33554	P	none	C-8/FC-143	0.12	MPB	21.4%	
9/25/81	33555	P	none	C-8/FC-143	0.98	MPB	175.0%	**
9/27/81	33556	P	none	C-8/FC-143	2.26	MPB	403.6%	**
9/27/81	33557	P	none	C-8/FC-143	2.06	MPB	367.9%	**
9/30/81	33558	P	none	C-8/FC-143	0.46	MPB	82.1%	
9/30/81	33559	P	none	C-8/FC-143	0.46	MPB	82.1%	
10/5/81	33560	P	none	C-8/FC-143	0.32	MPB	57.1%	
10/6/81	33561	P	none	C-8/FC-143	1.04	MPB	185.7%	**
12/15/81	33562	P	none	C-8/FC-143	0.07	MPB	12.5%	
12/16/81	33563	P	none	C-8/FC-143	0.08	MPB	14.3%	
1/1/82	33564	P	none	C-8/FC-143	0.1	MPB	17.9%	
1/16/82	33565	P	none	C-8/FC-143	0.16	MPB	28.6%	
1/22/82	33566	P	none	C-8/FC-143	0.08	MPB		

AIP006370

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/23/82	33567		P		none	C-8/FC-143	0.16	MPB	14.3%
									28.6%
1/27/82	33568		P		none	C-8/FC-143	0.04	MPB	7.1%
2/13/82	33569		P		none	C-8/FC-143	0.04	MPB	7.1%
3/10/82	33570		P		none	C-8/FC-143	0.24	MPB	42.9%
10/13/82	29447	360	P		none	C-8/FC-143	0.24	MPB	42.9%
11/17/82	29448	300	P		none	C-8/FC-143	0.02	MPB	3.6%
11/18/82	29449	395	P		none	C-8/FC-143	0.18	MPB	32.1%
7/12/83	29450	390	P		none	C-8/FC-143	0.09	MPB	16.1%
7/13/83	29451	390	P		none	C-8/FC-143	0.17	MPB	30.4%
7/31/83	29452	330	P		none	C-8/FC-143	0.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 19 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/1/83	29453	330	P		none	C-8/FC-143	<0.03	MPB	5.4%
9/11/83	29454	360	P		none	C-8/FC-143	0.32	MPB	57.1%
10/9/83	29455	390	P		none	C-8/FC-143	0.05	MPB	8.9%
2/20/84	29456	360	P		none	C-8/FC-143	0.13	MPB	23.2%
9/3/84	29472	360	P		none	C-8/FC-143	0.44	MPB	78.6%
9/23/84	29473	420	P		none	C-8/FC-143	0.06	MPB	10.7%
9/26/84	29474	360	P		none	C-8/FC-143	0.11	MPB	

AJP006371

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

									19.6%
2/19/85	29475	300	P	none	C-8/FC-143	0.44	MPB		
									78.6%
9/16/85	29477	390	P	none	C-8/FC-143	0.172	MPB		
									30.7%
9/17/85	29476	390	P	none	C-8/FC-143	0.219	MPB		
									39.1%
9/22/85	29478	330	P	none	C-8/FC-143	0.191	MPB		
									34.1%
2/8/86	29481	390	P	none	C-8/FC-143	0.184	MPB		
									32.9%
2/10/86	29480	315	P	none	C-8/FC-143	0.224	MPB		
									40.0%
2/26/86	29479	390	P	none	C-8/FC-143	0.611	MPB		
									109.1% **
3/20/86	29482	390	P	none	C-8/FC-143	0.487	MPB		
									87.0%
9/7/86	29487	390	P	none	C-8/FC-143	0.401	MPB		
									71.6%
9/8/86	29486	390	P	none	C-8/FC-143	0.299	MPB		
									53.4%
9/15/86	29485	360	P	none	C-8/FC-143	0.342	MPB		
									61.1%
9/16/86	29484	360	P	none	C-8/FC-143	0.893	MPB		
									159.5% **
9/20/86	29483	375	P	none	C-8/FC-143	0.739	MPB		
									132.0% **
9/21/86	29488	405	P	none	C-8/FC-143	0.349	MPB		
									62.3%
9/30/86	29489	405	P	none	C-8/FC-143	0.378	MPB		
									67.5%
2/13/87	29490	380	P	none	C-8/FC-143	0.211	MPB		
									37.7%
3/1/87	29491	360	P	none	C-8/FC-143	0.146	MPB		
									26.1%
8/13/87	29492	360	P	none	C-8/FC-143	0.121	MPB		
									21.6%
2/21/88	29493	350	P	none	C-8/FC-143	0.051	MPB		
									9.1%
4/7/88	29494	280	P	none	C-8/FC-143	0.113	MPB		
									20.2%
4/28/88	29495	420	P	none	C-8/FC-143	0.035	MPB		
									6.3%
6/16/88	29497	420	P	none	C-8/FC-143	<0.03	MPB		

AJP006372

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/20/88	29496	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/12/88	29498	420	P		none	C-8/FC-143	0.04	MPB	5.4%
8/9/88	29500	420	P		none	C-8/FC-143	0.05	MPB	7.1%
8/23/88	29499	420	P		none	C-8/FC-143	<0.03	MPB	8.9%
8/30/88	29756	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/7/89	29779	330	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
8/10/90	29844	330	P		08PI	C-8/FC-143	0.18	MPB	32.1%
1/11/91	29862	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
1/24/91	29869	450	P		08PI	C-8/FC-143	<0.03	MPB	5.4%
2/19/91	29888	450	P	HARDING, DARLENE J	08PI	C-8/FC-143	<0.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 20 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/20/91	29904	450	P		08PI	C-8/FC-143	0.052	MPB	9.3%
6/17/93	29993	450	P	HARDING, DARLENE J	08PI	C-8/FC-143	0.06	MPB	10.7%

BTO: 08 TEFLON@

LOC: 808 P/S - GRANULAR PK OPERATOR (08PF),

4/5/84	29620	360	P		none	C-8/FC-143	0.04	MPB	7.1%
4/6/84	29621	385	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/6/84	29622	360	P		none	C-8/FC-143	0.05	MPB	

AJP006373

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

									8.9%
4/6/84	29623	538	P		none	C-8/FC-143	0.03	MPB	
									5.4%
8/31/89	29810	405	P		08PL	C-8/FC-143	<0.03	MPB	
									5.4%
1/18/94	30055	495	P		08PF	C-8/FC-143	0.4	MPB	
									71.4%
5/18/94	30104	390	P		08PJ	C-8/FC-143	<.03	MPB	
									5.4%
8/26/94	30121	390	P		08PJ	C-8/FC-143	<.03	MPB	
									5.4%
11/29/94	30129	380	P		18PA	C-8/FC-143	0.32	MPB	
									57.1%
3/8/95	30140	405	P		08PF	C-8/FC-143	0.12	MPB	
									21.4%
7/25/95	30158	360	P		08PF	C-8/FC-143	0.07	MPB	
									12.5%
3/11/96	30269	360	P		08PF	C-8/FC-143	0.06	MPB	
									10.7%
6/14/96	30314	400	P		08PF	C-8/FC-143	0.15	MPB	
									26.8%
2/5/97	30405	360	P		08PF	C-8/FC-143	<.01	MPB	
									1.8%
2/5/97	30415	360	P		08PH	C-8/FC-143	0.04	MPB	
									7.1%
5/27/97	30479	360	P		08PF	C-8/FC-143	0.02	MPB	
									3.6%
8/6/97	30500	350	P		08PF	C-8/FC-143	0.08	MPB	
									14.3%
11/21/97	30584	360	P		08PF	C-8/FC-143	<.01	MPB	
									1.8%
2/5/98	30606	360	P		08PF	C-8/FC-143	0.38	MPB	
									67.9%
5/27/98	30647	360	P		08PF	C-8/FC-143	<.05	MPB	
									8.9%
8/10/98	30678	360	P		08PF	C-8/FC-143	0.1	MPB	
									17.9%
12/9/98	30711	360	P		08PF	C-8/FC-143	0.01	MPB	
									1.8%
2/25/99	30743	360	P		08PF	C-8/FC-143	0.077	MPB	
									13.8%
7/14/99	33828	360	P	YOHO, BARRY L	08PF	C-8/FC-143	0.0844	MPB	
									15.1%
11/5/99	34294	360	P	RANKIN, JAMES E	08PF	C-8/FC-143	0.02	MPB	
									3.6%

AJP006374

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/7/00	34607	360	P	TOWNSEND, BILLY L	08PF	C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34865	360	P	TAYLOR, DONALD	08PF	C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35160	360	P	ENOCH, ROBERT E	08PF	C-8/FC-143	0.07	MPB	12.5%
11/13/00	35497	360	P	TOWNSEND, BILLY L	08PF	C-8/FC-143	0.0319	MPB	5.7%
1/9/01	35640	360	P	TOWNSEND, BILLY L	08PF	C-8/FC-143	0.06	MPB	10.7%
2/7/01	35744	360	P	TOWNSEND, BILLY L	08PF	C-8/FC-143	<0.01	MPB	1.8%
3/6/01	35866	720	P	CAPLINGER, RICHARD L	08PF	C-8/FC-143	0.125	MPB	22.3%
3/6/01	35868	720	P	TAYLOR, DONALD	08PF	C-8/FC-143	0.0819	MPB	14.6%
3/13/01	35888	720	P	ENOCH, ROBERT E	08PF	C-8/FC-143	0.1378	MPB	24.6%
3/13/01	35890	720	P	BERLIN, REBECCA J	08PF	C-8/FC-143	0.1233	MPB	22.0%

Thursday, August 09, 2001 1:47:01 PM

Page 21 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/20/01	35926	720	P	BERLIN, REBECCA J	08PF	C-8/FC-143	0.0304	MPB	5.4%
3/20/01	35927	720	P	VANWEY, GARY L	08PF	C-8/FC-143	1.4954	MPB	267.0% **
3/27/01	35940	720	P	THOMPSON JR, WILLIAM H	08PF	C-8/FC-143	0.0243	MPB	4.3%
3/27/01	35945	720	P	TOWNSEND, BILLY L	08PF	C-8/FC-143	0.0419	MPB	7.5%
4/3/01	35978	720	P	ENOCH, ROBERT E	08PF	C-8/FC-143	0.0207	MPB	3.7%
4/10/01	36008	720	P	ENOCH, ROBERT E	08PF	C-8/FC-143	0.0554	MPB	9.9%
4/10/01	36009	720	P	BLOUIR, JOHN F	08PF	C-8/FC-143	0.3497	MPB	62.4%

AJP006375

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

4/17/01	36015	720	P	BLOUIR, JOHN F	08PF C-8/FC-143	0.0523	MPB	9.3%
4/17/01	36016	720	P	VANWEY, GARY L	08PF C-8/FC-143	0.0271	MPB	4.8%
4/24/01	36177	720	P	BLOUIR, JOHN F	08PF C-8/FC-143	0.0396	MPB	7.1%
4/24/01	36178	720	P	CAPLINGER, RICHARD L	08PF C-8/FC-143	0.0399	MPB	7.1%
5/29/01	36179	720	P	TOWNSEND, BILLY L	08PF C-8/FC-143	0.0727	MPB	13.0%
5/29/01	36180	720	P	ENOCH, ROBERT E	08PF C-8/FC-143	0.0604	MPB	10.8%
5/30/01	36176	360	P	CAPLINGER, RICHARD L	08PF C-8/FC-143	0.0199	MPB	3.6%
6/19/01	36255	720	P	VANWEY, GARY L	08PF C-8/FC-143	0.0405	MPB	7.2%
6/19/01	36267	720	P	CAPLINGER, RICHARD L	08PF C-8/FC-143	0.0501	MPB	8.9%
6/26/01	36268	720	P	TOWNSEND, BILLY L	08PF C-8/FC-143	0.037	MPB	6.6%
7/3/01	36278	360	P	TAYLOR, DONALD	08PF C-8/FC-143	0.002	MPB	0.4%

BTO: 08 TEFLON@

LOC: 809 P/S - DAY POLYMER E&I MECH (58MC)

5/6/88	29738	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/88	29746	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/26/88	29747	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/12/93	29984	360	P	none	C-8/FC-143	0	MPB	0.0%
6/14/93	29994	360	P	55MH	C-8/FC-143	0	MPB	0.0%
6/30/93	29995	480	P	55MH	C-8/FC-143	0	MPB	0.0%
8/20/93	30001	360	P	58MG	C-8/FC-143	0.04	MPB	7.1%
10/20/93	30022	360	P	58MF	C-8/FC-143	0.71	MPB	126.8% **
11/5/93	30033	390	P	58MG	C-8/FC-143	<.03	MPB	5.4%
12/15/93	30037	360	P	58MF	C-8/FC-143	<.03	MPB	5.4%

AJP006376

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

2/2/94	30068	360	P		58MG C-8/FC-143	<.03	MPB	5.4%
5/17/94	30103	390	P	PRUNTY, DARRON T	58MG C-8/FC-143	0.03	MPB	5.4%
8/26/94	30122	390	P		58MG C-8/FC-143	<.03	MPB	5.4%
11/29/94	30130	380	P		58MG C-8/FC-143	0.06	MPB	10.7%
3/8/95	30141	405	P		58MG C-8/FC-143	0.02	MPB	3.6%
7/25/95	30159	360	P		58MG C-8/FC-143	0.07	MPB	12.5%
6/14/96	30307	360	P		58MG C-8/FC-143	0	MPB	0.0%
2/24/97	30441	360	P		58MG C-8/FC-143	0.32	MPB	57.1%
5/28/97	30477	420	P		58MG C-8/FC-143	0.05	MPB	8.9%

Thursday, August 09, 2001 1:47:01 PM

Page 22 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/25/97	30539	360	P		none	C-8/FC-143	<.01	MPB	1.8%
12/16/97	30591	340	P		58MG	C-8/FC-143	0.07	MPB	12.5%
5/28/98	30649	360	P		58MG	C-8/FC-143	<.05	MPB	8.9%
8/5/98	30675	360	P		58MG	C-8/FC-143	0.08	MPB	14.3%
12/2/98	30713	360	P		58MG	C-8/FC-143	0.03	MPB	5.4%
2/17/99	30741	360	P		58MG	C-8/FC-143	0.053	MPB	9.5%
7/13/99	33823	360	P	HYRE, DAVID C	58ME	C-8/FC-143	0.0056	MPB	1.0%
11/8/99	34299	360	P	WADE, DALE E	58MC	C-8/FC-143	0.006	MPB	1.1%

ALP006377

2/8/00	34612	360	P	BATES, THOMAS R	58MC C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34866	360	P	WADE, DALE E	58MC C-8/FC-143	0.037	MPB	6.6%
8/7/00	35140	360	P	TAYLOR, VIRGINIA P	58MC C-8/FC-143	0.007	MPB	1.3%
11/13/00	35498	360	P	WADE, DALE E	58MC C-8/FC-143	0.153	MPB	27.3%
2/9/01	35764	360	P	PALMER, STEVEN C	58MC C-8/FC-143	0.1	MPB	17.9%
5/15/01	36114	360	P	PALMER, STEVEN C	58MA C-8/FC-143	0.022	MPB	3.9%

BTO: 08 TEFLON@

LOC: 810 P/S - DAY POLY AREA MECH (58MC)

8/31/93	30009	360	P		58MC C-8/FC-143	0.06	MPB	10.7%
10/8/93	30023	315	P		58MC C-8/FC-143	<.03	MPB	5.4%
11/5/93	30032	390	P		58MC C-8/FC-143	0.11	MPB	19.6%
12/15/93	30038	300	P		58MC C-8/FC-143	<.03	MPB	5.4%
5/18/94	30106	390	P		58MC C-8/FC-143	<.03	MPB	5.4%
8/26/94	30123	390	P		58MD C-8/FC-143	<.03	MPB	5.4%
12/13/94	30135	360	P		58MA C-8/FC-143	0.09	MPB	16.1%
4/6/95	30144	420	P		58MC C-8/FC-143	0.06	MPB	10.7%
7/25/95	30160	360	P		58MD C-8/FC-143	0.11	MPB	19.6%
6/14/96	30313	360	P		58MA C-8/FC-143	0.01	MPB	1.8%
2/24/97	30440	360	P	YEAUGER, WAYNE L	58MA C-8/FC-143	0.37	MPB	66.1%
5/28/97	30478	420	P	YEAUGER, WAYNE L	58MA C-8/FC-143	0.04	MPB	7.1%
9/25/97	30540	360	P	SMITH, MICHAEL LEWIS	58MA C-8/FC-143	0.03	MPB	5.4%
12/16/97	30592	340	P	WEAVER, GARY W	58MA C-8/FC-143	0.01	MPB	1.6%
5/28/98	30648	360	P		58MA C-8/FC-143	0.07	MPB	

ALP006378

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/5/98	30676	360	P		58MA	C-8/FC-143	0.003	MPB	12.5%
12/15/98	30712	360	P		58MA	C-8/FC-143	0.03	MPB	0.5%
2/17/99	30742	360	P	PAXTON, GARY L	58MA	C-8/FC-143	0.011	MPB	5.4%
8/12/99	33949	360	P	HYRE, DAVID C	58MC	C-8/FC-143	<0.01	MPB	2.0%
11/8/99	34383	360	P	GRANDICK, PAUL R	58MC	C-8/FC-143	0.1	MPB	1.8%
2/8/00	34614	360	P	MCCOY, STEVEN G	58MC	C-8/FC-143	<0.01	MPB	17.9%
5/12/00	34885	360	P	GILL, KENNY R	58MC	C-8/FC-143	0.056	MPB	1.8%
8/7/00	35141	360	P	GILL, KENNY R	58MC	C-8/FC-143	0.008	MPB	10.0%
									1.4%

Thursday, August 09, 2001 1:47:01 PM

Page 23 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
11/13/00	35499	360	P	BROWN, JACK WESLEY	58MC	C-8/FC-143	0.2967	MPB	53.0%
2/9/01	35765	360	P	EDWARDS, TIMOTHY L	58MC	C-8/FC-143	0.19	MPB	33.9%
5/15/01	36115	360	P	HYRE, DAVID C	58MC	C-8/FC-143	<0.01	MPB	1.8%

BTO : 08 TEFLON@

LOC : 811 P/S - DAY POLY E&I MECH - SHUTDOWN (58MC)

10/8/98	30694	390	P		58MG	C-8/FC-143	<0.01	MPB	1.8%
10/21/99	34198	360	P	BATES, THOMAS R	58MC	C-8/FC-143	<0.01	MPB	1.8%

BTO : 08 TEFLON@

LOC : 812 P/S POLY AREA MECH - SHUTDOWN (58MC)

10/8/98	30695	390	P	ADAMS, JOHN S	58MA	C-8/FC-143	<0.01	MPB	
---------	-------	-----	---	---------------	------	------------	-------	-----	--

AJP006379

10/21/99	34200	360	P	GRANDICK, PAUL R	58MC C-8/FC-143	0.18	MPB	1.8%
								32.1%
BTO: 08 TEFLON@								
LOC: 861 B-163 LAB GENERAL (NOW TCP411)								
2/24/84	30764	280	P		none C-8/FC-143	0.11	MPB	19.6%
BTO: 17 RESEARCH								
LOC: 019 WEIGH AND ADD C-8 TO POLYKETTLE								
1/13/84	12116	409	P		none C-8/FC-143	0.06	MPB	10.7%
8/17/84	12117	380	P		none C-8/FC-143	0.34	MPB	60.7%
4/30/85	12118	360	P		none C-8/FC-143	0.13	MPB	23.2%
BTO: 17 RESEARCH								
LOC: 066 FLUOROCARBON PANEL BOARD								
1/13/84	12224	414	P		none C-8/FC-143	0.06	MPB	10.7%
6/21/84	12225	300	P		none C-8/FC-143	<0.03	MPB	5.4%
8/13/85	12362	360	P		none C-8/FC-143	0.055	MPB	9.8%
8/13/85	12363	360	P		none C-8/FC-143	0.13	MPB	23.2%
1/3/86	12370	310	P		none C-8/FC-143	<0.03	MPB	5.4%
1/3/86	12371	315	P		none C-8/FC-143	0.07	MPB	12.5%
7/1/86	12383	373	P		none C-8/FC-143	0.208	MPB	37.1%
7/1/86	12384	375	P		none C-8/FC-143	0.139	MPB	24.8%
8/14/86	13212	360	P		none C-8/FC-143	0.121	MPB	21.6%
8/14/86	13213	365	P		none C-8/FC-143	0.577	MPB	103.0% **
10/13/86	13279	405	P		none C-8/FC-143	0.458	MPB	81.8%
10/13/86	13280	404	P		none C-8/FC-143	0.09	MPB	16.1%

ALP006380

11/19/86	13348	380	P	none	C-8/FC-143	0.026	MPB	4.6%
11/19/86	13349	380	P	none	C-8/FC-143	0.204	MPB	36.4%

Thursday, August 09, 2001 1:47:01 PM

Page 24 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO :	17			RESEARCH					
LOC :	068			SP AREA REFRIGERATION UNIT					
1/27/97	25054	380	P		08PM	C-8/FC-143	0.1	MPB	17.9%

BTO :	17			RESEARCH					
LOC :	103			P/S FP POLLYKETTLE OPERATOR (17LG)					
9/24/81	31066		P		none	C-8/FC-143	<0.03	MPB	5.4%
9/24/81	31067		P		none	C-8/FC-143	0.08	MPB	14.3%
9/24/81	31068		P		none	C-8/FC-143	0.1	MPB	17.9%
7/29/83	9129	417	P		none	C-8/FC-143	0.24	MPB	42.9%
10/14/83	9130	323	P		none	C-8/FC-143	0.03	MPB	5.4%
10/14/83	9131	287	P		none	C-8/FC-143	0.05	MPB	8.9%
2/24/84	9132	360	P		none	C-8/FC-143	0.13	MPB	23.2%
6/21/84	9133	367	P		none	C-8/FC-143	0.36	MPB	64.3%
8/17/84	9134	380	P		none	C-8/FC-143	0.46	MPB	82.1%
9/17/84	9135	360	P		none	C-8/FC-143	0.24	MPB	42.9%
9/17/84	9136	360	P		none	C-8/FC-143	0.47	MPB	83.9%

AJP006381

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

10/16/84	9137	360	P	none	C-8/FC-143	0.39	MPB	69.6%
10/16/84	9138	360	P	none	C-8/FC-143	0.39	MPB	69.6%
11/18/84	14634	361	P	none	C-8/FC-143	>1.0	MPB	178.6% **
11/18/84	14635	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
12/6/84	9139	402	P	none	C-8/FC-143	0.22	MPB	39.3%
12/6/84	9140	403	P	none	C-8/FC-143	0.16	MPB	28.6%
4/30/85	9141	352	P	none	C-8/FC-143	0.11	MPB	19.6%
6/28/85	9142	360	P	none	C-8/FC-143	0.46	MPB	82.1%
10/17/85	9143	375	P	none	C-8/FC-143	0.047	MPB	8.4%
1/5/87	9145	373	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/5/87	9146	372	P	none	C-8/FC-143	0.6	MPB	107.1% **
1/9/87	9144	375	P	none	C-8/FC-143	0.27	MPB	48.2%
1/9/87	9147	360	P	none	C-8/FC-143	0.171	MPB	30.5%
3/16/87	9148	430	P	none	C-8/FC-143	0.062	MPB	11.1%
3/16/87	9149	425	P	none	C-8/FC-143	0.1	MPB	17.9%
4/10/87	9150	360	P	none	C-8/FC-143	0.108	MPB	19.3%
4/10/87	9151	360	P	none	C-8/FC-143	0.051	MPB	9.1%
6/2/87	9152	367	P	none	C-8/FC-143	0.091	MPB	16.3%
6/2/87	9153	367	P	none	C-8/FC-143	0.066	MPB	11.8%
7/10/87	9154	360	P	none	C-8/FC-143	0.29	MPB	51.8%
7/10/87	9155	360	P	none	C-8/FC-143	0.131	MPB	23.4%
9/29/87	9158	360	P	none	C-8/FC-143	0.04	MPB	7.1%
9/29/87	9159	360	P	none	C-8/FC-143	0.064	MPB	

AJP006382

Thursday, August 09, 2001 1:47:01 PM

11.4%
Page 25 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/23/87	9156	435	P		none	C-8/FC-143	0.069	MPB	12.3%
10/23/87	9157	435	P		none	C-8/FC-143	0.083	MPB	14.8%
12/4/87	9160	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/4/87	9161	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/14/88	9162	360	P		none	C-8/FC-143	0.023	MPB	4.1%
1/14/88	9163	360	P		none	C-8/FC-143	0.043	MPB	7.7%
2/16/88	9164	330	P		none	C-8/FC-143	0.051	MPB	9.1%
2/16/88	9165	330	P		none	C-8/FC-143	0.313	MPB	55.9%
4/19/88	9166	360	P		none	C-8/FC-143	0.56	MPB	100.0% **
4/19/88	9167	360	P		none	C-8/FC-143	<0.005	MPB	0.9%
6/27/88	9168	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/27/88	9169	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/21/88	9172	395	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/21/88	14400	395	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/30/88	9170	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/30/88	9171	360	P		none	C-8/FC-143	<0.03	MPB	5.4%
9/30/88	14475	360	P		none	C-8/FC-143	0.67	MPB	

AJP006383

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

								119.6% **
9/30/88	14476	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/26/88	14522	330	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/26/88	14523	325	P	none	C-8/FC-143	<0.03	MPB	5.4%
12/30/88	14728	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
12/30/88	14729	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/30/89	14771	355	P	17LG	C-8/FC-143	0.05	MPB	8.9%
1/30/89	14772	355	P	17LG	C-8/FC-143	>1.0	MPB	178.6% **
2/23/89	14877	425	P	none	C-8/FC-143	0.06	MPB	10.7%
2/23/89	14878	420	P	none	C-8/FC-143	>1	MPB	178.6% **
3/28/89	14944	360	P	17LG	C-8/FC-143	>1.0	MPB	178.6% **
3/28/89	14945	360	P	17LG	C-8/FC-143	0.64	MPB	114.3% **
4/28/89	15018	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
6/30/89	15149	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
6/30/89	15150	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
8/21/89	15337	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
8/21/89	15338	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
10/30/89	15401	480	P	17LG	C-8/FC-143	0.6	MPB	107.1% **
10/30/89	15402	360	P	17LG	C-8/FC-143	0.57	MPB	101.8% **
11/28/89	15473	375	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
11/28/89	15474	375	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
9/13/90	16150	360	P	17LG	C-8/FC-143	<0.03	MPB	5.4%
9/13/90	16151	360	P	17LG	C-8/FC-143	<0.03	MPB	

AJP006384

5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 26 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/30/90	16299	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
10/30/90	16300	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
10/30/90	16480	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
10/30/90	16481	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
11/26/90	16301	420	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
11/26/90	16302	420	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
11/26/90	16482	420	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
11/26/90	16483	420	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
12/17/90	16484	435	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
12/17/90	16485	435	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
1/29/91	16488	490	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
1/29/91	16489	490	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
3/18/91	16675	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
3/18/91	16676	360	P		17LG	C-8/FC-143	<0.03	MPB	5.4%
6/27/91	16980	360	P		17LG	C-8/FC-143	0.131	MPB	23.4%
6/27/91	16981	360	P		17LG	C-8/FC-143	0.11	MPB	19.6%

AJP006385

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

7/31/91	17034	370	P	17LG C-8/FC-143	0.032	MPB	5.7%
7/31/91	17035	370	P	17LG C-8/FC-143	0.038	MPB	6.8%
8/30/91	17108	360	P	17LG C-8/FC-143	0.08	MPB	14.3%
10/1/91	17222	360	P	17LG C-8/FC-143	0.005	MPB	0.9%
10/1/91	17223	360	P	17LG C-8/FC-143	0.007	MPB	1.3%
10/29/91	17278	360	P	17LG C-8/FC-143	0.048	MPB	8.6%
10/29/91	17279	360	P	17LG C-8/FC-143	0.089	MPB	15.9%
11/27/91	17322	420	P	17LG C-8/FC-143	0.06	MPB	10.7%
11/27/91	17323	420	P	17LG C-8/FC-143	0.1	MPB	17.9%
12/17/91	17324	360	P	17LG C-8/FC-143	0.015	MPB	2.7%
12/17/91	17325	360	P	17LG C-8/FC-143	0.01	MPB	1.8%
3/18/92	17523	360	P	17LG C-8/FC-143	0.08	MPB	14.3%
6/14/93	18803	480	P	17LG C-8/FC-143	0	MPB	0.0%
6/14/93	18804	480	P	17LG C-8/FC-143	0	MPB	0.0%
1/11/96	22570	350	P	17LG C-8/FC-143	0.011	MPB	2.0%
5/16/96	23461	380	P	17LG C-8/FC-143	<.03	MPB	5.4%
1/28/97	25051	370	P	17LG C-8/FC-143	0.07	MPB	12.5%
7/11/97	25932	390	P	17LG C-8/FC-143	0.02	MPB	3.6%
11/24/97	26838	365	P	17LG C-8/FC-143	<.01	MPB	1.8%
12/5/97	26828	360	P	17LG C-8/FC-143	0	MPB	0.0%
12/5/97	26865	360	P	17LG C-8/FC-143	<.01	MPB	1.8%
4/7/98	27709	360	P	17LG C-8/FC-143	<.05	MPB	8.9%
8/11/98	27993	360	P	17LG C-8/FC-143	0.01	MPB	

AJP006386

1.8%

Thursday, August 09, 2001 1:47:01 PM

Page 27 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/26/99	28850	360	P		17LG	C-8/FC-143	0.05	MPB	8.9%
5/18/99	33679	360	P	WISEMAN, JUDITH A	17LG	C-8/FC-143	<0.01	MPB	1.8%
9/14/99	34068	360	P	METZ, LEONARD E	17LG	C-8/FC-143	<0.01	MPB	1.8%
1/10/00	34505	360	P	CONNER, DARRYL K	17LG	C-8/FC-143	0.0243	MPB	4.3%
5/16/00	34906	360	P	WISEMAN, JUDITH A	17LG	C-8/FC-143	<0.01	MPB	1.8%
11/3/00	35515	360	P	DEWEESE, LLOYD W	17LG	C-8/FC-143	0.05	MPB	8.9%
3/14/01	35894	360	P	CONNER, DARRYL K	17LG	C-8/FC-143	0.0288	MPB	5.1%
7/19/01	36304	360	P	TRIMBLE, STEPHEN L	17LG	C-8/FC-143	0.0406	MPB	7.3%

BTO : 17 RESEARCH

LOC : 105 P/S FP EXTRUDER OPERATOR (NOTE EXT) (17LG)

1/11/96	22573	360	P	BLESSING, RICHARD W	17LG	C-8/FC-143	0.003	MPB	0.5%
5/16/96	23462	380	P	BLESSING, RICHARD W	17LG	C-8/FC-143	<.03	MPB	5.4%
12/11/96	25053	340	P		17LG	C-8/FC-143	0.06	MPB	10.7%
1/28/97	25050	240	P	BLESSING, RICHARD W	17LG	C-8/FC-143	0.11	MPB	19.6%
6/18/97	25786	360	P	BLESSING, RICHARD W	17LG	C-8/FC-143	0.06	MPB	10.7%
10/20/97	26704	390	P	BLESSING, RICHARD W	17LG	C-8/FC-143	<.01	MPB	1.8%
2/6/98	27152	360	P	CRUM SR, JAMES E	17LG	C-8/FC-143	0.31	MPB	

AJP006387

									55.4%
8/11/98	27991	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	0.03	MPB		
									5.4%
2/3/99	28851	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	0.02	MPB		
									3.6%
7/15/99	33840	360	P	CRUM JR, JAMES E	17LG C-8/FC-143	0.043	MPB		
									7.7%
11/15/99	34342	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	0.12	MPB		
									21.4%
3/14/00	34757	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	<0.01	MPB		
									1.8%
7/19/00	35089	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	<0.01	MPB		
									1.8%
11/20/00	35528	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	0.0267	MPB		
									4.8%
3/26/01	35938	210	P	TANNER, KEVIN H	17LG C-8/FC-143	0.0179	MPB		
									3.2%
7/19/01	36305	360	P	CRUM SR, JAMES E	17LG C-8/FC-143	0.0288	MPB		
									5.1%

BTO : 17 RESEARCH

LOC : 109 P/S MEC/E&I - FP SEMIWORKS (Working in Cell)

6/28/85	12954	360	P		none C-8/FC-143	<0.03	MPB		5.4%
3/29/96	23102	300	P		67MB C-8/FC-143	0.04	MPB		7.1%
8/26/96	24205	360	P		67MB C-8/FC-143	0.08	MPB		14.3%
12/11/96	25052	385	P		67MB C-8/FC-143	0.08	MPB		14.3%
1/28/97	25049	370	P		67MB C-8/FC-143	0.07	MPB		12.5%
6/18/97	25787	360	P		17LG C-8/FC-143	0.07	MPB		12.5%
10/29/97	26705	180	P		67MB C-8/FC-143	<.01	MPB		1.8%
2/6/98	27153	360	P		67MB C-8/FC-143	<.01	MPB		1.8%
8/11/98	27992	360	P	PAXTON, GARY L	67MB C-8/FC-143	0.08	MPB		14.3%
2/3/99	28852	360	P		67MB C-8/FC-143	0.01	MPB		1.8%

AJP006388

Thursday, August 09, 2001 1:47:01 PM

Page 28 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/10/99	33938	360	P	SINSEL, MICHAEL L	67MB	C-8/FC-143	0.09	MPB	16.1%
12/7/99	34408	360	P	WORKMAN, DENNIS A	67MB	C-8/FC-143	<0.01	MPB	1.8%
7/25/00	35109	360	P	WORKMAN, DENNIS A	67MB	C-8/FC-143	<0.01	MPB	1.8%
11/14/00	35513	360	P	WEAVER JR, JAMES S	67MB	C-8/FC-143	0.0237	MPB	4.2%
3/13/01	35889	360	P	MURRAY, ELMER L	67MB	C-8/FC-143	0.0172	MPB	3.1%

BTO: 17 RESEARCH

LOC: 127 P/S FP SW MEC/E&I DURING ANNUAL SHUTDOWN (67MB)

5/16/96	23460	380	P		67MB	C-8/FC-143	<.03	MPB	5.4%
9/5/97	26409	360	P		67MB	C-8/FC-143	0.02	MPB	3.6%
10/16/98	28415	360	P		67MB	C-8/FC-143	<0.01	MPB	1.8%
10/22/99	34207	360	P	SAYRE, JAMES F	67MB	C-8/FC-143	<0.01	MPB	1.8%
10/6/00	35363	360	P	SINSEL, MICHAEL L	67MB	C-8/FC-143	<0.01	MPB	1.8%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 003 #1 OVEN COOLING TOWER

8/13/81	32626		P		none	C-8/FC-143	0.03	MPB	5.4%
---------	-------	--	---	--	------	------------	------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 102 TELOMER A - THIRD LEVEL - DISTILLATION

1/16/82	33036		P		none	C-8/FC-143	0.16	MPB	28.6%
11/15/82	11320	360	P		none	C-8/FC-143	0.14	MPB	25.0%
8/5/84	11321	355	P		none	C-8/FC-143	<0.03	MPB	

AJP006389

5.4%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 108 TELOMER A-THIRD LEVEL-VENTING SBF5 CYL

9/13/93	18949	355	P	08PF	C-8/FC-143	<.03	MPB	5.4%
---------	-------	-----	---	------	------------	------	-----	------

BTO : 18 TEFLON@ COPOLYMERS
LOC : 149 P/S FEP FLAKE PACKOUT (WET FINISHING)

11/17/93	19196	360	P		18PC	C-8/FC-143	0.23	MPB	41.1%
12/15/93	19276	240	P		18PC	C-8/FC-143	<.03	MPB	5.4%
9/13/94	20398	375	P		18PC	C-8/FC-143	0.45	MPB	80.4%
11/29/94	20516	380	P	BOWER, MICHAEL J	18PC	C-8/FC-143	0.05	MPB	8.9%
6/13/96	23774	375	P	LEWIS, MICHAEL J	18PC	C-8/FC-143	<.01	MPB	1.8%
3/11/97	25283	360	P	HILL, THOMAS R	18PC	C-8/FC-143	0.22	MPB	39.3%
6/24/97	25789	360	P	BARTON, DAVID P	18PD	C-8/FC-143	0.02	MPB	3.6%
10/28/97	26706	360	P	SMITH, SHELLEY L	18PD	C-8/FC-143	<.01	MPB	1.8%
12/18/97	26874	370	P	EVANS, TIMMY J	18PD	C-8/FC-143	0.01	MPB	1.8%
1/21/98	27005	360	P	MASTON, TRAVIS S	18PC	C-8/FC-143	0.39	MPB	69.6%

Thursday, August 09, 2001 1:47:01 PM

Page 29 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18	TEFLON@ COPOLYMERS								
LOC : 210	#1 COAGULATOR-2ND FLOOR								
1/19/82	33168		P		none	C-8/FC-143	0.1	MPB	17.9%

AJP006390

9/1/82	11635	308	P	none	C-8/FC-143	0.32	MPB	57.1%
4/5/95	21090	300	P	none	C-8/FC-143	0.06	MPB	10.7%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149

10/5/81	32474	P	none	C-8/FC-143	0.16	MPB	28.6%
10/6/81	32475	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/8/81	32476	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/9/81	32477	P	none	C-8/FC-143	0.11	MPB	19.6%
10/12/81	32478	P	none	C-8/FC-143	0.04	MPB	7.1%
10/14/81	32479	P	none	C-8/FC-143	0.29	MPB	51.8%
10/19/81	32480	P	none	C-8/FC-143	0.04	MPB	7.1%
10/20/81	32481	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/21/81	32482	P	none	C-8/FC-143	0.11	MPB	19.6%
10/22/81	32483	P	none	C-8/FC-143	0.03	MPB	5.4%
10/22/81	32484	P	none	C-8/FC-143	0.04	MPB	7.1%
10/23/81	32485	P	none	C-8/FC-143	0.03	MPB	5.4%
10/24/81	32486	P	none	C-8/FC-143	2.1	MPB	375.0% **
10/26/81	32487	P	none	C-8/FC-143	0.31	MPB	55.4%
10/27/81	32488	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/28/81	32489	P	none	C-8/FC-143	0.07	MPB	12.5%
10/30/81	32490	P	none	C-8/FC-143	0.04	MPB	7.1%
11/13/81	32491	P	none	C-8/FC-143	0.07	MPB	12.5%
3/3/82	32492	P	none	C-8/FC-143	0.03	MPB	

ALP006391

								5.4%
3/4/82	32493		P	none	C-8/FC-143	0.03	MPB	
								5.4%
3/4/82	32494		P	none	C-8/FC-143	0.07	MPB	
								12.5%
3/8/82	32495		P	none	C-8/FC-143	0.25	MPB	
								44.6%
3/9/82	32496		P	none	C-8/FC-143	0.04	MPB	
								7.1%
3/11/82	32497		P	none	C-8/FC-143	0.04	MPB	
								7.1%
3/12/82	32498		P	none	C-8/FC-143	0.07	MPB	
								12.5%
3/14/82	32499		P	none	C-8/FC-143	0.14	MPB	
								25.0%
3/25/82	32500		P	none	C-8/FC-143	0.08	MPB	
								14.3%
3/25/82	32501		P	none	C-8/FC-143	0.12	MPB	
								21.4%
10/13/82	10445	397	P	none	C-8/FC-143	0.24	MPB	
								42.9%
10/14/82	10446	411	P	none	C-8/FC-143	0.14	MPB	
								25.0%
10/15/82	10447	391	P	none	C-8/FC-143	0.07	MPB	
								12.5%
10/18/82	10448	408	P	none	C-8/FC-143	0.15	MPB	
								26.8%

Thursday, August 09, 2001 1:47:01 PM

Page 30 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/20/82	10449	400	P		none	C-8/FC-143	0.03	MPB	
									5.4%
10/21/82	10450	400	P		none	C-8/FC-143	0.07	MPB	
									12.5%
10/22/82	10451	392	P		none	C-8/FC-143	0.23	MPB	
									41.1%
10/29/82	10452	390	P		none	C-8/FC-143	0.09	MPB	

AJP006392

									16.1%
11/2/82	10453	426	P	none	C-8/FC-143	<0.03	MPB		5.4%
11/5/82	10454	395	P	none	C-8/FC-143	<0.03	MPB		5.4%
11/15/82	10455	441	P	none	C-8/FC-143	0.13	MPB		23.2%
1/17/83	10456	440	P	none	C-8/FC-143	<0.05	MPB		8.9%
2/7/83	10457	425	P	none	C-8/FC-143	<0.02	MPB		3.6%
2/14/83	10458	410	P	none	C-8/FC-143	<0.02	MPB		3.6%
4/26/83	10459	429	P	none	C-8/FC-143	<0.03	MPB		5.4%
5/24/83	10460	733	P	none	C-8/FC-143	<0.03	MPB		5.4%
8/4/83	10461	430	P	none	C-8/FC-143	0.05	MPB		8.9%
9/6/83	10462	452	P	none	C-8/FC-143	0.21	MPB		37.5%
9/21/83	10463	441	P	none	C-8/FC-143	0.06	MPB		10.7%
1/25/84	10464	455	P	none	C-8/FC-143	0.17	MPB		30.4%
3/21/84	10465	440	P	none	C-8/FC-143	<0.03	MPB		5.4%
3/21/84	10466	440	P	none	C-8/FC-143	<0.03	MPB		5.4%
6/21/84	10467	434	P	none	C-8/FC-143	<0.03	MPB		5.4%
9/12/84	10468	475	P	none	C-8/FC-143	0.16	MPB		28.6%
10/9/84	10469	469	P	none	C-8/FC-143	0.13	MPB		23.2%
1/3/85	10470	477	P	none	C-8/FC-143	0.56	MPB		100.0% **
2/27/85	10471	475	P	none	C-8/FC-143	0.06	MPB		10.7%
4/11/85	10472	435	P	none	C-8/FC-143	<0.03	MPB		5.4%
5/21/85	10473	435	P	none	C-8/FC-143	0.05	MPB		8.9%
11/19/85	10606	480	P	none	C-8/FC-143	0.141	MPB		25.2%

AJP006393

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/3/86	10629	450	P	none	C-8/FC-143	0.15	MPB	26.8%
12/18/86	10642	480	P	none	C-8/FC-143	0.095	MPB	17.0%
6/30/87	13640	480	P	none	C-8/FC-143	0.033	MPB	5.9%
12/17/87	13957	480	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/11/88	14138	390	P	none	C-8/FC-143	0.116	MPB	20.7%
4/18/88	14143	660	P	none	C-8/FC-143	0.096	MPB	17.1%
5/3/88	14272	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/22/88	14279	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/2/88	14384	660	P	none	C-8/FC-143	0.12	MPB	21.4%
4/17/91	16731	480	P	18PC	C-8/FC-143	0.049	MPB	8.8%
4/25/91	16737	480	P	18PC	C-8/FC-143	<0.03	MPB	5.4%
6/6/91	16880	480	P	none	C-8/FC-143	<.03	MPB	5.4%
6/11/91	16883	480	P	none	C-8/FC-143	0.235	MPB	42.0%

Thursday, August 09, 2001 1:47:01 PM

Page 31 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/13/91	16884	480	P		none	C-8/FC-143	0.25	MPB	44.6%
6/14/91	16885	480	P		none	C-8/FC-143	0.279	MPB	49.8%
6/19/91	16888	480	P		none	C-8/FC-143	0.286	MPB	51.1%
6/21/91	16890	480	P		none	C-8/FC-143	0.25	MPB	

AJP006394

Date	Time	Temp	Pressure	Operator	Material	Defect	MPB	Defect %
10/25/93	19052	240	P		18PC C-8/FC-143	<.03	MPB	44.6%
11/15/93	19227	360	P		18PC C-8/FC-143	<.03	MPB	5.4%
12/13/93	19251	360	P		18PC C-8/FC-143	<.03	MPB	5.4%
1/27/94	19337	300	P		18PC C-8/FC-143	<.03	MPB	5.4%
2/14/94	19440	300	P		18PC C-8/FC-143	<.03	MPB	5.4%
8/29/94	20155	360	P		18PC C-8/FC-143	<.03	MPB	5.4%
11/29/94	20515	380	P		18PC C-8/FC-143	0.1	MPB	17.9%
6/13/96	23775	375	P		18PC C-8/FC-143	<.01	MPB	1.8%
3/11/97	25285	415	P	STANLEY, DAVID A	18PC C-8/FC-143	0.19	MPB	33.9%
10/28/97	26707	360	P		18PC C-8/FC-143	<.01	MPB	1.8%
8/6/98	27987	360	P		18PC C-8/FC-143	0.55	MPB	98.2%
9/4/98	28077	360	P	CAMPBELL, GARY L	18PC C-8/FC-143	0.001	MPB	0.2%
3/1/99	28984	360	P	TUMLIN, GARY D	18PC C-8/FC-143	0.002	MPB	0.4%
8/5/99	33897	360	P	PURSLEY, JASON L	18PA C-8/FC-143	<.01	MPB	1.8%
2/9/00	34627	360	P	NUTTER, JIMMY L	18PA C-8/FC-143	<.01	MPB	1.8%
8/8/00	35153	360	P	THOMAS, RANDY L	18PA C-8/FC-143	0.0005	MPB	0.1%
2/5/01	35732	360	P	RHODES, DONNIE ALLEN	18PA C-8/FC-143	<.01	MPB	1.8%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)

11/2/81	32781	P	none	C-8/FC-143	0.07	MPB	12.5%
11/3/81	32782	P	none	C-8/FC-143	0.86	MPB	153.6% **
11/4/81	32783	P	none	C-8/FC-143	0.15	MPB	26.8%

AJP006395

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

11/9/81	32784		P	none	C-8/FC-143	0.04	MPB	7.1%
11/11/81	32785		P	none	C-8/FC-143	0.04	MPB	7.1%
11/12/81	32786		P	none	C-8/FC-143	0.04	MPB	7.1%
11/15/81	32787		P	none	C-8/FC-143	0.07	MPB	12.5%
11/17/81	32788		P	none	C-8/FC-143	0.17	MPB	30.4%
11/18/81	32789		P	none	C-8/FC-143	0.04	MPB	7.1%
11/19/81	32790		P	none	C-8/FC-143	0.1	MPB	17.9%
11/24/81	32791		P	none	C-8/FC-143	0.03	MPB	5.4%
11/25/81	32792		P	none	C-8/FC-143	0.04	MPB	7.1%
11/25/81	32793		P	none	C-8/FC-143	0.04	MPB	7.1%
1/5/83	11020	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/5/83	11021	406	P	none	C-8/FC-143	<0.03	MPB	5.4%
1/6/83	11022	390	P	none	C-8/FC-143	2.89	MPB	516.1% **

Thursday, August 09, 2001 1:47:01 PM

Page 32 of 51

AJP006396

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/26/83	11023	439	P		none	C-8/FC-143	7.48	MPB	1335.7% **
2/18/83	11024	417	P		none	C-8/FC-143	<0.02	MPB	3.6%
2/24/83	11025	436	P		none	C-8/FC-143	<0.02	MPB	3.6%
3/11/83	11026	448	P		none	C-8/FC-143	0.02	MPB	3.6%

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

4/26/83	11027	428	P	none	C-8/FC-143	0.03	MPB	5.4%
8/24/83	11028	430	P	none	C-8/FC-143	0.04	MPB	7.1%
9/7/83	11029	438	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/22/83	11030	457	P	none	C-8/FC-143	0.06	MPB	10.7%
10/19/83	11031	452	P	none	C-8/FC-143	0.04	MPB	7.1%
11/2/83	11032	458	P	none	C-8/FC-143	0.67	MPB	119.6% **
1/25/84	11033	461	P	none	C-8/FC-143	0.17	MPB	30.4%
3/8/84	11034	446	P	none	C-8/FC-143	0.05	MPB	8.9%
5/31/84	11035	468	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/21/84	11036	432	P	none	C-8/FC-143	0.9	MPB	160.7% **
7/27/84	11037	458	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/22/84	11038	465	P	none	C-8/FC-143	0.21	MPB	37.5%
10/26/84	11039	471	P	none	C-8/FC-143	0.09	MPB	16.1%
12/28/84	11040	460	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/19/85	11041	420	P	none	C-8/FC-143	0.14	MPB	25.0%
4/3/85	11042	443	P	none	C-8/FC-143	0.07	MPB	12.5%
4/3/85	11043	443	P	none	C-8/FC-143	0.07	MPB	12.5%
7/24/85	11046	440	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/2/85	11044	480	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/85	11045	445	P	none	C-8/FC-143	0.156	MPB	27.9%
10/29/85	11047	420	P	none	C-8/FC-143	0.046	MPB	8.2%
12/31/85	11048	490	P	none	C-8/FC-143	0.067	MPB	12.0%
3/26/86	11050	450	P	none	C-8/FC-143	0.223	MPB	

AJP006397

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

									39.8%
5/8/86	11049	510	P	none	C-8/FC-143	0.083	MPB		
									14.8%
7/29/86	11051	460	P	none	C-8/FC-143	0.155	MPB		
									27.7%
9/4/86	11052	480	P	none	C-8/FC-143	0.092	MPB		
									16.4%
12/18/86	11053	480	P	none	C-8/FC-143	0.109	MPB		
									19.5%
2/3/87	11054	480	P	none	C-8/FC-143	0.053	MPB		
									9.5%
6/30/87	11055	480	P	none	C-8/FC-143	0.03	MPB		
									5.4%
8/13/87	11056	480	P	none	C-8/FC-143	0.025	MPB		
									4.5%
10/27/87	11057	480	P	none	C-8/FC-143	1.086	MPB		
									193.9% **
12/17/87	11058	480	P	none	C-8/FC-143	0.176	MPB		
									31.4%
2/24/88	11059	480	P	none	C-8/FC-143	0.03	MPB		
									5.4%
4/5/88	11063	360	P	none	C-8/FC-143	0.1	MPB		
									17.9%
4/6/88	11062	420	P	none	C-8/FC-143	0.149	MPB		
									26.6%

Thursday, August 09, 2001 1:47:01 PM

Page 33 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/19/88	11061	660	P		none	C-8/FC-143	<0.005	MPB	0.9%
4/22/88	11060	420	P		none	C-8/FC-143	<0.005	MPB	0.9%
5/2/88	11064	660	P		none	C-8/FC-143	0.153	MPB	27.3%
6/8/88	11066	660	P		none	C-8/FC-143	0.047	MPB	8.4%

AJP006398

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

6/10/88	11067	420	P	none	C-8/FC-143	0.054	MPB	9.6%	
6/15/88	11065	660	P	none	C-8/FC-143	0.389	MPB	69.5%	
6/21/88	11070	660	P	none	C-8/FC-143	<0.03	MPB	5.4%	
6/29/88	11068	660	P	none	C-8/FC-143	<0.03	MPB	5.4%	
6/30/88	11069	420	P	none	C-8/FC-143	<0.03	MPB	5.4%	
8/4/88	11071	660	P	none	C-8/FC-143	<0.03	MPB	5.4%	
8/5/88	11072	660	P	none	C-8/FC-143	<0.03	MPB	5.4%	
3/28/89	14883	630	P	none	C-8/FC-143	0.04	MPB	7.1%	
4/12/89	14954	600	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/20/89	14962	600	P	18PA	C-8/FC-143	>1.0	MPB	178.6% **	
4/25/89	14966	600	P	18PA	C-8/FC-143	0.3	MPB	53.6%	
4/26/89	15008	600	P	18PA	C-8/FC-143	>1.0	MPB	178.6% **	
9/6/89	15339	420	P	18PA	C-8/FC-143	0.09	MPB	16.1%	
10/25/90	16201	480	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
1/29/91	16490	450	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
3/27/91	16677	450	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/5/91	16724	480	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/8/91	16725	480	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/16/91	16730	480	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/18/91	16732	480	P	18PA	C-8/FC-143	<0.03	MPB	5.4%	
4/19/91	16733	480	P	18PA	C-8/FC-143	0.186	MPB	33.2%	
4/29/91	16818	480	P	BRILLIANT, DONALD E	18PA	C-8/FC-143	0.053	MPB	9.5%
6/4/91	16878	480	P	none	C-8/FC-143	0.047	MPB		

AJP006399

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/7/91	16881	480	P		none	C-8/FC-143	0.273	MPB	8.4%
6/24/91	16977	480	P		18PA	C-8/FC-143	0.099	MPB	48.8%
11/19/91	17320	480	P		18PA	C-8/FC-143	0.06	MPB	17.7%
11/20/91	17317	450	P		18PA	C-8/FC-143	0.06	MPB	10.7%
11/21/91	17318	450	P		18PA	C-8/FC-143	0.08	MPB	10.7%
11/25/91	17319	480	P		18PA	C-8/FC-143	0.05	MPB	14.3%
7/9/93	18855	360	P		18PA	C-8/FC-143	0.05	MPB	8.9%
9/8/93	18893	410	P		10PA	C-8/FC-143	<.03	MPB	8.9%
11/15/93	19228	360	P		18PA	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19252	360	P		18PA	C-8/FC-143	0.09	MPB	5.4%
1/25/94	19327	360	P		18PA	C-8/FC-143	<.03	MPB	16.1%
2/14/94	19438	300	P		18PA	C-8/FC-143	<.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 34 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/29/94	20156	360	P		18PA	C-8/FC-143	<.03	MPB	5.4%
11/29/94	20517	380	P		18PA	C-8/FC-143	0.09	MPB	16.1%
3/7/95	20985	390	P		18PA	C-8/FC-143	0.04	MPB	7.1%
6/13/96	23776	375	P	BARNES, LARRY RICHARD	18PA	C-8/FC-143	0.06	MPB	10.7%

AJP006400

12/4/96	24673	420	P		18PA C-8/FC-143	0.005	MPB	0.9%
3/11/97	25280	360	P	HINZMAN, LUKE D	18PA C-8/FC-143	0.34	MPB	60.7%
6/24/97	25790	360	P	DAILEY, BRIAN K	18PA C-8/FC-143	0.07	MPB	12.5%
10/28/97	26708	360	P	CARMICHAEL, TIMOTHY NOLEN	18PA C-8/FC-143	0.04	MPB	7.1%
1/21/98	27004	360	P		18PA C-8/FC-143	0.29	MPB	51.8%
5/4/98	27711	360	P	MERCER, VERONICA E	18PA C-8/FC-143	<.05	MPB	8.9%
9/17/98	28409	360	P	HILL, THOMAS R	18PA C-8/FC-143	0.04	MPB	7.1%
1/22/99	28845	330	P	DAILEY, BRIAN K	18PA C-8/FC-143	0.15	MPB	26.8%
5/5/99	33662	360	P	DODD, RICKY H	18PA C-8/FC-143	<0.01	MPB	1.8%
9/2/99	34034	360	P	MASTON, TRAVIS S	18PA C-8/FC-143	<0.01	MPB	1.8%
1/4/00	34477	360	P	LAUER, KENNETH J	18PA C-8/FC-143	<0.01	MPB	1.8%
5/10/00	34851	360	P	CARMICHAEL, TIMOTHY NOLEN	18PA C-8/FC-143	0.1	MPB	17.9%
10/19/00	35391	360	P	NUTTER, JAMES A	18PA C-8/FC-143	<0.01	MPB	1.8%
2/5/01	35733	360	P	WRIGHT, MICHAEL W	18PA C-8/FC-143	<0.01	MPB	1.8%
4/3/01	35972	360	P	LAUER, KENNETH J	18PA C-8/FC-143	0.203	MPB	36.3%

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 224 FEP DISPERSION BLENDING AREA

8/17/81	32191		P		none C-8/FC-143	<0.03	MPB	5.4%
10/6/81	32192		P		none C-8/FC-143	0.08	MPB	14.3%
10/12/81	32193		P		none C-8/FC-143	0.22	MPB	39.3%

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 225 C-8 PREPARATION AREA

10/19/83	11945	459	P		none C-8/FC-143	<0.03	MPB	5.4%
----------	-------	-----	---	--	-----------------	-------	-----	------

AJP006401

BTO : 18 TEFLON@ COPOLYMERS
LOC : 226 TRAY CONVEYER-OVEN FEED

8/24/83 10418 451 P

none C-8/FC-143 0.03 MPB

5.4%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 227 FEP FLAKE HOPPER

10/30/81 33301 P

none C-8/FC-143 <0.03 MPB

5.4%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 229 P/S - FEP OVEN OPERATOR (18PB)

Thursday, August 09, 2001 1:47:01 PM

Page 35 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/14/81	32741		P		none	C-8/FC-143	<0.03	MPB	5.4%
8/20/81	32742		P		none	C-8/FC-143	0.08	MPB	14.3%
8/26/81	32743		P		none	C-8/FC-143	<0.03	MPB	5.4%
8/28/81	32744		P		none	C-8/FC-143	0.12	MPB	21.4%
8/31/81	32745		P		none	C-8/FC-143	0.07	MPB	12.5%
9/2/81	32746		P		none	C-8/FC-143	<0.03	MPB	5.4%
9/3/81	32747		P		none	C-8/FC-143	0.04	MPB	7.1%
9/9/81	32748		P		none	C-8/FC-143	0.16	MPB	28.6%
9/10/81	32749		P		none	C-8/FC-143	<0.03	MPB	5.4%
9/11/81	32750		P		none	C-8/FC-143	0.16	MPB	28.6%

AJP006402

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

9/18/81	32751		P	none	C-8/FC-143	0.05	MPB	8.9%
9/21/81	32752		P	none	C-8/FC-143	0.12	MPB	21.4%
9/22/81	32753		P	none	C-8/FC-143	0.08	MPB	14.3%
9/23/81	32754		P	none	C-8/FC-143	0.04	MPB	7.1%
9/25/81	32755		P	none	C-8/FC-143	0.04	MPB	7.1%
10/13/81	32756		P	none	C-8/FC-143	0.11	MPB	19.6%
3/11/82	10969	0	P	none	C-8/FC-143	0.04	MPB	7.1%
3/12/82	32757		P	none	C-8/FC-143	0.04	MPB	7.1%
3/18/82	32758		P	none	C-8/FC-143	0.08	MPB	14.3%
4/8/82	10970	295	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/13/82	10971	405	P	none	C-8/FC-143	0.07	MPB	12.5%
4/18/82	10972	393	P	none	C-8/FC-143	0.14	MPB	25.0%
4/19/82	10973	399	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/24/82	10974	400	P	none	C-8/FC-143	0.11	MPB	19.6%
4/26/82	10975	410	P	none	C-8/FC-143	0.17	MPB	30.4%
4/27/82	10976	395	P	none	C-8/FC-143	0.04	MPB	7.1%
4/28/82	10977	395	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/30/82	10978	400	P	none	C-8/FC-143	<0.03	MPB	5.4%
5/1/82	10979	400	P	none	C-8/FC-143	<0.03	MPB	5.4%
5/1/82	10980	400	P	none	C-8/FC-143	<0.03	MPB	5.4%
5/4/82	10981	410	P	none	C-8/FC-143	0.07	MPB	12.5%
11/29/82	10982	374	P	none	C-8/FC-143	<0.03	MPB	5.4%
11/30/82	10983	416	P	none	C-8/FC-143	0.14	MPB	

AJP006403

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/2/82	10984	405	P		none	C-8/FC-143	<0.03	MPB	25.0%
12/6/82	10985	400	P		none	C-8/FC-143	0.07	MPB	5.4%
12/13/82	10986	409	P		none	C-8/FC-143	0.04	MPB	12.5%
12/13/82	10987	402	P		none	C-8/FC-143	<0.03	MPB	7.1%
12/14/82	10988	417	P		none	C-8/FC-143	0.17	MPB	5.4%
12/15/82	10989	403	P		none	C-8/FC-143	0.04	MPB	30.4%
									7.1%

Thursday, August 09, 2001 1:47:01 PM

Page 36 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/16/82	10990	412	P		none	C-8/FC-143	<0.03	MPB	5.4%
12/17/82	10991	412	P		none	C-8/FC-143	<0.03	MPB	5.4%
1/14/83	10992	412	P		none	C-8/FC-143	<0.05	MPB	8.9%
2/3/83	10993	415	P		none	C-8/FC-143	<0.02	MPB	3.6%
2/7/83	10994	444	P		none	C-8/FC-143	<0.02	MPB	3.6%
5/24/83	10995	428	P		none	C-8/FC-143	0.05	MPB	8.9%
6/17/83	10996	441	P		none	C-8/FC-143	0.03	MPB	5.4%
9/22/83	10997	435	P		none	C-8/FC-143	<0.03	MPB	5.4%
10/19/83	10998	455	P		none	C-8/FC-143	0.09	MPB	16.1%
4/26/84	10999	462	P		none	C-8/FC-143	<0.03	MPB	5.4%

AJP006404

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

10/11/84	11000	465	P		none	C-8/FC-143	0.11	MPB	19.6%
4/3/85	11001	440	P		none	C-8/FC-143	0.21	MPB	37.5%
4/3/85	11002	440	P		none	C-8/FC-143	0.21	MPB	37.5%
7/25/85	11004	480	P		none	C-8/FC-143	0.053	MPB	9.5%
8/2/85	11005	450	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/25/85	11003	445	P		none	C-8/FC-143	0.056	MPB	10.0%
3/4/86	11006	490	P		none	C-8/FC-143	0.044	MPB	7.9%
9/3/86	11007	480	P		none	C-8/FC-143	0.097	MPB	17.3%
3/25/87	11008	480	P		none	C-8/FC-143	0.104	MPB	18.6%
10/6/87	11009	480	P		none	C-8/FC-143	0.094	MPB	16.8%
4/7/88	11011	390	P		none	C-8/FC-143	0.051	MPB	9.1%
4/19/88	11010	660	P		none	C-8/FC-143	0.032	MPB	5.7%
4/28/88	11012	660	P		none	C-8/FC-143	<0.03	MPB	5.4%
5/11/88	11014	660	P		none	C-8/FC-143	<0.03	MPB	5.4%
5/12/88	11013	660	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/11/91	16727	480	P		18PB	C-8/FC-143	<0.03	MPB	5.4%
4/22/91	16734	480	P	RIVERS, MARK T	18PB	C-8/FC-143	0.067	MPB	12.0%
4/24/91	16736	480	P		18PB	C-8/FC-143	0.054	MPB	9.6%
4/26/91	16817	480	P		18PB	C-8/FC-143	<0.03	MPB	5.4%
10/25/93	19051	360	P		18PB	C-8/FC-143	0.07	MPB	12.5%
11/4/93	19097	450	P		18PB	C-8/FC-143	0.15	MPB	26.8%
11/4/93	19098	450	P		18PB	C-8/FC-143	0.17	MPB	30.4%
11/16/93	19226	360	P	BRILLIANT, DONALD E	18PB	C-8/FC-143	<.03	MPB	

AJP006405

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/13/93	19253	360	P		18PB	C-8/FC-143	<.03	MPB	5.4%
1/28/94	19356	375	P		18PB	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19802	390	P		18PB	C-8/FC-143	0.07	MPB	12.5%
8/29/94	20157	360	P		18PB	C-8/FC-143	0.11	MPB	19.6%
9/13/94	20397	400	P		18PB	C-8/FC-143	<.03	MPB	5.4%
10/25/94	20395	400	P		18PB	C-8/FC-143	<.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 37 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
12/6/94	20669	390	P		18PB	C-8/FC-143	0.07	MPB	12.5%
3/7/95	20986	390	P		18PB	C-8/FC-143	0.03	MPB	5.4%
7/18/95	21651	300	P		none	C-8/FC-143	0.3	MPB	53.6%
7/18/95	21652	300	P		18PB	C-8/FC-143	0.04	MPB	7.1%
7/18/95	30987	300	P		18PB	C-8/FC-143	0	MPB	0.0%
7/18/95	30988	300	P		18PB	C-8/FC-143	0	MPB	0.0%
4/15/96	23139	380	P	BRILLIANT, DONALD E	18PB	C-8/FC-143	0.01	MPB	1.8%
6/13/96	23778	375	P		18PJ	C-8/FC-143	<.01	MPB	1.8%
8/26/96	24206	360	P		18PB	C-8/FC-143	0.06	MPB	10.7%
12/4/96	24674	420	P	BRILLIANT, DONALD E	18PB	C-8/FC-143	0.01	MPB	1.8%

ALP006406

4/7/97	25309	370	P	LAYFIELD, JEFFREY C	18PB C-8/FC-143	<.01	MPB	1.8%
6/24/97	25791	360	P		18PB C-8/FC-143	0.35	MPB	62.5%
7/15/97	25936	363	P		18PB C-8/FC-143	<.01	MPB	1.8%
11/24/97	26839	365	P		18PB C-8/FC-143	<.01	MPB	1.8%
1/21/98	27006	360	P		18PB C-8/FC-143	0.16	MPB	28.6%
5/4/98	27712	360	P		18PB C-8/FC-143	0.43	MPB	76.8%
10/1/98	28410	360	P	LEWIS, MICHAEL J	18PB C-8/FC-143	0.01	MPB	1.8%
1/22/99	28846	330	P	LEWIS, MICHAEL J	18PB C-8/FC-143	0.05	MPB	8.9%
5/5/99	33663	360	P	EVANS, TIMMY J	18PB C-8/FC-143	<.01	MPB	1.8%
9/2/99	34036	360	P	FULTON, WILLIAM S	18PB C-8/FC-143	<.01	MPB	1.8%
1/4/00	34479	360	P	DICKEL, DEBORAH A	18PB C-8/FC-143	0.241	MPB	43.0%
5/15/00	34904	360	P	LEWIS, MICHAEL J	18PB C-8/FC-143	<.01	MPB	1.8%
10/19/00	35392	360	P	HOWARD, SUE E	18PB C-8/FC-143	<.01	MPB	1.8%
2/5/01	35734	360	P	BRILLIANT, DONALD E	18PB C-8/FC-143	0.1	MPB	17.9%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 255 P/S - FEP EXTRUDER OPERATOR (18PB)

3/25/81	31256	P	none	C-8/FC-143	0.12	MPB	21.4%
9/8/81	31257	P	none	C-8/FC-143	0.08	MPB	14.3%
9/9/81	31258	P	none	C-8/FC-143	0.07	MPB	12.5%
9/10/81	31259	P	none	C-8/FC-143	<.03	MPB	5.4%
9/16/81	31260	P	none	C-8/FC-143	0.15	MPB	26.8%
9/17/81	31261	P	none	C-8/FC-143	0.04	MPB	7.1%
9/18/81	31262	P	none	C-8/FC-143	0.14	MPB	25.0%

AJP006407

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

9/21/81	31263	P	none	C-8/FC-143	0.16	MPB	28.6%
9/22/81	31264	P	none	C-8/FC-143	0.08	MPB	14.3%
9/22/81	31265	P	none	C-8/FC-143	0.04	MPB	7.1%
9/25/81	31266	P	none	C-8/FC-143	0.04	MPB	7.1%
3/11/82	31267	P	none	C-8/FC-143	0.37	MPB	66.1%
3/12/82	31268	P	none	C-8/FC-143	0.04	MPB	7.1%

Thursday, August 09, 2001 1:47:01 PM

Page 38 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/14/82	31269		P		none	C-8/FC-143	0.22	MPB	39.3%
3/15/82	31270		P		none	C-8/FC-143	0.07	MPB	12.5%
3/18/82	31271		P		none	C-8/FC-143	0.07	MPB	12.5%
3/19/82	31272		P		none	C-8/FC-143	0.07	MPB	12.5%
3/21/82	31273		P		none	C-8/FC-143	0.14	MPB	25.0%
3/22/82	31274		P		none	C-8/FC-143	0.11	MPB	19.6%
3/24/82	31275		P		none	C-8/FC-143	0.17	MPB	30.4%
4/1/82	9421	401	P		none	C-8/FC-143	0.02	MPB	3.6%
4/2/82	9422	398	P		none	C-8/FC-143	<0.03	MPB	5.4%
4/5/82	9423	409	P		none	C-8/FC-143	0.14	MPB	25.0%
4/6/82	9424	407	P		none	C-8/FC-143	0.07	MPB	12.5%

AJP006408

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

4/7/82	9425	398	P	none	C-8/FC-143	0.03	MPB	5.4%
4/7/82	9426	400	P	none	C-8/FC-143	0.08	MPB	14.3%
1/14/83	9427	405	P	none	C-8/FC-143	<0.05	MPB	8.9%
2/8/83	9428	420	P	none	C-8/FC-143	<0.02	MPB	3.6%
2/18/83	9429	415	P	none	C-8/FC-143	<0.02	MPB	3.6%
4/27/83	9430	430	P	none	C-8/FC-143	0.07	MPB	12.5%
6/17/83	9431	445	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/22/83	9432	439	P	none	C-8/FC-143	0.03	MPB	5.4%
9/12/84	9433	480	P	none	C-8/FC-143	0.16	MPB	28.6%
12/31/85	9436	480	P	none	C-8/FC-143	0.166	MPB	29.6%
12/18/86	9441	480	P	none	C-8/FC-143	0.056	MPB	10.0%
12/17/87	9444	480	P	none	C-8/FC-143	0.069	MPB	12.3%
4/5/88	9445	360	P	none	C-8/FC-143	0.072	MPB	12.9%
5/4/88	9449	660	P	none	C-8/FC-143	0.199	MPB	35.5%
5/9/88	9448	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/9/91	16726	480	P	18PB	C-8/FC-143	<0.03	MPB	5.4%
4/12/91	16728	480	P	18PB	C-8/FC-143	<0.03	MPB	5.4%
4/15/91	16729	450	P	18PB	C-8/FC-143	<0.03	MPB	5.4%
4/23/91	16735	480	P	18PB	C-8/FC-143	<0.03	MPB	5.4%
11/5/93	19096	405	P	18PB	C-8/FC-143	<.03	MPB	5.4%
1/28/94	19355	360	P	18PB	C-8/FC-143	<.03	MPB	5.4%
8/29/94	20158	360	P	18PB	C-8/FC-143	<.03	MPB	5.4%

AJP006409

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

3/7/96	20987	390	P		18PB C-8/FC-143	0.14	MPB	25.0%
3/29/96	23103	300	P		18PB C-8/FC-143	0	MPB	0.0%
3/11/97	25286	390	P		18PB C-8/FC-143	0.34	MPB	60.7%
7/15/97	25934	312	P		18PB C-8/FC-143	0.03	MPB	5.4%
10/7/97	26453	360	P		18PB C-8/FC-143	<.01	MPB	1.8%
1/21/98	27003	360	P	BOWER, MICHAEL J	18PB C-8/FC-143	<.01	MPB	1.8%

Thursday, August 09, 2001 1:47:01 PM

Page 39 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/4/98	27713	360	P	EVANS, TIMMY J	18PB	C-8/FC-143	0.4	MPB	71.4%
10/1/98	28411	360	P		18PB	C-8/FC-143	<.01	MPB	1.8%
1/25/99	28847	390	P		18PB	C-8/FC-143	0.06	MPB	10.7%
5/5/99	33674	360	P	COX, AVON N	18PB	C-8/FC-143	<.01	MPB	1.8%
9/2/99	34038	360	P	THOMAS, RHONDA L	18PB	C-8/FC-143	<.01	MPB	1.8%
1/5/00	34481	360	P	LAUER, JAMES W	18PB	C-8/FC-143	<.01	MPB	1.8%
5/15/00	34905	360	P	KIMES, THOMAS H	18PB	C-8/FC-143	<.01	MPB	1.8%
10/19/00	35393	360	P	HAYNES, BRENDA E	18PB	C-8/FC-143	<.01	MPB	1.8%
2/9/01	35760	360	P	COX, AVON N	18PB	C-8/FC-143	0.52	MPB	92.9%
6/13/01	36236	360	P	SMITH, JAMES ROBERT	18PB	C-8/FC-143	0.0033	MPB	0.6%

AJP006410

BTO: 18 TEFLON@ COPOLYMERS
LOC: 275 P/S - FEP PACKOUT ROOM OPERATOR (18PD)

9/10/81	31338	P	none	C-8/FC-143	0.08	MPB	14.3%
9/15/81	31339	P	none	C-8/FC-143	0.04	MPB	7.1%
9/18/81	31340	P	none	C-8/FC-143	0.05	MPB	8.9%
9/23/81	31341	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/24/81	31342	P	none	C-8/FC-143	0.08	MPB	14.3%
9/24/81	31343	P	none	C-8/FC-143	0.08	MPB	14.3%
10/5/81	31344	P	none	C-8/FC-143	0.2	MPB	35.7%
10/6/81	31345	P	none	C-8/FC-143	0.04	MPB	7.1%
10/7/81	31346	P	none	C-8/FC-143	0.09	MPB	16.1%
10/8/81	31347	P	none	C-8/FC-143	0.05	MPB	8.9%
10/8/81	31348	P	none	C-8/FC-143	0.15	MPB	26.8%
10/9/81	31349	P	none	C-8/FC-143	0.04	MPB	7.1%
3/14/82	31350	P	none	C-8/FC-143	0.14	MPB	25.0%
3/15/82	31351	P	none	C-8/FC-143	0.07	MPB	12.5%
3/16/82	31352	P	none	C-8/FC-143	0.07	MPB	12.5%
3/19/82	31353	P	none	C-8/FC-143	0.11	MPB	19.6%
3/21/82	31354	P	none	C-8/FC-143	0.14	MPB	25.0%
3/22/82	31355	P	none	C-8/FC-143	0.19	MPB	33.9%
3/23/82	31356	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/24/82	31357	P	none	C-8/FC-143	0.07	MPB	12.5%
4/5/82	9492	399 P	none	C-8/FC-143	0.1	MPB	17.9%
4/6/82	9493	406 P	none	C-8/FC-143	0.1	MPB	

AJP006411

4/8/82	9494	396	P	none	C-8/FC-143	<0.03	MPB	17.9%
								5.4%
4/13/82	9495	405	P	none	C-8/FC-143	0.07	MPB	12.5%
								5.4%
4/22/82	9496	395	P	none	C-8/FC-143	<0.03	MPB	5.4%
								7.1%
4/23/82	9497	395	P	none	C-8/FC-143	0.04	MPB	30.4%
4/26/82	9498	410	P	none	C-8/FC-143	0.17	MPB	

Thursday, August 09, 2001 1:47:01 PM

Page 40 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/27/82	9499	397	P		none	C-8/FC-143	0.04	MPB	7.1%
4/28/82	9500	395	P		none	C-8/FC-143	0.11	MPB	19.6%
1/17/83	9501	427	P		none	C-8/FC-143	0.24	MPB	42.9%
2/16/83	9502	437	P		none	C-8/FC-143	<0.02	MPB	3.6%
1/31/84	9503	440	P		none	C-8/FC-143	0.1	MPB	17.9%
3/1/84	9504	440	P		none	C-8/FC-143	0.03	MPB	5.4%
5/1/84	9505	460	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/12/84	9506	465	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/11/84	9507	450	P		none	C-8/FC-143	0.23	MPB	41.1%
7/26/84	9508	462	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/7/84	9509	440	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/21/85	9510	470	P		none	C-8/FC-143	0.12	MPB	

AJP006412

								21.4%
3/26/86	9513	450	P	none	C-8/FC-143	0.112	MPB	
								20.0%
9/4/86	9515	480	P	none	C-8/FC-143	0.07	MPB	
								12.5%
3/24/87	9519	480	P	none	C-8/FC-143	0.039	MPB	
								7.0%
10/6/87	9524	480	P	none	C-8/FC-143	0.054	MPB	
								9.6%
4/13/88	9528	390	P	none	C-8/FC-143	0.09	MPB	
								16.1%
4/27/88	9527	660	P	none	C-8/FC-143	0.036	MPB	
								6.4%
5/5/88	9533	660	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
5/10/88	9532	660	P	none	C-8/FC-143	0.028	MPB	
								5.0%
6/7/88	9531	660	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
6/14/88	9530	660	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
7/28/88	14395	660	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
8/1/88	9535	660	P	none	C-8/FC-143	<0.03	MPB	
								5.4%
11/16/93	19225	360	P	18PD	C-8/FC-143	<.03	MPB	
								5.4%
12/15/93	19277	360	P	18PD	C-8/FC-143	<.03	MPB	
								5.4%
2/15/94	19441	300	P	18PD	C-8/FC-143	<.03	MPB	
								5.4%
8/29/94	20159	360	P	18PD	C-8/FC-143	<.03	MPB	
								5.4%
3/29/96	23104	300	P	HUNT, LARRY A	18PD	C-8/FC-143	0.05	MPB
								8.9%
4/7/97	25310	370	P	REED, BRYAN D	18PD	C-8/FC-143	<.01	MPB
								1.8%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 285 P/S - FEP FORK TRUCK OPERATOR

4/29/87	13584	450	P	none	C-8/FC-143	0.102	MPB	
								18.2%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 292 P/S - SHREDDER OPERATOR

3/25/81	33321	P	none	C-8/FC-143	0.08	MPB	14.3%
9/9/81	33322	P	none	C-8/FC-143	0.04	MPB	7.1%
9/16/81	33323	P	none	C-8/FC-143	0.09	MPB	16.1%

Thursday, August 09, 2001 1:47:01 PM

Page 41 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
9/17/81	33324		P		none	C-8/FC-143	0.04	MPB	7.1%
9/18/81	33325		P		none	C-8/FC-143	0.1	MPB	17.9%
9/21/81	33326		P		none	C-8/FC-143	0.16	MPB	28.6%
9/25/81	33327		P		none	C-8/FC-143	0.07	MPB	12.5%
10/5/81	33328		P		none	C-8/FC-143	0.04	MPB	7.1%
10/6/81	33329		P		none	C-8/FC-143	0.08	MPB	14.3%
10/9/81	33330		P		none	C-8/FC-143	0.11	MPB	19.6%
3/11/82	33331		P		none	C-8/FC-143	0.55	MPB	98.2%
3/12/82	11779	0	P		none	C-8/FC-143	0.07	MPB	12.5%
3/14/82	33332		P		none	C-8/FC-143	0.07	MPB	12.5%
3/15/82	33333		P		none	C-8/FC-143	0.11	MPB	19.6%
3/16/82	33334		P		none	C-8/FC-143	0.11	MPB	19.6%
3/18/82	33335		P		none	C-8/FC-143	0.08	MPB	14.3%
3/19/82	33336		P		none	C-8/FC-143	0.28	MPB	

AJP006414

								50.0%
3/21/82	33337		P	none	C-8/FC-143	0.11	MPB	19.6%
3/22/82	33338		P	none	C-8/FC-143	0.17	MPB	30.4%
3/23/82	33339		P	none	C-8/FC-143	<0.03	MPB	5.4%
3/24/82	33340		P	none	C-8/FC-143	0.11	MPB	19.6%
4/2/82	11780	400	P	none	C-8/FC-143	0.07	MPB	12.5%
4/2/82	11781	401	P	none	C-8/FC-143	<0.03	MPB	5.4%
4/5/82	11782	406	P	none	C-8/FC-143	0.07	MPB	12.5%
4/6/82	11783	406	P	none	C-8/FC-143	0.15	MPB	26.8%
4/7/82	11784	400	P	none	C-8/FC-143	0.03	MPB	5.4%
4/8/82	11785	400	P	none	C-8/FC-143	<0.03	MPB	5.4%

BTO : 18 TEFLON@ COPOLYMERS
LOC : 293 P/S - FEP DISPERSION OPERATOR (18PK)

10/20/81	33341		P	none	C-8/FC-143	<0.03	MPB	5.4%
11/19/81	33342		P	none	C-8/FC-143	0.07	MPB	12.5%
11/19/81	33343		P	none	C-8/FC-143	0.07	MPB	12.5%
11/20/81	33344		P	none	C-8/FC-143	0.07	MPB	12.5%
1/21/82	33345		P	none	C-8/FC-143	0.11	MPB	19.6%
1/22/82	33346		P	none	C-8/FC-143	0.11	MPB	19.6%
1/23/82	33347		P	none	C-8/FC-143	0.07	MPB	12.5%
1/24/82	33348		P	none	C-8/FC-143	0.07	MPB	12.5%
2/2/82	33349		P	none	C-8/FC-143	0.04	MPB	7.1%
2/16/82	33350		P	none	C-8/FC-143	0.07	MPB	12.5%

AJP006415

2/16/82	33351	P	none	C-8/FC-143	0.04	MPB	7.1%
3/2/82	33352	P	none	C-8/FC-143	0.04	MPB	7.1%
3/2/82	33353	P	none	C-8/FC-143	0.04	MPB	7.1%

Thursday, August 09, 2001 1:47:01 PM

Page 42 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/2/82	33354		P		none	C-8/FC-143	0.04	MPB	7.1%
3/3/82	11786	0	P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	11787	0	P		none	C-8/FC-143	0.03	MPB	5.4%
3/4/82	11788	0	P		none	C-8/FC-143	0.07	MPB	12.5%
3/5/82	33355		P		none	C-8/FC-143	0.22	MPB	39.3%
3/8/82	11789	0	P		none	C-8/FC-143	0.25	MPB	44.6%
3/9/82	11790	0	P		none	C-8/FC-143	0.04	MPB	7.1%
3/9/82	33356		P		none	C-8/FC-143	0.15	MPB	26.8%
10/6/82	11791	375	P		none	C-8/FC-143	0.02	MPB	3.6%
11/4/82	11792	390	P		none	C-8/FC-143	<0.03	MPB	5.4%
11/8/82	11793	365	P		none	C-8/FC-143	0.04	MPB	7.1%
1/18/83	11794	410	P		none	C-8/FC-143	0.08	MPB	14.3%
2/9/83	11795	422	P		none	C-8/FC-143	<0.02	MPB	3.6%
8/10/83	11796	470	P		none	C-8/FC-143	0.14	MPB	25.0%

ALP006416

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

9/14/83	11797	469	P	none	C-8/FC-143	0.28	MPB	50.0%
9/29/83	11798	429	P	none	C-8/FC-143	0.13	MPB	23.2%
2/29/84	11799	455	P	none	C-8/FC-143	0.05	MPB	8.9%
6/7/84	11800	465	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/8/84	11801	465	P	none	C-8/FC-143	0.2	MPB	35.7%
10/11/84	11802	477	P	none	C-8/FC-143	0.3	MPB	53.6%
12/5/84	11803	465	P	none	C-8/FC-143	0.43	MPB	76.8%
2/21/85	11804	455	P	none	C-8/FC-143	0.42	MPB	75.0%
7/25/85	11840	390	P	none	C-8/FC-143	0.039	MPB	7.0%
9/23/85	11841	410	P	none	C-8/FC-143	0.324	MPB	57.9%
11/19/85	11842	470	P	none	C-8/FC-143	0.068	MPB	12.1%
3/4/86	11843	490	P	none	C-8/FC-143	0.038	MPB	6.8%
3/26/86	11844	450	P	none	C-8/FC-143	0.171	MPB	30.5%
6/3/86	11845	450	P	none	C-8/FC-143	0.188	MPB	33.6%
9/3/86	11846	480	P	none	C-8/FC-143	0.121	MPB	21.6%
10/8/86	11847	480	P	none	C-8/FC-143	0.216	MPB	38.6%
11/6/86	11848	480	P	none	C-8/FC-143	0.068	MPB	12.1%
2/3/87	11849	480	P	none	C-8/FC-143	0.115	MPB	20.5%
4/29/87	11850	480	P	none	C-8/FC-143	0.023	MPB	4.1%
6/30/87	11851	480	P	none	C-8/FC-143	0.049	MPB	8.8%
8/13/87	11852	480	P	none	C-8/FC-143	<0.03	MPB	5.4%
10/27/87	11853	480	P	none	C-8/FC-143	0.112	MPB	20.0%
12/17/87	11854	480	P	none	C-8/FC-143	0.135	MPB	

AJP006417

2/24/88	11855	480	P	none	C-8/FC-143	0.074	MPB	24.1%
								13.2%
4/12/88	11856	390	P	none	C-8/FC-143	0.074	MPB	13.2%

Thursday, August 09, 2001 1:47:01 PM

Page 43 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/29/88	11857	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/9/88	11858	420	P		none	C-8/FC-143	0.095	MPB	17.0%
6/16/88	11861	420	P		none	C-8/FC-143	0.111	MPB	19.8%
6/27/88	11860	420	P		none	C-8/FC-143	0.08	MPB	14.3%
6/28/88	11859	420	P		none	C-8/FC-143	0.06	MPB	10.7%
7/8/88	11862	420	P		none	C-8/FC-143	0.09	MPB	16.1%
7/14/88	11864	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/25/88	11863	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
3/21/89	14873	420	P		none	C-8/FC-143	<.03	MPB	5.4%
3/23/89	14880	420	P		none	C-8/FC-143	0.11	MPB	19.6%
4/18/89	14951	420	P		18AA	C-8/FC-143	<0.03	MPB	5.4%
5/1/89	15016	420	P		18AA	C-8/FC-143	0.05	MPB	8.9%
5/2/89	15017	420	P		18AA	C-8/FC-143	<0.03	MPB	5.4%
5/3/89	15019	420	P		18AA	C-8/FC-143	0.03	MPB	5.4%

AJP006418

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

5/4/89	15020	420	P		18AA	C-8/FC-143	<0.03	MPB	5.4%
6/5/91	16879	480	P	ZINN, PAUL B	none	C-8/FC-143	<.03	MPB	5.4%
6/10/91	16882	480	P	FRESHOUR, ROGER D	none	C-8/FC-143	0.25	MPB	44.6%
6/17/91	16886	450	P	RIVERS, MARK T	none	C-8/FC-143	0.268	MPB	47.9%
6/18/91	16887	450	P		none	C-8/FC-143	0.261	MPB	46.6%
6/20/91	16889	480	P		none	C-8/FC-143	0.245	MPB	43.8%
6/24/91	16975	480	P		18PD	C-8/FC-143	0.062	MPB	11.1%
6/25/91	16978	480	P		18PD	C-8/FC-143	0.064	MPB	11.4%
6/26/91	16979	480	P		18PD	C-8/FC-143	0.107	MPB	19.1%
11/22/91	17321	450	P		18PC	C-8/FC-143	0.08	MPB	14.3%
11/15/93	19229	360	P		18PK	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19254	360	P		18PK	C-8/FC-143	<.03	MPB	5.4%
2/14/94	19439	300	P		18PK	C-8/FC-143	<.03	MPB	5.4%
5/17/94	19801	390	P		18PA	C-8/FC-143	<.03	MPB	5.4%
3/29/96	23105	300	P		18PK	C-8/FC-143	0.02	MPB	3.6%
4/7/97	25311	370	P		18PK	C-8/FC-143	0.06	MPB	10.7%
7/15/97	25935	365	P		18PK	C-8/FC-143	0.01	MPB	1.8%
11/24/97	26840	365	P		18PK	C-8/FC-143	0.15	MPB	26.8%
8/6/98	27988	360	P		18PK	C-8/FC-143	0.08	MPB	14.3%
12/9/98	28596	360	P		18PK	C-8/FC-143	0.05	MPB	8.9%
8/5/99	33898	360	P	SPENCER, LOWELL V	18PK	C-8/FC-143	0.02	MPB	3.6%
12/6/99	34402	360	P	SPENCER, LOWELL V	18PK	C-8/FC-143	0.02	MPB	3.6%
5/10/00	34852	360	P	SPENCER, LOWELL V	18PK	C-8/FC-143	0.064	MPB	

AJP006419

								11.4%	
10/19/00	35394	360	P	MAYLE, LARRY E	18PK	C-8/FC-143	<0.01	MPB	
								1.8%	
2/8/01	35746	360	P	SPENCER, LOWELL V	18PK	C-8/FC-143	0.03	MPB	
								5.4%	

Thursday, August 09, 2001 1:47:01 PM

Page 44 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/13/01	36237	360	P	MAYLE, LARRY E	18PK	C-8/FC-143	0.0243	MPB	4.3%

BT0: 18 TEFLON@ COPOLYMERS

LOC: 297 SPECIAL FEP SAMPLES

4/8/88	11761	420	P		none	C-8/FC-143	0.036	MPB	6.4%
5/3/88	11766	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/3/88	11764	420	P		none	C-8/FC-143	0.102	MPB	18.2%
6/3/88	11765	420	P		none	C-8/FC-143	0.108	MPB	19.3%
6/7/88	11762	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/13/88	11763	420	P		none	C-8/FC-143	0.089	MPB	15.9%
6/23/88	11767	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
7/1/88	11768	420	P		none	C-8/FC-143	0.1	MPB	17.9%
7/19/88	11777	420	P		none	C-8/FC-143	0.05	MPB	8.9%
8/11/88	11776	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/15/88	11775	380	P		none	C-8/FC-143	<0.03	MPB	5.4%
8/17/88	11774	420	P		none	C-8/FC-143	<0.03	MPB	

AJP006420

8/18/88	11772	420	P	none	C-8/FC-143	0.03	MPB	5.4%
8/18/88	11773	390	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/19/88	11771	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/88	11769	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/25/88	11770	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/1/88	11778	420	P	none	C-8/FC-143	<0.03	MPB	5.4%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 349 P/S - TEF/PFA/3P/BEAD GEN MEC - B-195 (68MA)

4/8/99	29094	360	P	ADAMS, JOHN S	68MA	C-8/FC-143	<0.01	MPB	1.8%
7/12/99	33805	360	P	SALYER, GARY J	68MA	C-8/FC-143	<0.01	MPB	1.8%
11/10/99	34325	360	P	SNEAD, DAVID M	68MA	C-8/FC-143	0.03	MPB	5.4%
2/8/00	34617	360	P	INGRAM, TIMOTHY J	68MA	C-8/FC-143	0.033	MPB	5.9%
5/11/00	34860	360	P	CLEM JR, RUSSELL P	68MA	C-8/FC-143	<0.01	MPB	1.8%
8/9/00	35163	360	P	SALYER, GARY J	68MA	C-8/FC-143	0.08	MPB	14.3%
11/9/00	35485	360	P	JONES, BRENT A	68MA	C-8/FC-143	0.03	MPB	5.4%
2/8/01	35747	360	P	CLEM JR, RUSSELL P	68MA	C-8/FC-143	0.06	MPB	10.7%
5/16/01	36120	360	P	SNEAD, DAVID M	68MA	C-8/FC-143	0.0038	MPB	0.7%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 438 B212 LAB - GENERAL (LAB 438)

3/2/88	14073	60	P	none	C-8/FC-143	8.15	MPB	1455.4% **
4/14/88	14137	45	P	none	C-8/FC-143	0.428	MPB	76.4%

AJP006421

Thursday, August 09, 2001 1:47:01 PM

Page 45 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO : 18 TEFLON@ COPOLYMERS									
LOC : 505 P/S - PFA-PROCESS K, FIELD OPERATOR (18PF)									
3/19/96	23062	390	P		18AB	C-8/FC-143	0.01	MPB	1.8%
3/19/96	23063	390	P		18PF	C-8/FC-143	0.11	MPB	19.6%
3/19/96	23064	390	P		18PF	C-8/FC-143	0.15	MPB	26.8%
3/19/96	23065	390	P		18PF	C-8/FC-143	0.05	MPB	8.9%
3/19/96	23066	390	P		18PF	C-8/FC-143	0.1	MPB	17.9%
3/21/96	23067	220	P		18PF	C-8/FC-143	0.27	MPB	48.2%
3/21/96	23068	220	P		18PF	C-8/FC-143	0.29	MPB	51.8%
3/21/96	23069	220	P		18PF	C-8/FC-143	0.29	MPB	51.8%
5/20/96	23524	450	P		18AB	C-8/FC-143	<.03	MPB	5.4%
5/20/96	23525	450	P		18PF	C-8/FC-143	<.03	MPB	5.4%
5/20/96	23526	450	P	THOMPSON, JOHN H	18PF	C-8/FC-143	<.03	MPB	5.4%
12/3/98	28592	360	P		18PF	C-8/FC-143	0.03	MPB	5.4%
3/15/99	28991	360	P	KIRK, CAROL L	18PF	C-8/FC-143	0.03	MPB	5.4%
6/8/99	33735	360	P	SUMMERS, ROBERT L	18PF	C-8/FC-143	<0.01	MPB	1.8%
9/8/99	34044	360	P	DURST, JAMES L	18PF	C-8/FC-143	<0.01	MPB	1.8%
12/16/99	34425	360	P	FRESHOUR, ROGER D	18PF	C-8/FC-143	<0.01	MPB	1.8%
3/9/00	34730	360	P	FRESHOUR, ROGER D	18PF	C-8/FC-143	<0.01	MPB	1.8%

AJP006422

7/13/00	35079	360	P	HUTCHINSON, CHARLES R	18PF C-8/FC-143	<0.01	MPB	1.8%
10/24/00	35408	360	P	SUMMERS, ROBERT L	18PF C-8/FC-143	0.0144	MPB	2.6%
1/9/01	35639	360	P	KIRK, CAROL L	18PF C-8/FC-143	0.01	MPB	1.8%
4/3/01	35967	360	P	STEPHAN, MELANIE L	18PF C-8/FC-143	0.0123	MPB	2.2%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 595 P/S - FEP GEN DAY/SHIFT MEC - SHUTDN (68MG)

10/24/95	22386	370	P	NUTTER, DARRIN W	68ME C-8/FC-143	0.13	MPB	23.2%
5/10/96	23365	405	P		68ME C-8/FC-143	0.01	MPB	1.8%
8/14/97	26410	380	P		68ME C-8/FC-143	0.02	MPB	3.6%
9/8/97	26411	360	P		68ME C-8/FC-143	0.02	MPB	3.6%
10/12/98	28412	360	P		68ME C-8/FC-143	<0.01	MPB	1.8%
10/18/99	34171	360	P	STURM, JOHN R	68MC C-8/FC-143	<0.01	MPB	1.8%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 596 P/S - FEP E&I MECH - SHUTDOWN (68MB)

10/24/95	22387	370	P		68MB C-8/FC-143	0.02	MPB	3.6%
5/10/96	23366	405	P	PRUNTY, DARRON T	68MB C-8/FC-143	<.03	MPB	5.4%
5/11/96	23363	390	P		68MB C-8/FC-143	<.03	MPB	5.4%
8/14/97	26412	380	P		68MB C-8/FC-143	0.18	MPB	32.1%
9/8/97	26413	360	P	FRIESE, CHRISTOPHER S	68MB C-8/FC-143	0.15	MPB	26.8%

Thursday, August 09, 2001 1:47:01 PM

Page 46 of 51

AJP006423

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
10/14/98	28414	360	P	GRIBBLE, MICHAEL R	68MB	C-8/FC-143	<0.01	MPB	1.8%
10/18/99	34173	360	P	HESSON, ALAN J	68MB	C-8/FC-143	<0.01	MPB	1.8%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 597 P/S FEP GEN DAY MEC SHUTDWN (COMB W/595)(68MG)

10/26/95	22388	380	P	WELSH, DAVID B	68MA	C-8/FC-143	0.01	MPB	1.8%
5/10/96	23367	405	P	NUTTER, DARRIN W	68MA	C-8/FC-143	<.03	MPB	5.4%
8/14/97	26415	380	P	HUGHES, ROGER L	68MA	C-8/FC-143	0.03	MPB	5.4%
9/8/97	26414	360	P		none	C-8/FC-143	0.01	MPB	1.8%
10/12/98	28413	360	P		68MA	C-8/FC-143	<0.01	MPB	1.8%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 598 P/S - FEP GEN DAY/SHIFT MECH (68MG)

1/19/95	20750	360	P		68MD	C-8/FC-143	0.16	MPB	28.6%
4/4/95	21086	420	P		68ME	C-8/FC-143	0.04	MPB	7.1%
5/22/96	23476	375	P	HUGHES, ROGER L	68ME	C-8/FC-143	<.03	MPB	5.4%
6/13/96	23762	375	P		68ME	C-8/FC-143	<.01	MPB	1.8%
8/26/96	24207	360	P		68ME	C-8/FC-143	0.03	MPB	5.4%
12/4/96	24675	420	P		68ME	C-8/FC-143	0.009	MPB	1.6%
3/11/97	25281	360	P		68ME	C-8/FC-143	0.36	MPB	64.3%
5/23/97	25655	390	P		68ME	C-8/FC-143	0.01	MPB	1.8%
10/20/97	26711	390	P		68ME	C-8/FC-143	0.02	MPB	3.6%
11/24/97	26841	365	P		68ME	C-8/FC-143	<.01	MPB	1.8%
8/20/98	28076	360	P		68ME	C-8/FC-143	0.04	MPB	7.1%

AJP006424

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

12/9/98	28593	360	P	HUGHES, ROGER L	01PM C-8/FC-143	0.02	MPB	3.6%
3/2/99	28985	360	P		68ME C-8/FC-143	<0.01	MPB	1.8%
5/6/99	33695	360	P	CANFIELD, SANDRA K	68ME C-8/FC-143	<0.01	MPB	1.8%
8/10/99	33934	360	P	ROBERTS JR, WILLIAM H	68ME C-8/FC-143	0.04	MPB	7.1%
11/11/99	34329	360	P	ADAMS, JOHN S	68ME C-8/FC-143	0.09	MPB	16.1%
2/9/00	34629	360	P	DETAMORE, JEREMY C	68ME C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34862	360	P	HUGHES, ROGER L	68ME C-8/FC-143	0.019	MPB	3.4%
8/9/00	35161	360	P	HATHAWAY, ERNEST R	68ME C-8/FC-143	0.1	MPB	17.9%
11/9/00	35486	360	P	LAYFIELD, RODNEY D	68ME C-8/FC-143	0.011	MPB	2.0%
2/5/01	35735	360	P	LAYFIELD, RODNEY D	68ME C-8/FC-143	<0.01	MPB	1.8%
5/15/01	36108	360	P	CHANDLER, GREGORY D	68ME C-8/FC-143	0.0809	MPB	14.4%

BTO : 18 TEFLON@ COPOLYMERS
 LOC : 599 P/S - FEP E&I MECH (68MB)

12/13/94	20670	360	P		68MB C-8/FC-143	0.09	MPB	16.1%
2/21/95	20953	390	P		68MB C-8/FC-143	0.02	MPB	3.6%

Thursday, August 09, 2001 1:47:01 PM

Page 47 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/5/95	21089	420	P		68MB	C-8/FC-143	0.03	MPB	5.4%
1/9/96	22572	360	P		68MB	C-8/FC-143	0.017	MPB	3.0%
5/11/96	23364	390	P		68MB	C-8/FC-143	0.21	MPB	

AJP006425

Date	Time	Temp	Pressure	Operator	Material	Flow Rate	Unit	Efficiency
8/26/96	24208	360	P		68MB C-8/FC-143	0.04	MPB	37.5%
12/4/96	24676	420	P	PRUNTY, DARRON T	68MB C-8/FC-143	0.008	MPB	7.1%
3/11/97	25279	360	P	PRUNTY, DARRON T	68MB C-8/FC-143	0.28	MPB	1.4%
6/18/97	25788	360	P		68MB C-8/FC-143	0.05	MPB	50.0%
10/20/97	26709	390	P		68MB C-8/FC-143	0.01	MPB	8.9%
11/24/97	26842	365	P		68MB C-8/FC-143	<.01	MPB	1.8%
8/6/98	27986	360	P	PRUNTY, DARRON T	68MB C-8/FC-143	0.06	MPB	1.8%
12/9/98	28595	360	P		68MB C-8/FC-143	0.1	MPB	10.7%
3/2/99	28986	360	P	HINES, DAVID E	none C-8/FC-143	0.002	MPB	17.9%
5/6/99	33676	360	P	WOODDELL, JOHN S	68MB C-8/FC-143	<0.01	MPB	0.4%
8/6/99	33910	360	P	WEST, MICHAEL L	68MB C-8/FC-143	0.27	MPB	1.8%
11/11/99	34334	360	P	MACKEY, GLENN E	68MB C-8/FC-143	<0.01	MPB	48.2%
2/9/00	34630	360	P	WOODDELL, JOHN S	68MB C-8/FC-143	<0.01	MPB	1.8%
5/11/00	34864	360	P	HESSON, ALAN J	68MB C-8/FC-143	0.084	MPB	1.8%
8/9/00	35162	360	P	RUCKMAN, JAMES M	68MB C-8/FC-143	0.15	MPB	15.0%
11/9/00	35487	360	P	HUSK, JEFFERY C.	68MB C-8/FC-143	0.0294	MPB	26.8%
2/5/01	35736	360	P	MACKEY, GLENN E	68MB C-8/FC-143	0.12	MPB	5.3%
5/15/01	36110	360	P	ROOT, WARREN M	68MB C-8/FC-143	0.0261	MPB	21.4%
								4.7%

BTO: 18 TEFLON@ COPOLYMERS
 LOC: 601 P/S FEP GEN DAY/SHIFT MECH (COMB W/598)(68MG)

4/14/88	14136	420	P		none C-8/FC-143	0.028	MPB	5.0%
4/15/88	14133	420	P		none C-8/FC-143	0.018	MPB	3.2%

AJP006426

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

4/15/88	14134	420	P	none	C-8/FC-143	0.267	MPB	47.7%
4/18/88	14142	420	P	none	C-8/FC-143	<0.005	MPB	0.9%
4/19/88	14141	420	P	none	C-8/FC-143	<0.005	MPB	0.9%
4/20/88	14139	420	P	none	C-8/FC-143	<0.005	MPB	0.9%
4/21/88	14140	420	P	none	C-8/FC-143	<0.005	MPB	0.9%
5/5/88	14271	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
5/31/88	14258	420	P	none	C-8/FC-143	0.082	MPB	14.6%
6/1/88	14257	420	P	none	C-8/FC-143	0.2	MPB	35.7%
6/2/88	14255	420	P	none	C-8/FC-143	0.312	MPB	55.7%
6/2/88	14256	420	P	none	C-8/FC-143	0.13	MPB	23.2%
6/6/88	14259	420	P	none	C-8/FC-143	0.252	MPB	45.0%
6/20/88	14280	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/27/88	14277	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
6/28/88	14276	420	P	none	C-8/FC-143	<0.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 48 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/29/88	14275	420	P		none	C-8/FC-143	<0.03	MPB	5.4%
6/30/88	14278	660	P		none	C-8/FC-143	0.03	MPB	5.4%
7/5/88	14351	660	P		none	C-8/FC-143	0.06	MPB	10.7%

AJP006427

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

7/6/88	14350	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/7/88	14348	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/8/88	14347	420	P	none	C-8/FC-143	0.119	MPB	21.3%
7/11/88	14346	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/12/88	14345	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/13/88	14401	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/14/88	14343	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/14/88	14344	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/18/88	14402	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/19/88	14404	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/20/88	14405	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/21/88	14406	420	P	none	C-8/FC-143	0.05	MPB	8.9%
7/22/88	14342	420	P	none	C-8/FC-143	0.05	MPB	8.9%
7/25/88	14341	420	P	none	C-8/FC-143	0.03	MPB	5.4%
7/27/88	14398	660	P	none	C-8/FC-143	<0.03	MPB	5.4%
7/29/88	14383	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/3/88	14386	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/4/88	14385	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/8/88	14387	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/9/88	14391	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/10/88	14390	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/11/88	14396	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/12/88	14392	420	P	none	C-8/FC-143	<0.03	MPB	

ALP006428

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

8/12/88	14393	360	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/16/88	14388	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/16/88	14389	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/24/88	14381	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/24/88	14382	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
8/31/88	14444	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
9/1/88	14443	420	P	none	C-8/FC-143	<0.03	MPB	5.4%
3/20/89	14874	420	P	none	C-8/FC-143	0.14	MPB	25.0%
3/21/89	14872	430	P	none	C-8/FC-143	<.03	MPB	5.4%
3/22/89	14879	420	P	none	C-8/FC-143	<.03	MPB	5.4%
4/4/89	14940	420	P	68ME	C-8/FC-143	<0.03	MPB	5.4%
4/10/89	14946	430	P	68ME	C-8/FC-143	<0.03	MPB	5.4%
4/10/89	14947	430	P	68ME	C-8/FC-143	<0.03	MPB	5.4%

Thursday, August 09, 2001 1:47:01 PM

Page 49 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/10/89	14948	430	P		68ME	C-8/FC-143	<0.03	MPB	5.4%
4/13/89	14955	420	P		68ME	C-8/FC-143	<0.03	MPB	5.4%
4/19/89	14964	405	P		68ME	C-8/FC-143	<0.03	MPB	5.4%

AJP006429

TestResults

file:///C:/WINDOWS/TEMP/C-8-FC143 Per 1-1-70 thru 8-9-01.htm

4/21/89	14961	390	P	68ME	C-8/FC-143	0.27	MPB	48.2%
4/25/89	15013	420	P	68A1	C-8/FC-143	0.08	MPB	14.3%
4/26/89	15012	420	P	68A1	C-8/FC-143	<0.03	MPB	5.4%
4/26/89	15014	420	P	68MA	C-8/FC-143	<0.03	MPB	5.4%
4/26/89	15015	420	P	68MA	C-8/FC-143	<0.03	MPB	5.4%
4/27/89	15009	430	P	68A1	C-8/FC-143	0.05	MPB	8.9%
4/27/89	15011	390	P	68MA	C-8/FC-143	0.14	MPB	25.0%
4/28/89	15010	390	P	68MA	C-8/FC-143	0.14	MPB	25.0%
6/5/89	15109	420	P	68A1	C-8/FC-143	0.14	MPB	25.0%
6/6/89	15110	435	P	68A1	C-8/FC-143	<0.03	MPB	5.4%
6/7/89	15111	420	P	68A1	C-8/FC-143	<0.03	MPB	5.4%
6/8/89	15117	420	P	68A1	C-8/FC-143	0.03	MPB	5.4%
6/9/89	15118	435	P	68A1	C-8/FC-143	0.04	MPB	7.1%
6/12/89	15116	430	P	68A1	C-8/FC-143	0.05	MPB	8.9%
6/13/89	15115	445	P	68A1	C-8/FC-143	<0.03	MPB	5.4%
6/14/89	15114	405	P	68A1	C-8/FC-143	0.11	MPB	19.6%
6/19/89	15113	410	P	68A1	C-8/FC-143	0.05	MPB	8.9%
6/20/89	15112	430	P	68A1	C-8/FC-143	<0.03	MPB	5.4%
2/21/95	20952	390	P	68MA	C-8/FC-143	0.02	MPB	3.6%
1/9/96	22571	390	P	68MA	C-8/FC-143	0.018	MPB	3.2%
5/22/96	23477	375	P	68MA	C-8/FC-143	<.03	MPB	5.4%
8/26/96	24209	360	P	68MA	C-8/FC-143	0.04	MPB	7.1%
3/17/97	25284	390	P	68MA	C-8/FC-143	0.29	MPB	

AJP006430

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/23/97	25656	390	P		68MB	C-8/FC-143	0.01	MPB	51.8%
10/20/97	26710	390	P		68MA	C-8/FC-143	0.02	MPB	1.8%
12/18/97	26877	370	P		68MA	C-8/FC-143	0.23	MPB	3.6%
5/28/98	27715	360	P		68MA	C-8/FC-143	<.05	MPB	41.1%
8/6/98	27985	360	P		68MA	C-8/FC-143	0.02	MPB	8.9%
12/9/98	28594	360	P		68MA	C-8/FC-143	0.01	MPB	3.6%
3/3/99	28987	360	P		68MA	C-8/FC-143	0.022	MPB	1.8%
									3.9%

BTO : 18 TEFLON@ COPOLYMERS

LOC : 603 P/S & A/S - BEAD OVEN ROOM (18PJ)

12/13/94	20671	360	P		68MA	C-8/FC-143	0.06	MPB	10.7%
7/11/95	21551	360	P	TUCKER, ERIC W	18PJ	C-8/FC-143	0.13	MPB	23.2%
6/13/96	23777	375	P		18PJ	C-8/FC-143	0.02	MPB	3.6%
3/27/97	25272	270	P		18PJ	C-8/FC-143	0.18	MPB	32.1%

Thursday, August 09, 2001 1:47:01 PM

Page 50 of 51

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/9/97	25930	390	P		18PJ	C-8/FC-143	0.08	MPB	14.3%
4/1/98	27705	330	P		18PJ	C-8/FC-143	0.12	MPB	21.4%
3/5/99	28988	360	P	ZINN, PAUL B	18PJ	C-8/FC-143	0.01	MPB	1.8%
7/13/99	33833	240	P	ZINN, PAUL B	18PJ	C-8/FC-143	0.0074	MPB	1.3%

AJP006431

7/14/99	33832	360	P		18PL C-8/FC-143	0.5811	MPB	103.8% **
BTO: 18 TEFLON@ COPOLYMERS								
LOC: 610 P/S BEAD SWECO SCREENER OPERATOR (18PJ)								
7/9/97	25931	390	P		18PJ C-8/FC-143	0.02	MPB	3.6%
4/20/98	27710	360	P		18PJ C-8/FC-143	<.05	MPB	8.9%
9/10/98	28099	480	P	RIPPETO, MICHAEL L	18PJ C-8/FC-143	<0.056	MPB	10.0%
3/5/99	28989	360	P	ZINN, PAUL B	18PJ C-8/FC-143	<0.01	MPB	1.8%
BTO: 18 TEFLON@ COPOLYMERS								
LOC: 611 P/S-A/S BEAD LASER INSP OP/RM (18PJ)								
3/27/97	25273	420	P		18PJ C-8/FC-143	0.01	MPB	1.8%
4/8/97	25343	180	P		18PJ C-8/FC-143	0.02	MPB	3.6%
3/6/99	28990	360	P		18PJ C-8/FC-143	<0.01	MPB	1.8%
3/9/00	34733	360	P	LUCAS, JEREMIAH L	18PJ C-8/FC-143	<0.01	MPB	1.8%
10/19/00	35401	360	P	CHIPPS, SCOTT G	18PJ C-8/FC-143	<0.01	MPB	1.8%
4/3/01	35968	360	P	HUSK, RUSSELL K	18PJ C-8/FC-143	0.0068	MPB	1.2%

AJP006432

Thursday, August 09, 2001 1:47:01 PM

Page 51 of 51

AJP006433