

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KY-787 LOT 35193

NET WT/PKG NO. PKG PACK. WGT LOCATION PQ

50 70 3500STUMP 3515TOTAL NET WT. 3500 PKG. N-CODE 1000

PROD. SPVR. DATE WHSE. OPER.

511 4/8/80

N32479

DUP050461426

23
243

CG 03 CODE 787-D PKG.
APR 1 85193
EST. WGT. 1090 EBS.

OK
FP

PROCESSING INSTRUCTIONS BATCH UNIT

PROCESSES	APPROVED BY
1. H. I. (R)	PKR 9/22/75
A. (R)	UCG 9/27/75
TYPED BY	
NE 2/12/77	

emw031679 MAKING NOTES FWP 03-15-79

REMARKS

Total Wgt. 3490#

ME: KROLOR - YELLOW MEDIUM

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

AT	243				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
ATE	4-2-80				STARTED	12:40				
ME	11:30PM				CAKES USED	46				
RELEASED BY	emw				WATER ON	8:40				
RESS	(22)	23	24		HRS. WASHED	10				
OF CAKES	46	46	16	52	OHMS	2500				
ESS WITH					HRS. WASHED					
SH TO 2000					OHMS					
EST AFTER 2					HRS. WASHED					
DAD on 6 cars					OHMS					
					CAKE CONDITION					
					NO. CARS LOADED	6				
					EXPLAIN LOSSES					

MPLES 1-8 oz JAR
ELIVER TO (1) for color

SAMPLED BY 197 RELEASED BY

-DRYING-

Dry 12 hrs at 220 °F
Then Dry 8 hrs at 160 °F
NOTE: If dried in 12-23, 80-97 of 138-155 sections:
• dry for 12 hrs at 2200F & 6 hrs at 1600F
• record sections:
• fill in additional hrs required if any:

LUMP: - OK - WET - SALTS CONTAMIN. 14
ADDITIONAL DRYING HOURS REQUIRED
NO. CARS PULLED 3515
SAMPLED BY RELEASED BY

-GRINDING-

ALL Q79 HSD 3/32" RD SCREEN 4500 RPM
MAX. TEMP. 150 °F
SAMPLE / WITHOUT MIXING
MPLES 1 ENV & 1 Pt. can
ELIVER TO CTE

SCREEN
MAX. TEMP °F
EXPLAIN LOSSES
DATE MIXED
SAMPLED BY RELEASED BY

N32479.01

35193

41

16

0.00 *

2.93 +

0.12 -

2.89 +

0.12 -

2.81 +

0.12 -

2.71 +

0.12 -

2.77 +

0.12 -

2.76 +

0.12 -

2.72 +

0.12 -

2.64 +

0.12 -

2.74 +

0.12 -

2.86 +

0.12 -

2.71 +

0.12 -

2.64 +

0.12 -

2.38 +

0.12 -

1.27 +

0.12 -

35.15 *

N32479.02

DUP050461428