

ASARCO

BULLETIN ON ASBESTOS PUBLICATIONS

Library Central Research Laboratories
American Smelting and Refining Company
South Plainfield, New Jersey 07080

PLAINTIFF'S EXHIBIT

CAP-277

April 1971

1. ---
Asbestos group backs strict control of spray jobs -- Asbestos Information Assn. sets safe levels for asbestos sprayers. (news note). Eng. News/Record 186(10), 17, Mar. 11, 1971.

2. ---
Asbestos-insulated steam lines get living space. Power 114: 47, April 1970.

3. ---
Nonflammable paper, adhesives, fabrics -- new materials spin-offs from space program include paper from chrysotile fibers. Mats. Eng. 73(1), 19, Jan. 1971.

4. ---
Single tractor shovel mines two asbestos pits. Rock Prod. 73: 103, July 1970.

5. ---
Special mandrel solves a problem. Power 114: 67, August 1970.

6. Brokenbrow, B.E. et al. (Explosives R&D Estab., Engl.). Fibre-filled thermoplastics: Part 1. Asbestos -- various graded & ungraded chrysotile & amosite fibers examined, effects of methods of incorporation & processing on fiber length studied, & tensile properties compared to

glass reinforcements. Dec. 1969. 35p. ERDE-TR-2 TRC-BR-19356; N71-13254; AD 713,274. (USGRDR 12/25/70 p.100).

7. Bullied, R.H.
Asbestos: Woodsreef could be a world leader -- description of new chrysotile mine at Barraba, NSW, incl. milling diagram. Aust. Mining. 62(11), 65-67, Nov. 1970.

8. Edwards, H. (Explosives R&D Estab.). Asbestos and surface treated asbestos as reinforcing agents for thermoplastics and rubbers. -- Thermoplastics improved by asbestos but not by treated asbestos; rubbers are selective as to improved properties. Feb. 1970; 23p. (ERDE-TR-14TRC-BR-20570). AD 717,444. (USGRDR (now GRA) 3/25/71 p.88).

9. Langer, A.M., et al.
Chrysotile asbestos in the lungs of persons in New York City -- found in all of 28 consecutive autopsy cases. Arch. Envir. Health 22(3), 348-361, Mar. 1971.

OVER

ASARCO ALV 0001538