FORMULA RECORD

A 450 Rev 10-26
Printed in U.S.A.

nds Glidden Handy Hose Paint - Outside White Formula No. Y-2200-C.

nsistency Date 3-10-27 Old No. 2W2(

r Use on Cost Classification

	S	½ Bbl	Bbl.	2 Bbl.	Code No.	Per cent	Manufacturing Specifications
/2	gal.	Raw Linseed Oil			O-1		Grind
	"	6 Magic	Drier		D-7		Kind of Mill
	"	Glidene			S-48		Rate per hr.
/4	"	Linseed	Oil Substitute		V-507		Strainer
	"	Water			S-14		Weight per Gallon 14# 14 oz.
	lbs.	Special	Sunolith		W-77		Light Baume Temp.
	"	No.550	Zinc		W-90		Heavy Baume Temp.
	"	Barytes			W-10		Viscosity Temp.
	"	Pulp			W-11		Make of Viscosimeter
							Flash Point
							Is Agitator Package Required
							Remarks



FORMULA RECORD

Goods: Outside White Handy Home
Consistency: Liquid
Use on: General

Formula No. V2200D
Date 5/24/33 Lab. No. 2W2D
Cost Classification 2

Code Number	1	2	½ Bbl.	Bbl.	2 Bbl.		Manufacturing Specifications
0131	4¼	Pts.		Pigment		61%	Grind C
01	1¼			Vehicle		39	Kind of Mill
0151	½					100%	Rate per hr.
D7	½			Pigment			Strainer
548	1¼			Zinc Oxide		16.9%	Weight per Gallon 14¾#
6779	¼			Light Sand Sulphate		9.0%	Light Baume Temp.
				Silica Dose		12.0%	Heavy Baume Temp.
W77	5#			Barium Sulphate		24.5%	Viscosity Temp.
W6	3#			Magnesium Silicate		2.8%	Make of Viscosimeter
W10	3#					100.0%	Flash Point
W11	1#			Vehicle			Is Agitator Package Required
				Raw Linseed Oil		69%	Remarks
				Treated Vegetable Oil		10%	JPW
				Liquid Drier		8%	
				Mineral Spirits		13%	
						100%	

Ground Cans 1½-1½-1¼-1½-1½
Stock Labels

GLD060804



A 400 C [illegible] 5-33 Printed in U. S. A.

FORMUL

Goods Goods: Outside White Handy Ho

Consistency: Liquid

Furnished or Use on: General

Code Number	1	5	½ Bbl.	Bbl
0131	4¼	PTS.		Pig
01	1¼			Veh
0151	½			
D7	½			Pig
S48	1¼			[illegible]
6779	¼			[illegible]
				[illegible]
W77	5#			Bar
W6	3#			Mag
W10	3#			
W11	1#			Veh
				Raw
				Treat
				Liqu
Rectangular Cans 1's-½'s-¼'s-⅛'s				Mine
(Blank Labels)				
Yield				

GLD060805



A RECORD

ome Formula No. Y 2200 D

Date 5/24/33 Lab. No. 2W2D

Cost Classification 2

Bbl.	2 Bbl.		Manufacturing Specifications
ment		61%	Grind C
hide		39	Kind of Mill
		100%	Rate per hr.
ment			Strainer
c Oxide		16.5%	Weight per Gallon 14 3/4 #
Lead Sulphate		9.0%	Light Baume Temp.
Phosphate		12.0%	Heavy Baume Temp.
Sulphate		24.5%	Viscosity Temp.
Silicate		8.0	Make of Viscosimeter
		100.0%	Flash Point
hide			Is Agitator Package Required
Linseed oil		69%	Remarks
Vegetable Oil		10%	JPW
Drier		8%	
Spirits		13%	
		100%	

GLD060806

480-0 5078 11-35

FORMULA RECORD

Goods White Handy Home Paint Formula No. F-2200

Consistency Date 6-20-35 Laboratory No.

For Use on Cost Classification

Code Number	One Gallon Batch			Gallon Batch			Gallon Batch			Manufacturing Specification
	Pints	Lbs.	Ozs.	Gals.	Lbs.	Ozs.	Gals.	Lbs.	Ozs.	
0131	3									Grind C
0178	1									Kind of Mill
V557C	2½									Strainer
D7	½									Weight per Gallon 14.3
S48	½									Light Baume Temp.
67T9	½									Heavy Baume Temp.
										Viscosity Temp.
W69		5								Viscosimeter
W6		3								Flash Point
W10		3								Is Agitator Required
W11		1								Remarks
Yield										

GLD060807

A-430-D 30m 3-33

FORMULA RECORD

Goods Handy Home White

Consistency Liquid

For Use on

Date 8/26/35

Formula No. Y22007

Laboratory No.

Cost Classification

Code Number	One Gallon Batch Pints	Lbs.	Ozs.	100 Gallon Batch Gals.	Lbs.	Ozs.	Gallon Batch Gals.	Lbs.	Ozs.
0178	2			20					
04	2 1/2			25					
V557C	1 1/2			15					
D7	1/2			5					
848	1			10					
6779	1/2			5					
W69		5			400				
W6		2	8		200				
W63		2			160				
W11		2			160				
Yield									

Manufacturing Specifications

Grind

Kind of Mill

Strainer

Weight per Gallon

Light Baume Temp.

Heavy Baume Temp.

Viscosity Temp.

Viscosimeter

Flash Point

Is Agitator Required

Remarks

JPW

GLD060808

480-0 50M 7-37 (6)

FORMULA RECORD

Goods Handy Home White — Formula No. Y2200C

Consistency Liquid — Date 9/8/37 — Laboratory No. 1

For Use on — Cost Classification

Code Number	One Gallon Batch			Gallon Batch			Gallon Batch			Manufacturing Specifications
	Pints	Lbs.	Ozs.	Gals.	Lbs.	Ozs.	Gals.	Lbs.	Ozs.	
0132	3						30			Grind C
05	1½						15			Kind of Mill
V557C	1½						15			Strainer
D7	¾						7½			Weight per Gallon 14½-14¾
848	¾						7½			Light Baume Temp.
6779	½						5			Heavy Baume Temp.
										Viscosity Temp.
W69		5						400		Viscosimeter
W6		2	8					200		Flash Point
W63		2						160		Is Agitator Required
W11		2						160		Remarks
										JPW
Yield										

DISCONTINUED

SEE Y2200H

GLD060809

FORMULA RECORD

Goods White Handy Home Paint

Formula No. [illegible]

Consistency Liquid

Date [illegible]

Laboratory No.

For Use on

Cost Classification

Code Number	One Gallon Batch Pints	One Gallon Batch Lbs.	One Gallon Batch Ozs.	Gallon Batch Gals.	Gallon Batch Lbs.	Gallon Batch Ozs.	Gallon Batch Gals.	Gallon Batch Lbs.	Gallon Batch Ozs.
0132	4 1/2			45					
V557	2			20					
D15	1/2			5					
[illegible]	1/2			5					
6779	1/2			5					
W-19		5			[illegible]				
W-6		2	8		200				
W-63		2			160				
W-11		2			160				

DISCONTINUED

SEE Y-2200-[illegible]

Manufacturing Specifications

Grind

Kind of Mill

Strainer

Weight per Gallon 4.5-14.7

Light Baume Temp.

Heavy Baume Temp.

Viscosity Temp.

Viscosimeter

Flash Point

Is Agitator Required

Remarks

Reissued to correct analysis and to revert to old Type Formula

Replaces Y2200-[illegible]

J.P.W.

Yield

GLD060810

496-D 50M PRINTED IN U.S.A. (B)

FORMULA RECORD

DISCONTINUED

Goods White Handy Home Paint

Consistency Liquid

For Use on

Date 1-13-43

Formula No. Y2200E

Laboratory No.

Cost Classification

Code Number	One Gallon Batch Pints	Lbs.	Ozs.	Gallon Batch Gals.	Lbs.	Ozs.	100 Gallon Batch Gals.	Lbs.	Ozs.	Manufacturing Specifications
W 69		5								Grind C
W 104			14					400		Kind of Mill
W 33		1	10					70		Strainer
W 63		2						130		Weight per Gallon 14.5-14.7
W 11		2						160		Light Baume Temp.
01	4½							160		Heavy Baume Temp.
V 557	2						45			Viscosity Temp.
V 15	½						20			Viscosimeter
S 148	½						5			Flash Point
6179	½						5			Is Agitator Required
							5			Remarks

Hayward

Reformulated to replace 0132 with 0132 replace W-6 with W-104-W-33 Mixture

DISCONTINUED

SEE Y-2200-J

dated 3-5-43

Yield

GLD060811

400-D 50M 11-41 PRINTED IN U.S.A. 101

FORMULA RECORD

Goods White Handy Home Paint — Formula No. Y3200

Consistency Liquid — Date 5-5-43 — Laboratory No. [illegible]

For Use on — Cost Classification

Code Number	One Gallon Batch Pints	One Gallon Batch Lbs.	One Gallon Batch Ozs.	Gallon Batch Gals.	Gallon Batch Lbs.	Gallon Batch Ozs.	100 Gallon Batch Gals.	100 Gallon Batch Lbs.	100 Gallon Batch Ozs.	Manufacturing Specificati
W69		5						400		Grind C
W104			14					70		Kind of Mill
W33		1	10					130		Strainer
W63		2						160		Weight per Gallon 14.0-14
W11		2						160		Light Baume Temp.
										Heavy Baume Temp.
O1	2 7/8						26 1/4			Viscosity Temp.
V5578	2						20			Viscosimeter
0286	1						10			Flash Point
P15	1/2						5			Is Agitator Required
S148	1/2						5			Remarks
S43	7/8						8 3/4			Payment
6919	1/2						5			[illegible]
										J.P.W.
	Reformulated to conserve oil									
Yield										

Standard Formula
Active
Discontinued 5-24-43
See Y2200 J 5-24-43

GLD060812

40/3 50M PRINTED IN U.S.A. (B)

FORMULA RECORD

Goods Everone House Paint White Formula No. [illegible]

Consistency [illegible] Date [illegible] Laboratory No. [illegible]

For Use on Cost Classification

Code Number	One Gallon Batch. Pints	Lbs.	Ozs.	Gallon Batch Gals.	Lbs.	Ozs.	Gallon Batch Gals.	Lbs.	Ozs.	Manufacturing Specificati
[illegible]		5						400		Grind C
[illegible]			14					70		Kind of Mill
[illegible]		1	10					130		Strainer
[illegible]		2						160		Weight per Gallon 14.2
[illegible]		2						160		Light Baume Temp.
										Heavy Baume Temp.
[illegible]	2 1/2						25			Viscosity Temp.
[illegible]	2 1/2						24			Viscosimeter
[illegible]	1/2						5			Flash Point
[illegible]	1/2						5			Is Agitator Required
[illegible]	1 9/16						15			Remarks [illegible]
[illegible]	1/2						5			[illegible]
	Changed to eliminate V 557 [illegible] formula dated 3-5-43									
Yield										

Standard Formula. Not to be taken from File.

Standard Formula Active
Discontinued 10-19-48
See [illegible] 2200K

GLD060813

MO-C 1044 5-48 PRINTED IN U.S.A. (8)

FORMULA RECORD

Goods

Consistency

For use on

Customer

Formula No.

Laboratory No.

Cost Class. Date

Strainer Grind

Mill

Is agitator required

Code Number	One Gallon Batch			Large Batch	
	Pints	Lbs.	Ozs.	Gals.	Lbs.

460-E, 4044 5-48 PRINTED IN U.S.A. (B)

FORMULA RECORD

Goods White Exterior House Paint — Formula No. [illegible]

Consistency Liquid — Laboratory No. [illegible]

For use on — Cost Class. — Date

Customer — Strainer — Grind

Mill

Code Number	One Gallon Batch Pints	Lbs.	Ozs.	Large Batch Gals.	Lbs.
[illegible]		1			[illegible]
[illegible]		3	2		[illegible]
[illegible]		3			[illegible]
[illegible]		3			[illegible]
[illegible]		3	3		[illegible]
[illegible]	[illegible]			[illegible]	
[illegible]	[illegible]			[illegible]	
[illegible]	[illegible]			[illegible]

480F 70M 4-43 Printed in U.S.A. L.P.

FORMULA RECORD

Goods White Everon House Paint

Consistency Liquid

For use on

Customer

Formula No. Y-2200-L

Laboratory No. Y-2200-K

Cost Class. Date 11/14/49

Strainer Grind 2-3

Mill Hi R Wt. or Bo 13.9#

Code Number	One Gallon Batch Pints	Lbs.	Ozs.	Large Batch Gals.	Lbs.
W-91		1			72
W-6		3	2		225
W-69		2			144
W-11		3			216
W-63		3	3		230
O-1	1-1/2			13-1/2	
V-539	3-1/4			29-1/4	
O-19	1/4			2-1/4	
S-43	3			27	
D-15			2-1/2	1-3/8	
CU-243			1/8		9 ozs.
* S-43			2-3/4	1-1/2	

Is agitator required

Wt. 13.9# Temp.

Viscosity 85-90KU Temp.

Viscosimeter Stormer

Color Sheen G

Non Vol. Flash Pt. 100 F

Match for

Reducer

Amt. for brushing

Spraying Tumbling

Dipping Drip time

Bake Temp.

Air dries in 18 hrs.

A.D. to recoat in 72 hours

Remarks

* Hold to adjust viscosity

Rewritten to change 2-KB-339-A to V-539

Supersedes formula dated 1/11/49

Standard Formula
Not to be taken
from File

Yield 103

Formulator H G HAYWARD

GLD060816

Cost	Date	Analysis	Customers
		Pigment 62.2 %	
		Vehicle 37.8 %	
		Pigment	
		Titanium Oxide	8.2 %
		35% Leaded Zinc Oxide	25.5
		Lithopone	16.3 all plants 12-2-44
		Magnesium Silicate	24.4
		Calcium Carbonate	25.6
			100.0 %
		Vehicle	
			20 %
		Linseed Oil	25
		Treated Soya Bean Oil	17
		Treated Pine Oil	5
		Mineral Spirits	3
		Liquid Drier	100%

GLD060817

FORMULA RECORD

GOODS: Everbrite White House Paint

CONSISTENCY: Liquid

FOR USE ON:

CUSTOMER:

FORMULA NO.: Y-2200-M

LABORATORY NO.:

COST CLASS: DATE 3/3/50

STRAINER: GRIND 2-3

MILL: Pebble-Hi-R WT. OR BC 13.8#

CODE NUMBER	ONE GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
W-91		1				
W-85		2	4			
W-1			14			
W-69		2				
W-11		3				
W-65		3	3			
C-1	1-3/4					
R-49098	2-3/8					
C-286	5/8					
D-19	1/4					
S-43	3					
D-15		2-1/2 Loz/gal				
WS-43		2-3/4 Loz/gal				
1	*To control viscosity.					
	Formula issued to replace Y-539 with Dry Soya.					
YIELD						

Standard Formula. Not to be taken from File

IS AGITATOR REQUIRED

VISC. F. P. 85-90 KU TEMP.

VISC. RED. TEMP.

VISCOSIMETER Stormer

COLOR STEEN

NON VOL. FLASH PT. 100°F

MATCH FOR

REDUCER

AMT. FOR BRUSHING Full Brush

SPRAYING TUMBLING

DIPPING DRIP TIME

BAKE TEMP.

AIR DRIES IN 18 hrs.

A. D. TO RECOAT IN 72 hrs

REMARKS:

FORMULATOR I Wangeness

25-6-4

GLD060818

COST	DATE	ANALYSIS	CUSTOMERS
		PIGMENT 62 %	[illegible] 1-26-57
		VEHICLE 38 %	
		100 %	

PIGMENT	
Titanium Dioxide	8.2 %
10% Leaded Zinc Oxide	18.0
Basic White Lead Sulfate	7.5
Lithopone	16.3
Magnesium Silicate	24.4
Calcium Carbonate	25.6
	100.0 %

VEHICLE	
Linseed Oil	34.0 %
Treated Soya Oil	32.0
Mineral Spirits	32.6
Liquid Drier	1.4
	100.0 %

2

GLD060819

GLIDDEN-1480-H PRINTED IN U.S.A. FRONT

FORMULA RECORD

GOODS: Everon White House Paint

CONSISTENCY: Liquid

FOR USE ON:

CUSTOMER:

FORMULA NO. V-2200-N

LABORATORY NO.

COST CLASS. DATE 1/5/58

STRAINER GRIND 2-3

MILL (Pebble WT. OR BE 13.8#

~~[illegible]~~ Hy-R)

VISC. F.F. 85-90 KU TEMP.

VISC. RED. TEMP.

VISCOSIMETER Stormer

COLOR SHEEN

NON VOL. FLASH PT. 100°

MATCH FOR

REDUCER

AMT. FOR BRUSHING Full Brush

SPRAYING TUMBLING

DIPPING DRIP TIME

BAKE TEMP.

AIR DRIES IN 18 hrs

A. D. TO RECOAT IN 72 hrs

REMARKS:

CODE NUMBER	ONE GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
W-91		1				
W-35		2	4			
W-1			14			
W-69		2				
W-11		3				
W-63		3 (2)	3			
O-1	1-3/4					
O-286	3					
O-19	1/4					
S-43	3					
D-15		2-1/2	Loz/gal			
*S-43		2-3/4	Loz/gal			

* To control viscosity

Issued to replace V-539 with O-286

Standard Formula. Not to be taken from File.

DISCONTINUED SEE

FORMULATOR I Wangsness

YIELD

25-5-4

GLD060820

FORMULA RECORD

Everon White House Paint

Liquid

FORMULA NO.	Y-2200-W
LABORATORY NO.	
COST CLASS.	DATE 9/5/51
STRAINER	GRIND 2-3
MILL (Pebble or	WT. OR BE 13.8#
~~XXXXXXXXXXXX~~ Hy-R)	
VISC. F.B. 85-90 KU	TEMP.
VISC. RED.	TEMP.
VISCOSIMETER Stormer	
COLOR	SHEEN
NON VOL.	FLASH PT. 100°F
MATCH FOR	
REDUCER	
AMT. FOR BRUSHING FB	
SPRAYING	TUMBLING
DIPPING	DRIP TIME
BAKE	TEMP.
AIR DRIES IN 18 hrs.	
A. D. TO RECOAT IN 72 hrs.	
REMARKS:	

CODE NUMBER	ONE GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
W-91		1			[illegible]	
W-35		2	4		[illegible]	
W-1			14		[illegible]	
W-69		2			160	
W-11		3			[illegible]	
W-65		3	3		[illegible]	
O-1	1-3/4			[illegible]		
O-286	3			20		
O-19	1/4			[illegible]		
S-43	3			30		
D-15			2-1/2 Loz/gal			[illegible]
* S-43			2-3/4 Loz/gal			[illegible]

Standard Formula. Not to be taken from File.

* To control viscosity.

Issued to replace V-539 with O-286.

*ISSUED FOR CORRECTION DESTROY FORMULA DATED 1/5/50

YIELD

FORMULATOR I Wanganess

25-6-4

GLD060821

COST	DATE	ANALYSIS		CUSTOMERS Y-2200-N
		PIGMENT 62 %		Glidden
		VEHICLE 38 %		Sveron Prepared House Paint
		100 %		
				Forest City
		PIGMENT		Hamilton Mixed Paint
		Titanium Dioxide	8.2%	
		10% Leaded Zinc Oxide	18.0	All Plants 9-10-51
	Basic	White Lead Sulfate	7.5	Akron Plant 1-27-53
		Lithopone	16.5	
		Magnesium Silicate	24.4	Atlanta (H&H) 8-9-51
		Calcium Carbonate	25.6	
			100.0 %	
		VEHICLE		
		Linseed Oil	66.0 %	
		Mineral Spirits	32.6	
		Liquid Drier	1.4	
			100.0 %	
		Y-2200	15%	

GLD060822

FORMULA RECORD

GOODS: Everon House Paint - White

CONSISTENCY: Liquid

FOR USE ON

CUSTOMER

FORMULA NO.: Y-2200-0

LABORATORY NO.

COST CLASS: DATE: 8/3/53

STRAINER: GRIND: 2-3

MILL: Pebble or WT. OR SP. 13.8

IS AGITATOR REQUIRED: Hi-R

VISC. F.B. 85-90 KU TEMP. 80°

VISC. RED. TEMP.

VISCOSIMETER Stormer

COLOR White SHEEN

NON VOL. FLASH PT. 100°F

MATCH FOR

CODE NUMBER	ONE GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
W-91		1			80	
W-35		2	4		280	
W-1			14		70	
W-69		2			160	
W-188		3			240	
W-63		3	3		255	
O-1	1-3/4			17-1/2		
O-286	3			30		
O-19	1/4			2-1/2		
S-43	3			30		
D-15			2-1/2			200
* S-43			2-3/4			220

* To Control Viscosity.

Formula changed to use W-188

YIELD 1.454

REDUCER S-43

AMT. FOR BRUSHING F.B.

SPRAYING TUMBLING

DIPPING DRIP TIME

BAKE TEMP.

AIR DRIES IN 16 hrs.

A. D. TO RECOAT IN 72 hrs.

REMARKS

Standard Formula.
Not to be taken
from File.

FORMULATOR Southwick - H.H.
27-6

GLD060823

COST	DATE	ANALYSIS		CUSTOMERS Y-2200-0
		PIGMENT 62% %		Tandem Sales Y-List 8-7-53
		VEHICLE 38% %		All Plants
		100 %		
		PIGMENT		
		Titanium Dioxide	8.2%	
		10% Leaded Zinc Oxide	18.0	
		Basic Sulphate White Lead	7.5	
		Lithopone	16.3	
		Magnesium Silicate	24.4	
		Calcium Carbonate	25.6	
			100.0	
		VEHICLE		
		Linseed Oil	65.0	
		Mineral Spirits	32.6	
		Liquid Drier	1.4	
			100.0 %	

GLD060824

GLIDDEN 4901-H PRINTED IN U.S.A. FRONT

FORMULA RECORD

FORMULA NO. V-2200-P

GOODS Everon House Paint -- White

LABORATORY NO.

CONSISTENCY

COST CLASS. DATE 2/10/54

FOR USE ON

STRAINER GRIND 3-4

CUSTOMER

MILL Pebble WT. OR PE. 14-1/

CODE NUMBER	ONE GALLON BATCH			LARGE BATCH		
	PINTS	LBS.	OZS.	GALS.	LBS.	OZS.
W-91		1	10			
W-170			13			
W-33		2	7			
W-63		10	8			
CR-185			1			
O-1	3-1/4					
O-5	1-1/4					
O-286	1-7/16					
S-43	2-1/16					
VM-432			1-7/8 fl oz.			
VM-433			1/4 "			
	Changed to new quality.					

Standard Formula. Not to be taken from File.

IS AGITATON REQUIRED

VISC. F.B. 83-87 KU TEMP.

VISC. RED. TEMP.

VISCOSIMETER Stormer

COLOR SHEEN

NON VOL. FLASH PT.

MATCH FOR

REDUCER

AMT. FOR BRUSHING

SPRAYING TUMBLING

DIPPING DRIP TIME

BAKE TEMP.

AIR DRIES IN

A. D. TO RECOAT IN 48 hrs.

REMARKS

O-325 for body if necessary.

FORMULATOR J. Southwick

YIELD 1.69

23-8-6

GLD060825

COST	DATE	ANALYSIS		CUSTOMERS X-2200-P 2/10/54
		PIGMENT 66.7 %		
		VEHICLE 33.3 %		Everon House Paint
		100.0 %		White
		Anatase Titanium Oxide	10.56	J.P. "Y" Trade Sales Inst 3-2-54
[illegible]	[illegible]	PIGMENT Rutile Titanium Oxide	5.29	
		Titanium Oxide	15.85 %	Cube of Herzog 8-15-54
		Zinc Oxide	15.85	[illegible] (Montreal) "
		Calcium Carbonate	68.30	[illegible] 9-7-60
			100.00 %	
		VEHICLE		
		Treated Linseed Oil	80.2 %	Linseed Oil = 75.8 %
		Soya Oil	15.6	
		Mineral Spirits & Drier	24.2	
			100.0 %	
		Y-2200 452		

GLD060826

GLIDDEN BRUSH PRINTED IN U.S.A. FRONT

FORMULA RECORD

GOODS: Everan House Paint - White
CONSISTENCY: Liquid
FOR USE ON:
CUSTOMER:

FORMULA NO. Y-2200-Q
LABORATORY NO.
COST CLASS. DATE 4/18/55
STRAINER GRIND 3-4
MILL Pebble WT. OR BE 14-1/2
IS AGITATOR REQUIRED
VISC. F.B. 83-87 KU TEMP.
VISC. REQ. TEMP.
VISCOSIMETER Stormer
COLOR White SHEEN
NON VOL. FLASH PT.
MATCH FOR
REDUCER
AMT. FOR BRUSHING
SPRAYING TUMBLING
DIPPING DRIP TIME
BAKE TEMP.
AIR DRIES IN O.N.
A. D. TO RECOAT IN 72 hrs.
REMARKS:

CODE NUMBER	ONE-GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
W-91		2	7			
W-33		2	7			
W-63		10	8			
CH-185			1			
O-1	6-1/2					
O-5	1					
O-286	1-7/16					
S-43	2-1/16					
VM-432			1-7/8 Loz.			
VM-433			1/4 "			
YIELD	1.59					

Standard Formula Not to be taken from File.

Formula changed to improve cleaning properties.

FORMULATOR J.E. Southwick
28-8-8

GLD060827

COST	DATE	ANALYSIS		CUSTOMERS Y-2200-Q
		PIGMENT 66.7%	%	Everon House Paint
		VEHICLE 33.3	%	White
		100.0 %		4/18/55
				"Y" Trade Sales Sht 4-27-55
		PIGMENT		
		Titanium Oxide	15.85%	
		Zinc Oxide	15.85	
		Calcium Carbonate	68.30	
			100.00 %	
		VEHICLE		
		Treated Linseed Oil	60.2%	
		Soya Oil	15.6	
		Mineral Spirits & Drier	24.2	
			100.0 %	
		Y-2200 554		

GLD060828

GLIDDEN 488-H PRINTED IN U.S.A. FRONT

FORMULA RECORD

GOODS: Everon House Paint - White

CONSISTENCY:

FOR USE ON:

CUSTOMER:

FORMULA NO.: Y-2200-R

LABORATORY NO.:

COST CLASS: DATE: 6/25/57

STRAINER: GRIND:

MILL: WT. OR BE:

CODE NUMBER	ONE GALLON BATCH			LARGE BATCH		
	PINTS	LBS.	OZS.	GALS.	LBS.	OZS.
	RELASEL or GRIND OUT					
	1-W-118-B					
YIELD						

IS AGITATOR REQUIRED:

VISC. F.O.: TEMP.:

VISC. RED.: TEMP.:

VISCOSIMETER:

COLOR: SHEEN:

NON VOL.: FLASH PT.:

MATCH FOR:

REDUCER:

AMT. FOR BRUSHING:

SPRAYING: TUMBLING:

DIPPING: DRIP TIME:

BAKE: TEMP.:

AIR DRIES IN:

R.O. TO RECOAT IN:

CATALYST:

AMT. OF CATALYST:

POT LIFE: TEMP.:

STABILITY AT 200° F:

STABILITY AT 115° F:

STABILITY AT °F:

REMARKS:

FORMULATOR: J.E. Southwick

OK PCH 25-9-9

GLD060829

COST	DATE	ANALYSIS		CUSTOMERS Y-2200-R
		PIGMENT 63.5 %		Everon House Paint
		VEHICLE 36.5 %		White
		100.0%		6/25/57
				#7-Trade Sales Lt 8-25
		PIGMENT		
		Titanium Dioxide	18.5%	
		Zinc Oxide	16.2	
		Calcium Carbonate	65.3	
			100.0%	
		VEHICLE		
		Linseed Oil	76%	
		Mineral Spirits & Driers	24	
			100%	
		Y-2200m 756		

GLD060830

GLIDDEN 480-H PRINTED IN U.S.A. FRONT

FORMULA RECORD

FORMULA NO. Y-2200-S

GOODS Everon House Paint - White

LABORATORY NO.

CONSISTENCY

COST CLASS. DATE 2/2/59

FOR USE ON

STRAINER GRIND

CUSTOMER

MILL WT. OR BE

CODE NUMBER	ONE GALLON BATCH PINTS	LBS.	OZS.	LARGE BATCH GALS.	LBS.	OZS.
DISCONTINUED						
SEE	RELABEL OR GRIND OUT					
SEE	Y-2218					

IS AGITATOR REQUIRED

VISC.F.B. TEMP.

VISC. RED. TEMP.

VISCOSIMETER

COLOR SHEEN

NON VOL. FLASH PT.

MATCH FOR

REDUCER

AMT. FOR BRUSHING

SPRAYING TUMBLING

DIPPING DRIP TIME

BAKE TEMP.

AIR DRIES IN

A. D. TO RECOAT IN

REMARKS:

Standard Formula Not to be taken from File

FORMULATOR J.E. Southwick

YIELD

30-12

GLD060831

COST	DATE	ANALYSIS		CUSTOMERS Y-2200-S
		PIGMENT 63.5 %		Everon House Paint - White
		VEHICLE 36.5 %		
		100.0%		2/2/59
		PIGMENT		[illegible]
		Titanium Dioxide	18.5%	
		Zinc Oxide	16.2	WARNING NO 11-62 NPVLA
		Calcium Carbonate	65.3	(12-4-62)
			100.0%	
				[illegible]
				Y Enamel Test 2-3-59
		VEHICLE		Keating (Tulsa) 10-15-[illegible]
		Linseed Oil	76%	
		Mineral Spirits & Driers	24	Fisher (Panama) per
			100%	Duncan & Fulton 5-2-60
				Hess (#16) 9-19-61 Q
				#30 (Thornton) 2-28-66 Q
		Y-2200 952		

GLD060832

Glidden Form 1102-1 Printed in U.S.A. 2/67

C & R FORMULA

Product Everon House Paint - White

Customer

CODE NUMBER	160 GALLON BATCH GALLONS	160 GALLON BATCH POUNDS	% BY WEIGHT	MANUFACTURING INSTRUCTIONS
	DISCONTINUED			
	RELABEL OR GRIND OUT			
		Y-2218		
Yield				

Standard Formula. Not to be taken from File.

Formula Number	Y-2200-[illegible]
Laboratory Number	
R.M. Cost	Date 8-31-67
Mill	Grind
NPVLA	Lead
Label Warning	METHOD
Wt. Gal.	
Flash Pt. °F.	
N.V.Wt.	
N.V.Vol.	
Visc. F.B.	
Visc. Rad.	
Reducer	Ratio
P.V.C.	pH
Color	Match
Gloss	Method
Strainer	
Container	
Application	
AD. Bake	
Recoat Time	
Remarks	
Formulator	J.E. Southwick
Approved by	

GLD060833

Glidden Form 1106-1 (back) Printed in U.S.A. 2/67 C & R FORMULA

CLASS					
COURSE					

DESCRIPTORS (20 spaces—limit)

Trade Name Customer

Substrate and Treatment

Environment

Specifications

Royalty Yes ☐ No ☐ Silicone Yes ☐ No ☐

Resistance

Color Gloss

For Use On

Resistance

Manufactured at Plants

Manufacturing Instructions or Remarks

Date Formula No.

Product

Label Warning

ANALYSIS

Pigment %

Vehicle %

Pigment

Vehicle

Trade Sales List 8-1-67 (2)

#12 (Tech.) Only "

GLD060834