



THE DOW CHEMICAL COMPANY

MIDLAND, MICHIGAN 48674

September 17, 1986

PLAINTIFF'S EXHIBIT

DOW-622

209670012

F. D. Axe, Pittsburg, CA
P. A. Brown, 2030
D. E. Cragar, Freeport, B101
R. L. Daniel, Freeport, B101
J. B. Dudney, Texize (Greenville, SC)
R. D. Egedahl, Mall Road, Sarnia
G. W. Engdahl, 1803
R. H. Fike, 1803
S. M. Gorgacz, 474
J. A. Gray, 2030
R. M. Hahne, 1803
D. D. Hicks, Freeport, B101
T. Kawakita, 1803

J. M. Lanham, 1803
W. E. Ledford, Plaquemine
J. B. Martin, 2030
G. L. Meier, Strongsville
M. Nevill, Plaquemine
S. K. Norwood, 1803
L. W. Rampy, 1803
F. L. Sabel, 474
A. W. Schaffer, 1803
T. Shanks, Ludington
B. G. Williams, Merrell Dow
J. D. Young, 2010

OSHA/ASBESTOS

Enclosed is a copy of items which came out of the ORC asbestos task group meeting. Note that it includes a draft compliance manual and that comments by Leo Carey are not necessarily official OSHA policy. Page 18 of the general industry compliance manual identifies some specifics needed in training sessions. Note also on page 18 the specifics of the medical surveillance including that a signed medical opinion is to go to the employee within 30 days.

Let me know if this raises more questions, as you can see ORC has included all those we had earlier.

Nick Cloon

Richard D. Olson
Regulatory and Legislative Issues
1803 Building

1kr

enclosure

cc: DL Basatra
PT Conete
J Castledine