




INTERNAL CORRESPONDENCE



UNION CARBIDE CHEMICALS COMPANY • INSTITUTE PLANT P. O. BOX 2831, CHARLESTON, WEST VIRGINIA

To (Name) Mr. S. C. Giambruno
Company
Location Industrial Relations

Date 23 October 1963
Originating Dept. Medical Department - Plant 512

Answering letter date

Copy to	Mr. L. N. Dickinson	Mr. J. W. Perry	Subject	Insulation Block Dust Survey
	Mr. N. S. Eastman	Mr. P. E. Henry		Construction Insulation Shop
	Mr. R. A. Huber	Mr. R. A. Neal		Plant 511
	Mr. B. F. King	Mr. D. R. Matheny		
	Dr. E. M. Best	Mr. N. H. Ketcham		
	Dr. C. U. Dernehl	Mr. L. B. Weddell - Safety Dept.		

Enclosed is a very excellent and very complete Industrial Hygiene report on the potential hazardousness of "Thermobestos", "Kaylo" and "Carey-Temp" insulation blocks which have been processed in the Construction Department's Insulation Shop. The report points out definitely that "Thermobestos" and "Carey-Temp" insulation blocks cannot be fabricated safely with existing equipment, but that "Kaylo" insulation blocks can be fabricated safely. Mr. Peele's recommendations are quite definite and I am sure that you will wish to comply with them. I believe this particular project should be considered completed.

If there are any comments, suggestions or criticism, please direct these to me.

Very truly yours,

R. J. Sexton, M.D.
Plant Medical Director

RJS:hl

Enclosures

PLAINTIFF'S EXHIBIT

UC-4852