


CELANESE CHEMICAL COMPANY
Chemcel Plant
Bishop, Texas




To: R. L. Bunkley

From: Ann Retherford - Bi AER-1-76

January 7, 1976

Hazards Review

Attached are the updated lists of materials which OSHA has found or suspected to be hazardous. Table I contains materials already under present OSHA standards. The remaining attachments are taken from the Federal Register, Vol. 39, No. 125, pp 23540-23543 and include substances which OSHA considers potentially hazardous but not yet under OSHA standards. These lists are provided as requested in RLB-33-75.


Ann Retherford

AER/dh
Attachments

cc: Messrs. *G. D. Boyd - Chemical
**W. H. Meyer
**J. M. Sawyer
**P. J. Volpe

**C. A. Amond - Plastics
**A. J. Draper
**E. Munoz

**W. T. McNair - CCCTC
*Central Files

*With Attachments
**Without Attachments

Unitersms:
OSHA
Pigments

003980

File: 259.0

January 7, 1976

Table I

Materials Currently Under OSHA Standards

Asbestos
Coal Tar Pitch Volatiles
4-Nitrobiphenyl
Alpha-Naphthylamine
4,4'-Methylenebis (2-Chloroaniline)
Methyl Chloromethyl Ether
3,3'-Dichlorobenzidine (and its salts)
Bis Chloromethyl Ether
Beta-Naphthylamine
Benzidine
4-Aminodiphenyl
Ethyleneimine
Beta-Propiolactone
2-Acetylaminofluorene
4-Dimethylaminoazobenzene
N-Nitrosodimethylamine
Vinyl Chloride

003981

(a) Table G-1:

(1) Materials with names preceded by "C"—ceiling values. An employee's exposure to any material in table G-1, the name of which is preceded by a "C" (e.g., C Boron trifluoride), shall at no time exceed the ceiling value given for that material in the table.

(2) Other materials—8-hour time weighted averages. An employee's exposure to any material in table G-1, the name of which is not preceded by "C", in any 8-hour work shift of a 40-hour work week, shall not exceed the 8-hour time weighted average given for that material in the table.

TABLE G-1

Substance	p.p.m.*	mg./M ³ b
Acetaldehyde.....	200	360
Acetic acid.....	10	25
Acetic anhydride.....	5	20
Acetone.....	1,000	2,400
Acetonitrile.....	40	70
Acetylene dichloride, see 1, 2-Dichloroethylene.....		
Acetylene tetrabromide.....	1	14
Acrolein.....	0.1	0.25
Acrylamide—Skin.....		0.3
Acrylonitrile—Skin.....	20	45
Aldrin—Skin.....		0.25
Allyl alcohol—Skin.....	2	5
Allyl chloride.....	1	3
**C Allylglycidyl ether (AGE).....	10	45
Allyl propyl disulfide.....	2	12
2-Aminoethanol, see Ethanol-amine.....		
2-Aminopyridine.....	0.5	2
**Ammonia.....	50	35
Ammonium sulfamate (Am-mate).....		15
n-Amyl acetate.....	100	525
sec-Amyl acetate.....	125	650
Aniline—Skin.....	5	19
Anisidine (o, p-isomers)—Skin.....		0.5
Antimony and compounds (as Sb).....		0.5
ANTU (alpha naphthyl thiourea).....		0.3
Arsenic and compounds (as As).....		0.5
Arsine.....	0.05	0.2
Azinphos-methyl—Skin.....		0.2
Barium (soluble compounds).....		0.5
p-Benzquinone, see Quinone.....		
Benzoyl peroxide.....		5
Benzyl chloride.....	1	5
Biphenyl, see Diphenyl.....		
Bisphenol A, see Diglycidyl ether.....		
Boron oxide.....		15
C Boron trifluoride.....	1	3
Bromine.....	0.1	0.7
Bromoform—Skin.....	0.5	5
Butadiene (1, 3-butadiene).....	1,000	2,200
Eutanethiol, see Butyl mercaptan.....		
2-Butanone.....	200	550
2-Butoxy ethanol (Butyl Cellosolve)—Skin.....	50	240
Butyl acetate (n-butyl acetate).....	150	710
sec-Butyl acetate.....	200	950
tert-Butyl acetate.....	200	950
Butyl alcohol.....	100	300
sec-Butyl alcohol.....	150	450
tert-Butyl alcohol.....	100	300
C Butylamine—Skin.....	5	15
C tert-Butyl chromate (as CrO ₃)—Skin.....		0.1
n-Butyl glycidyl ether (BGE).....	50	270
*Butyl mercaptan.....	10	35
p-tert-Butyltoluene.....	10	60
Calcium arsenate.....		1
Calcium oxide.....		5
**Camphor.....	2	
Carbaryl (Sevin®).....		5
Carbon black.....		3.5
Carbon dioxide.....	5,000	9,000
Carbon monoxide.....	50	55
Chlordane—Skin.....		0.5
Chlorinated camphene—Skin.....		0.5
Chlorinated diphenyl oxide.....		0.5
*Chlorine.....	1	3
Chlorine dioxide.....	0.1	0.3
C Chlorine trifluoride.....	0.1	0.4
C Chloroacetaldehyde.....	1	3
α-Chloroacetophenone (phenacylchloride).....	0.05	0.3
Chlorobenzene (monochlorobenzene).....	75	350
o-Chlorobenzylidene malononitrile (OCBM).....	0.05	0.4
Chlorobromomethane.....	200	1,050
2-Chloro-1,3-butadiene, see Chloroprene.....		
Chlorodiphenyl (42 percent Chlorine)—Skin.....		1
Chlorodiphenyl (54 percent Chlorine)—Skin.....		0.5
1-Chloro-2,3-epoxypropane, see Epichlorohydrin.....		
2-Chloroethanol, see Ethylene chlorohydrin.....		
Chloroethylene, see Vinyl chloride.....		
C Chloroform (trichloromethane).....	50	240
1-Chloro-1-nitropropane.....	20	160
Chloropicrin.....	0.1	0.7
Chloroprene (2-chloro-1,3-butadiene)—Skin.....	25	90
Chromium, sol. chromic, chromous salts as Cr.....		0.5
Metal and insol. salts.....		1
Coal tar pitch volatiles (benzene soluble fraction) anthracene, BaP, phenanthrene, acridine, chrysene, pyrene.....		0.2
Cobalt, metal fume and dust.....		0.1
Copper fume.....		0.1
Dusts and Mists.....		1
Cotton dust (raw).....		1
Crag® herbicide.....		15
Cresol (all isomers)—Skin.....	5	22
Crotonaldehyde.....	2	6
Cumene—Skin.....	50	245
Cyanide (as CN)—Skin.....		5
Cyclohexane.....	300	1,050
Cyclohexanol.....	50	200
Cyclohexanone.....	50	200
Cyclohexene.....	300	1,015
Cyclopentadiene.....	75	200
2, 4-D.....		10
DDT—Skin.....		1
D DVP, see Dichlorvos.....		
Decaborane—Skin.....	0.05	0.3
Demeton®—Skin.....		0.1
Diacetone alcohol (4-hydroxy-4-methyl-2-pentanone).....	50	240
1,2-diaminoethane, see Ethylenediamine.....		
Diazomethane.....	0.2	0.4
Diborane.....	0.1	0.1
Dibutylphthalate.....		5
C o-Dichlorobenzene.....	50	300
p-Dichlorobenzene.....	75	450
Dichlorodifluoromethane.....	1,000	4,950
1,3-Dichloro-5,5-dimethyl hydantoin.....		0.2
1,1-Dichloroethane.....	100	400
1,2-Dichloroethylene.....	200	790
C Dichloroethyl ether—Skin.....	15	90
Dichloromethane, see Methylenechloride.....		
Dichloromonofluoromethane.....	1,000	4,200
C 1,1-Dichloro-1-nitroethane.....	10	60
1,2-Dichloropropane, see Propylenedichloride.....		

003982

TABLE G-1—Continued

Substance	p.p.m.*	mg./M ³ *
Dichlorotetrafluoroethane.....	1,000	7,000
Dichlorvos (DDVP)—Skin.....		1
Dieldrin—Skin.....		0.25
Diethylamine.....	25	75
Diethylamino ethanol—Skin.....	10	50
Diethylether, see Ethyl ether.....		
Difluorodibromomethane.....	100	860
C Diglycidyl ether (DGE).....	0.5	2.8
Dihydroxybenzene, see Hydroquinone.....		
Diisobutyl ketone.....	50	290
Diisopropylamine—Skin.....	5	20
Dimethoxymethane, see Methylal.....		
Dimethyl acetamide—Skin.....	10	35
Dimethylamine.....	10	18
Dimethylaminobenzene, see Xylidene.....		
Dimethylaniline (N-dimethyl-aniline)—Skin.....	5	25
Dimethylbenzene, see Xylene.....		
Dimethyl 1,2-dibromo-2,2-dichloroethyl phosphate, (Dibrom).....		3
Dimethylformamide—Skin.....	10	30
2,6-Dimethylheptanone, see Diisobutyl ketone.....		
1,1-Dimethylhydrazine—Skin.....	0.5	1
Dimethylphthalate.....		5
Dimethylsulfate—Skin.....	1	5
Dinitrobenzene (all isomers)—Skin.....		1
Dinitro-o-cresol—Skin.....		0.2
Dinitrotoluene—Skin.....		1.5
Dioxane (Diethylene dioxide)—Skin.....	100	360
Diphenyl.....	0.2	1
Diphenylmethane diisocyanate (see Methylene bisphenyl isocyanate (MDI)).....		
Dipropylene glycol methyl ether—Skin.....	100	600
Di-sec. octyl phthalate (Di-2-ethylhexylphthalate).....		5
Endrin—Skin.....		0.1
Epichlorhydrin—Skin.....	5	19
EPN—Skin.....		0.5
1,2-Epoxypropane, see Propyleneoxide.....		
2,3-Epoxy-1-propanol, see Glycidol.....		
Ethanethiol, see Ethylmercaptan.....		
Ethanolamine.....	3	6
2-Ethoxyethanol—Skin.....	200	740
2-Ethoxyethylacetate (Cellulosolve acetate)—Skin.....	100	540
Ethyl acetate.....	400	1,400
Ethyl acrylate—Skin.....	25	100
Ethyl alcohol (ethanol).....	1,000	1,900
Ethylamine.....	10	18
Ethyl sec-amyyl ketone (3-methyl-3-heptanone).....	25	130
Ethyl benzene.....	100	435
Ethyl bromide.....	200	890
Ethyl butyl ketone (3-Heptanone).....	50	230
Ethyl chloride.....	1,000	2,600
Ethyl ether.....	400	1,200
Ethyl formate.....	100	300
C Ethyl mercaptan.....	10	25
Ethyl silicate.....	100	850
Ethylene chlorohydrin—Skin.....	5	16
Ethylenediamine.....	10	25
Ethylene dibromide, see 1,2-Dibromoethane.....		
Ethylene dichloride, see 1,2-Dichloroethane.....		
C Ethylene glycol dimitate and/or Nitroglycerin—Skin.....	0.2	1

Ethylene glycol monomethyl ether acetate, see Methyl cellosolve acetate.....		
Ethyleneimine—Skin.....	0.5	1
Ethylene oxide.....	50	90
Ethylidene chloride, see 1,1-Dichloroethane.....		
N-Ethylmorpholine—Skin.....	20	94
Ferbam.....		15
Ferrovandium dust.....		1
Fluoride (as F).....		2.5
Fluorine.....	0.1	0.2
Fluorotrchloromethane.....	1,000	5,600
Formic acid.....	5	9
Furfural—Skin.....	5	20
Furfuryl alcohol.....	50	200
Glycidol (2,3-Epoxy-1-propanol).....	50	150
Glycol monoethyl ether, see 2-Ethoxyethanol.....		
Guthion ®, see Azinphos-methyl.....		
Hafnium.....		0.5
Heptachlor—Skin.....		0.5
Heptane (n-heptane).....	500	2,000
Hexachloroethane—Skin.....	1	10
Hexachloronaphthalene—Skin.....		0.2
Hexane (n-hexane).....	500	1,800
2-Hexanone.....	100	410
Hexone (Methyl isobutyl ketone).....	100	410
sec-Hexyl acetate.....	50	300
Hydrazine—Skin.....	1	1.3
Hydrogen bromide.....	3	10
C Hydrogen chloride.....	5	7
Hydrogen cyanide—Skin.....	10	11
Hydrogen peroxide (90%).....	1	1.4
Hydrogen selenide.....	0.05	2
Hydroquinone.....		1
C Iodine.....	0.1	1
Iron oxide fume.....		10
Isoamyl acetate.....	100	525
Isoamyl alcohol.....	100	360
Isobutyl acetate.....	150	700
Isobutyl alcohol.....	100	300
Isophorone.....	25	140
Isopropyl acetate.....	250	950
Isopropyl alcohol.....	400	930
Isopropylamine.....	5	12
Isopropylether.....	500	2,100
Isopropyl glycidyl ether (IGE).....	50	240
Ketene.....	0.5	0.9
Lead arsenate.....		0.15
Lindane—Skin.....		0.5
Lithium hydride.....		0.025
L.P.G. (liquefied petroleum gas).....	1,000	1,800
Magnesium oxide fume.....		15
Malathion—Skin.....		15
Maleic anhydride.....	0.25	1
C Manganese.....		5
Mesityl oxide.....	25	100
Methanethiol, see Methyl mercaptan.....		
Methoxychlor.....		15
2-Methoxyethanol, see Methyl cellosolve.....		
Methyl acetate.....	200	610
Methyl acetylene (propyne).....	1,000	1,650
Methyl acetylene-propadiene mixture (MAPP).....	1,000	1,800
Methyl acrylate—Skin.....	10	35
Methylal (dimethoxymethane).....	1,000	3,100
Methyl alcohol (methanol).....	200	260
Methylamine.....	10	12
Methyl amyl alcohol, see Methyl isobutyl carbinol.....		
Methyl (n-amyyl) ketone (2-Heptanone).....	100	455
C Methyl bromide—Skin.....	20	80
Methyl butyl ketone, see 2-Hexanone.....		
Methyl cellosolve—Skin.....	25	50
Methyl cellosolve acetate—Skin.....	25	120
Methyl chloroform.....	350	1,900
Methylcyclohexane.....	500	2,000
Methylcyclohexanol.....	100	470

See footnotes at end of table.

003983

TABLE G-1—Continued

Substance	p.p.m.*	mg./M ³ b
o-Methylcyclohexanone—Skin.....	100	450
Methyl ethyl ketone (MEK), see 2-Butanone.....		
Methyl formate.....	100	250
Methyl iodide—Skin.....	5	23
Methyl isobutyl carbinol—Skin.....	25	100
Methyl isobutyl ketone, see Hexane.....		
Methyl isocyanate—Skin.....	0.02	0.05
C Methyl mercaptan.....	10	20
Methyl methacrylate.....	100	410
Methyl propyl ketone, see 2- Pentanone.....		
C α Methyl styrene.....	100	450
C Methylene bisphenyl isocyanate (MDI).....	0.02	0.2
Molybdenum:		
Soluble compounds.....		5
Insoluble compounds.....		15
Monomethyl aniline—Skin.....	2	9
C Monomethyl hydrazine— Skin.....	0.2	0.35
Morpholine—Skin.....	20	70
Naphtha (coal tar).....	100	400
Naphthalene.....	10	50
Nickel carbonyl.....	0.001	0.007
Nickel, metal and soluble cmpds, as Ni.....		1
Nicotine—Skin.....		0.5
Nitric acid.....	2	5
Nitric oxide.....	25	30
p-Nitroaniline—Skin.....	1	5
Nitrobenzene—Skin.....	1	5
p-Nitrochlorobenzene—Skin.....		1
Nitroethane.....	100	310
Nitrogen dioxide.....	5	9
Nitrogen trifluoride.....	10	29
Nitroglycerin—Skin.....	0.2	2
Nitromethane.....	100	250
1-Nitropropane.....	25	90
2-Nitropropane.....	25	90
Nitrotoluene—Skin.....	5	30
Nitrotrichloromethane, see Chloroform.....		
Octachloronaphthalene—Skin.....		0.1
*Octane.....	500	2,350
*Oil mist, mineral.....		0.5
Osmium tetroxide.....		0.002
Oxalic acid.....		1
Oxygen difluoride.....	0.05	0.1
Ozone.....	0.1	0.2
Paraquat—Skin.....		0.5
Parathion—Skin.....		0.1 1
Pentaborane.....	0.005	0.01
Pentachloronaphthalene—Skin.....		0.5
Pentachlorophenol—Skin.....		0.5
*Pentane.....	1,000	2,950
2-Pentanone.....	200	700
Perchloromethyl mercaptan.....	0.1	0.8
Perchloryl fluoride.....	3	13.5
Petroleum distillates (naphtha). Phenol—Skin.....	500	2,000
Phenol—Skin.....	5	19
p-Phenylene diamine—Skin.....		0.1
Phenyl ether (vapor).....	1	7
Phenyl ether-biphenyl mixture (vapor).....	1	7
Phenyl ethylene, see Styrene.....		
Phenyl glycidyl ether (PGE).....	10	60
Phenylhydrazine—Skin.....	5	22
Phosdrin (Mevinphos ®)— Skin.....		0.1
Phosgene (carbonyl chloride)....	0.1	0.4
Phosphine.....	0.3	0.4
Phosphoric acid.....		1
Phosphorus (yellow).....		0.1
Phosphorus pentachloride.....	1	1
Phosphorus pentasulfide.....	1	1
Phosphorus trichloride.....	0.5	3
Phthalic anhydride.....	2	12
Picric acid—Skin.....		0.1
Pival ® (2-Pivalyl-1,3- indandione).....		0.1

Platinum (Soluble Salts) as

Pt.....		0.002
Propargyl alcohol—Skin.....	1	
Propane.....	1,000	1,800
n-Propyl acetate.....	200	840
Propyl alcohol.....	200	500
n-Propyl nitrate.....	25	110
Propylene dichloride.....	75	350
Propylene imine—Skin.....	2	5
Propylene oxide.....	100	240
Propyne, see Methylacetylene.....		
Pyrethrum.....		5
Pyridine.....	5	15
Quinone.....	0.1	0.4
RDX—Skin.....		1.5
Rhodium, Metal fume and dusts, as Rh.....		0.1
Soluble salts.....		0.001
Ronnel.....		10
Rotenone (commercial).....		5
Selenium compounds (as Se).....		0.2
Selenium hexafluoride.....	0.05	0.4
Silver, metal and soluble com- pounds.....		0.01
Sodium fluoroacetate (1080)— Skin.....		0.05
Sodium hydroxide.....		2
Stibine.....	0.1	0.5
*Stoddard solvent.....	500	2,950
Strychnine.....		0.15
Sulfur dioxide.....	5	13
Sulfur hexafluoride.....	1,000	6,000
Sulfuric acid.....		1
Sulfur monochloride.....	1	6
Sulfur pentafluoride.....	0.025	0.25
Sulfuryl fluoride.....	5	20
Systox, see Demeton ®.....		
2,4,5-T.....		10
Tantalum.....		5
TEDP—Skin.....		0.2
Tellurium.....		0.1
Tellurium hexafluoride.....	0.02	0.2
TEPP—Skin.....		0.05
C Terphenyls.....	1	9
1,1,1,2-Tetrachloro-2,2-difluoro- ethane.....	500	4,170
1,1,2,2-Tetrachloro-1,2-difluoro- ethane.....	500	4,170
1,1,2,2-Tetrachloroethane—Skin.....	5	35
Tetrachloroethylene, see Per- chloroethylene.....		
Tetrachloromethane, see Carbon tetrachloride.....		
Tetrachloronaphthalene—Skin.....		2
Tetraethyl lead (as Pb)—Skin.....		0.075
Tetrahydrofuran.....	200	590
Tetramethyl lead (as Pb)— Skin.....		0.07
Tetramethyl succinonitrile— Skin.....	0.5	3
Tetranitromethane.....	1	8
Tetryl (2,4,6-trinitrophenyl- methyl nitramine)—Skin.....		1.5
Thallium (soluble com- pounds)—Skin as Tl.....		0.1
Thiram.....		5
Tin (Inorganic cmpds, except oxides).....		2
Tin (organic cmpds).....		0.1
C Toluene-2,4-disocyanate.....	0.02	0.14
o-Toluidine—Skin.....	5	22
Toxaphene, see Chlorinated camphene.....		
Tributyl phosphate.....		5
1,1,1-Trichloroethane see Methyl chloroform.....		
1,1,2-Trichloroethane—Skin.....	10	45
Titanium dioxide.....		15
Trichloromethane, see Chloro- form.....		
Trichloronaphthalene—Skin.....		5
1,2,3-Trichloropropane.....	50	300
1,1,2-Trichloro-1,2,2-trifluoro- ethane.....	1,000	7,600
Triethylamine.....	25	100
Trifluoromonomobromomethane.....	1,000	6,100
2,4,6-Trinitrophenol, see Picric acid.....		

003984

TABLE G-1—Continued

Substance	p.p.m.*	mg./M ³ †
2,4,6-Trinitrophenylmethyl- nitramine, see Tetryl.....		
Trinitrotoluene—Skin.....		1.5
Triorthocresyl phosphate.....		0.1
Triphenyl phosphate.....		3
Turpentine.....	100	560
Uranium (soluble compounds).....		0.05
Uranium (insoluble compounds).....		0.25
C Vanadium:		
V ₂ O ₅ dust.....		0.5
V ₂ O ₅ fume.....		0.1
Vinyl benzene, see Styrene.....		
*C Vinyl chloride.....	500	1,300
Vinylcyanide, see Acrylonitrile.....		
Vinyl toluene.....	100	480
Warfarin.....		0.1
Xylene (xylol).....	100	435
Xylidine—Skin.....	5	25
Yttrium.....		1
Zinc chloride fume.....		1
Zinc oxide fume.....		5
Zirconium compounds (as Zr).....		5

*1970 Addition.

• Parts of vapor or gas per million parts of contaminated air by volume at 25° C. and 760 mm. Hg pressure.

† Approximate milligrams of particulate per cubic meter of air.

(No footnote "c" is used to avoid confusion with ceiling value notations.)

* An atmospheric concentration of not more than 0.02 p.p.m., or personal protection may be necessary to avoid headache.

• As sampled by method that does not collect vapor.

† For control of general room air, biologic monitoring is essential for personnel control.

(b) Table G-2:

(1) 8-hour time weighted averages. An employee's exposure to any material listed in table G-2, in any 8-hour work shift of a 40-hour work week, shall not exceed the 8-hour time weighted average limit given for that material in the table.

(2) Acceptable ceiling concentrations. An employee's exposure to a material listed in table G-2 shall not exceed at any time during an 8-hour shift the acceptable ceiling concentration limit given for the material in the table, except for a time period, and up to a concentration not exceeding the maximum duration and concentration allowed in the column under "acceptable maximum peak above the acceptable ceiling concentration for an 8-hour shift."

(3) Example. During an 8-hour work shift, an employee may be exposed to a concentration of Benzene above 25 p.p.m. (but never above 50 p.p.m.) only for a maximum period of 10 minutes. Such exposure must be compensated by exposures to concentrations less than 10 p.p.m. so that the cumulative exposure for the entire 8-hour work shift does not exceed a weighted average of 10 p.p.m.

TABLE G-2

Material	8-hour time weighted average	Acceptable ceiling concentration	Acceptable maximum peak above the acceptable ceiling concentra- tion for an 8-hour shift.	
			Concentration	Maximum duration
Benzene (Z37.4-1969).....	10 p.p.m.	25 p.p.m.	50 p.p.m.	10 minutes.
Beryllium and beryllium compounds (Z37.29-1970).....	2 µg./M ³	5 µg./M ³	25 µg./M ³	30 minutes.
Cadmium fume (Z37.5-1970).....	0.1 mg./M ³	3 mg./M ³		
Cadmium dust (Z37.5-1970).....	0.2 mg./M ³	0.6 mg./M ³		
Carbon disulfide (Z37.3-1968).....	20 p.p.m.	30 p.p.m.	100 p.p.m.	Do.
Carbon tetrachloride (Z37.17-1967).....	10 p.p.m.	25 p.p.m.	200 p.p.m.	5 minutes in any 4 hours.
Ethylene dibromide (Z37.31-1970).....	20 p.p.m.	20 p.p.m.	50 p.p.m.	5 minutes.
Ethylene dichloride (Z37.21-1969).....	50 p.p.m.	150 p.p.m.	200 p.p.m.	5 minutes in any 3 hours.
Formaldehyde (Z37.16-1967).....	3 p.p.m.	5 p.p.m.	10 p.p.m.	30 minutes.
Hydrogen fluoride (Z37.23-1969).....	do.			
Fluoride as dust (Z37.23-1969).....	2.5 mg./M ³			
Lead and its inorganic compounds (Z37.11- 1969).....	0.2 mg./M ³			
Methyl chloride (Z37.18-1969).....	100 p.p.m.	200 p.p.m.	300 p.p.m.	5 minutes in any 3 hours.
Methylene Chloride (Z37.3-1969).....	500 p.p.m.	1,000 p.p.m.	2,000 p.p.m.	5 minutes in any 2 hours.
Organo (alkyl) mercury (Z37.30-1969).....	0.01 mg./M ³	0.04 mg./M ³		
Styrene (Z37.15-1969).....	100 p.p.m.	200 p.p.m.	600 p.p.m.	5 minutes in any 3 hours.
Trichloroethylene (Z37.19-1967).....	do.	do.	300 p.p.m.	5 minutes in any 2 hours.
Tetrachloroethylene (Z37.22-1967).....	do.	do.	do.	5 minutes in any 3 hours.
Toluene (Z37.12-1967).....	200 p.p.m.	300 p.p.m.	500 p.p.m.	10 minutes.
Hydrogen sulfide (Z37.2-1969).....		20 p.p.m.	50 p.p.m.	10 minutes once only if no other measur- able exposure occurs.
Mercury (Z37.8-1971).....		1 mg./10M ³		
Chromic acid and chromates (Z37.7-1971).....		do.		

003985

(c) Table G-3: An employee's exposure to any material listed in table G-3, in any 8-hour work shift of a 40-hour work week, shall not exceed the 8-hour time weighted average limit given for that material in the table.

TABLE G-3—MINERAL DUSTS

Substance	Mppcf ^a	Mg/M ³
Silica:		
Crystalline:		
Quartz (respirable).....	250 [†]	10mg/M ³ =
	$\%SiO_2 + 5$	$\%SiO_2 + 2$
Quartz (total dust).....		30mg/M ³
		$\%SiO_2 + 2$
Cristobalite: Use $\frac{1}{2}$ the value calculated from the count or mass formulae for quartz.		
Tridymite: Use $\frac{1}{2}$ the value calculated from the formulae for quartz.		
Amorphous, including natural diatomaceous earth.....	20	80mg/M ³
		$\%SiO_2$
Silicates (less than 1% crystalline silica):		
Mica.....	20	
Soapstone.....	20	
Talc (non-asbestos-form)...	20 ^a	
Talc (fibrous). Use asbestos limit.....		
Tremolite (see talc, fibrous)		
Portland cement.....	50	
Graphite (natural).....	15	
Coal dust (respirable fraction less than 5% SiO ₂).....		2.4mg/M ³
		or
For more than 5% SiO ₂		10mg/M ³
		$\%SiO_2 + 2$
Inert or Nuisance Dust:		
Respirable fraction.....	15	5mg/M ³
Total dust.....	50	15mg/M ³

NOTE: Conversion factors—
mppcf $\times 35.3$ = million particles per cubic meter
= particles per c.c.

^a Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques.

[†] The percentage of crystalline silica in the formula is the amount determined from air-borne samples, except in those instances in which other methods have been shown to be applicable.

¹ As determined by the membrane filter method at 430 $\times$ phase contrast magnification.

² Both concentration and percent quartz for the application of this limit are to be determined from the fraction passing a size-selector with the following characteristics:

³ Containing < 1% quartz; if > 1% quartz, use quartz limit.

(d) Computation formulae:

(1)

(i) The cumulative exposure for an 8-hour work shift shall be computed as follows:

$$E = \frac{C_1 T_1 + C_2 T_2 + \dots + C_n T_n}{8}$$

where:

E is the equivalent exposure for the working shift.

C is the concentration during any period of time

T where the concentration remains constant.

T is the duration in hours of the exposure at the concentration C .

The value of E shall not exceed the 8-hour time weighted average limit in table G-1, G-2, or G-3 for the material involved.

(ii) To illustrate the formula prescribed in subdivision (i) of this subparagraph, note that isoamyl acetate has an 8-hour time-weighted average limit of 100 p.p.m. (table G-1). Assume that an employee is subject to the following exposure:

Two hours exposure at 150 p.p.m.

Two hours exposure at 75 p.p.m.

Four hours exposure at 50 p.p.m.

Substituting this information in the formula, we have

$$\frac{2 \times 150 + 2 \times 75 + 4 \times 50}{8} = 81.25 \text{ p.p.m.}$$

Since 81.25 p.p.m. is less than 100 p.p.m., the 8-hour time weighted average limit, the exposure is acceptable.

(2)

(i) In case of a mixture of air contaminants an employer shall compute the equivalent exposure as follows:

$$E_m = \frac{C_1}{L_1} + \frac{C_2}{L_2} + \dots + \frac{C_n}{L_n}$$

where:

E_m is the equivalent exposure for the mixture.

C is the concentration of a particular contaminant.

L is the exposure limit for that contaminant, from table G-1, G-2, or G-3.

003986

The value of E_m shall not exceed unity (1).

(ii) To illustrate the formula prescribed in subdivision (i) of this subparagraph, consider the following exposures:

Material	Actual concentration of 8-hour exposure	8-hour time weighted average exposure limit
Acetone (Table G-1) ...	500 p.p.m.	1,000 p.p.m.
2-Butanone (Table G-1) ...	45 p.p.m.	200 p.p.m.
Toluene (Table G-2) ...	40 p.p.m.	200 p.p.m.

Substituting in the formula, we have:

$$E_m = \frac{500}{1,000} + \frac{45}{200} + \frac{40}{200}$$

$$E_m = 0.500 + 0.225 + 0.200$$

$$E_m = 0.925$$

Since E_m is less than unity (1), the exposure combination is within acceptable limits.

(e) To achieve compliance with paragraph (a) through (d) of this section, administrative or engineering controls must first be determined and implemented whenever feasible. When such controls are not feasible to achieve full compliance, protective equipment or any other protective measures shall be used to keep the exposure of employees to air contaminants within the limits prescribed in this section. Any equipment and/or technical measures used for this purpose must be approved for each particular use by a competent industrial hygienist or other technically qualified person. Whenever respirators are used, their use shall comply with § 1910.134.

003987