

PLAINTIFF'S
EXHIBIT
WH-147

Code Insulation 600 Volt Building Wires

Type "R" and Type "RL"—Standard Diameter—50°C.—120° F.
Manufactured in Accordance with Federal Specifications JC101B of Jan. 30, 1940

Type "R" Code Insulation; 600 Volt, Rubber Covered and Braided Building Wires are constructed of tinned copper conductors, rubber compound insulation which is better than code requirements, and saturated cotton braids, flame resisting, smoothly finished to make them fish more easily.

The rubber and braid are hermetically sealed against deteriorating effect of light, heat, air and moisture.

Type "RL" Rubber and Lead Covered Wires are constructed the same as Type "R" except they have the outer lead sheath.

THIS PAGE PRICED IN ACCORDANCE WITH ZONE B SCHEDULE

TYPE "RL"
LEAD ENCASED CABLE
(Rubber and Lead Covered)

SINGLE CONDUCTOR—SOLID

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	135	$0.27	$54.18 M	$51.30 M
12	153	7.34	63.80 M	60.76 M
10	280	11.04	94.12 M	91.00 M
8	320	14.86	128.24 M	122.40 M

SINGLE CONDUCTOR—STRANDED

6	520	$22.00	$200.20 M	$194.40 M
4	620	27.74	241.20 M	228.00 M
2	770	33.74	293.40 M	277.20 M
1	980	39.74	345.60 M	327.60 M

TWO CONDUCTOR—SOLID

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
18	145	$7.46	$64.26 M	$61.20 M
14	225	9.52	86.22 M	$1.72 M
12	320	15.30	132.62 M	126.00 M
10	410	18.14	157.36 M	149.58 M
8	540	25.46	221.40 M	210.60 M

TWO CONDUCTOR—STRANDED

6	852	$40.26	$351.00 M	$333.00 M
4	1045	49.68	432.00 M	408.00 M
2	1310	63.34	550.20 M	522.00 M

THREE CONDUCTOR—SOLID

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	500	$25.24	$219.60 M	$206.20 M
12	680	28.96	252.00 M	239.40 M
10	770	33.94	296.20 M	279.80 M
8	960	43.68	379.20 M	360.00 M

THREE CONDUCTOR—STRANDED

6	1470	$63.34	$550.80 M	$522.00 M
4	1780	82.38	716.40 M	678.60 M
2	2240	105.16	914.40 M	865.20 M
1	2980	141.80	1233.00 M	1168.20 M
1/0	3140	160.84	1396.60 M	1324.80 M
2/0	3850	182.89	1591.20 M	1508.40 M
3/0	4370	206.78	1798.20 M	1704.60 M
4/0	5430	254.82	2215.80 M	2100.00 M

"ROCKBESTOS" ASBESTOS-VARNISHED CAMBRIC WIRE
(Type "A. V. A.")

For open wiring or general conduit work in boiler rooms, or where the wiring may be subjected to heat, oil, grease, corrosive fumes or fire hazard. Has unusual moisture resisting qualities.

Solid Single Conductor—600 Volts
Table "C"

Colors: Black or White.
Construction: Solid plain copper conductor. Two layers of Varnished Cambric. Felted Asbestos. Saturated asbestos braid.

No.	100 Ft.	250 Ft. @	500 Ft. @
14	$7.70	$70.00 M	$63.80 M
12	8.54	77.58 M	70.52 M
10	10.28	93.46 M	84.96 M

ADDITIONAL DISCOUNT

An additional discount will be allowed from the 1000 ft. quantity prices on Type R and Type RL Building Wires.

Purchase of	Discount
$ 50.00 net value	2½%
$00.00 net value	5%

ASSORTING PRIVILEGE

Sizes and colors may be assorted in full coils or reels.

REELS

Reels shall be paid for (not, no cash discount) at the same time as the material, and may be returned direct to manufacturer freight collect, mailing copy of freight bill to us. If reels are returned to our warehouse, transportation must be prepaid by customer. When reels are returned in good condition not later than 12 months from date of shipment, full credit will be allowed.

CUTTING CHARGES

The 500 Ft. and 1000 Ft. prices apply only when wire is purchased in full-length coils or reels.

When wire is cut to lengths in accordance with customer's instructions, the orders will be priced as follows:

Orders for cut lengths totaling 500 ft., but less than 1000 ft., use prices in 500 ft. columns and add cutting charge for each cut length.

Orders for cut lengths totaling 1000 ft., or more, use prices in 1000 ft. columns and add cutting charge for each cut length.

Type "R" Rubber Covered and Braided

Size	List Price
14 to 10	Per Cut 05.70
8 to 2	Per Cut 1.40
1 to 4/0	Per Cut 2.80
250,000 to 500,000 CM	Per Cut 5.60
600,000 to 1,000,000 CM	Per Cut 8.00

Type "RL" Rubber and Lead Covered

Size	List Price
18 to 2	Per Cut 01.40
1 to 4/0	Per Cut 3.00

NOTE: The above cutting charges are List Prices per cut, NOT per 1000 Ft.

TYPE "RF"
RUBBER COVERED FIXTURE WIRE—
SOLID CONDUCTOR

Solid copper conductor. Code rubber insulation. Smoothly finished saturated cotton outer braid.

Colors: Black or White

No.	100 Ft.	500 Ft. @	1000 Ft.
18—1/64"	$1.12	$9.70 M	$9.18 M
18—2/64"	1.22	10.62 M	10.08 M
16—3/64"	1.16	10.16 M	9.62 M
16—4/64"	1.40	12.14 M	11.52 M

TYPE "RD"
DUPLEX SOLID RUBBER COVERED

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	62	$4.44	$38.70 M	$36.72 M
12	82	5.74	50.04 M	47.34 M

TYPE "R"
No. 14 AND No. 12
SOLID R. C. SINGLE BRAID

Packed: 500 ft. in a carton.
Colors: Black, White, Red, Green, Yellow, Brown, Orange or Blue.
(Please specify Color when ordering.)

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	26	$1.58	$13.86 M	$13.14 M
12	35	2.18	19.06 M	18.00 M

SOLID R. C. SINGLE BRAID
Colors: Black, White or Red

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
10	49	$ 3.34	$28.26 M	$ 26.82 M
8	80	5.34	46.44 M	43.92 M

SOLID R. C. DOUBLE BRAID

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	26	$2.16	$18.90 M	$17.82 M
12	38	2.86	24.84 M	23.58 M
10	54	3.76	32.76 M	30.96 M
8	85	5.82	51.48 M	48.78 M

*No. 14 can be furnished in Black, White or Red; other sizes in Black only.

STRANDED R. C. SINGLE BRAID

Colors: Black or White

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	26	$2.06	$18.18 M	$17.28 M
12	35	2.84	24.66 M	23.40 M
10	49	3.73	32.40 M	30.72 M
8	80	5.74	50.04 M	47.37 M

†No. 12 can be furnished in Black, White, Red, Blue or Green, other sizes in Black or White only.

STRANDED R. C. DOUBLE BRAID

Color: Black only

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
14	30	$2.64	$23.04 M	$21.78 M
12	40	3.30	28.80 M	27.36 M
10	56	4.34	37.80 M	35.82 M
8	90	6.64	57.78 M	54.72 M

Colors: Black, White or Red

6	126	$8.64	$75.24 M	$71.28 M
4	190	11.30	98.28 M	93.06 M

Colors: Black or White

2	278	$16.44	$142.92 M	$135.36 M
1	364	23.38	203.40 M	192.60 M
1/0	443	27.94	243.00 M	230.40 M

Colors: Black only

2/0	540	$33.74	$293.40 M	$277.20 M
3/0	663	40.36	351.00 M	333.00 M
4/0	814	47.60	414.00 M	392.40 M

CIRCULAR MILL SIZES
STRANDED R. C. DOUBLE BRAID

Cir. Mill Size	Lbs. Per 1000 Ft.	100 Ft.	500 Ft.	1000 Ft.
250,000	962	$56.82	$516.60 M	$489.90 M
300,000	1139	64.54	586.80 M	556.20 M
350,000	1300	72.66	660.60 M	626.40 M
400,000	1473	81.58	741.60 M	702.00 M
500,000	1815	100.38	914.40 M	865.80 M
600,000	2177	127.30	1157.40 M	1096.20 M
700,000	2512	143.94	1308.60 M	1240.20 M
750,000	2673	151.86	1380.60 M	1308.60 M
900,000	3194	177.40	1612.80 M	1528.20 M
1,000,000	3530	197.30	1798.20 M	1704.60 M

DETROIT COMPANY IS NOT RESPONSIBLE FOR ERRORS

Special Insulation Rubber Covered Wires

THIS COLUMN PRICED IN ACCORDANCE WITH ZONE B SCHEDULE

ADDITIONAL DISCOUNT

An additional discount will be allowed from the 1000 ft. quantity prices on the following types of Building Wires:

Type RH Type RW

Purchases of	Discount
$ 50.00 net value	2½%
$500.00 net value	5%

ASSORTING PRIVILEGE

Sizes and colors may be assorted in full coils or reels.

TYPE "RW" "MOISTURE-RESISTING" RUBBER COVERED BUILDING WIRE

For use in wet locations as defined in Section 3085 of Article 300 and Section 2564B of Article 230 of the National Electrical Code.
Moisture-Resistant Rubber Insulation.
Flame-Retarding, Moisture-Resistant Braid.

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
	Solid Conductor—Single Braid			
14	26	$4.56	$21.20 M	$41.60 M
12	35	5.86	27.84 M	54.80 M
10	49	7.34	33.90 M	66.40 M
8	80	11.66	101.52 M	96.12 M
	Stranded Conductor—Double Braid			
6	126	$20.60	$173.88 M	$166.70 M
4	190	26.50	230.40 M	217.60 M
2	278	31.46	272.80 M	260.20 M
1	364	37.26	329.40 M	311.40 M
1/0	443	45.74	397.20 M	376.20 M
2/0	540	52.78	459.60 M	435.60 M
3/0	663	61.46	534.60 M	506.20 M
4/0	814	71.62	622.80 M	590.40 M

TYPE "RH"—75° C.—167° F. HEAT-RESISTING RUBBER COVERED BUILDING WIRE

For General Use
Conforming to all requirements of Federal Spec. JC106A of Jan. 30, 1946.

Heat-Resistant Grade Rubber Insulation. Moisture-Resistant, Flame-Retarding Braid.

No.	Lbs. Per 1000 Ft.	100 Ft.	500 Ft. @	1000 Ft.
	Solid Conductor—Single Braid			
14	26	$2.90	$25.20 M	$23.94 M
12	35	3.96	34.56 M	32.76 M
10	49	5.28	46.80 M	44.28 M
8	80	8.76	76.14 M	72.18 M
	Stranded Conductor—Double Braid			
6	126	$13.18	$114.66 M	$108.72 M
4	190	16.96	147.60 M	139.86 M
2	278	22.18	201.60 M	190.80 M
1	364	31.84	270.00 M	255.60 M
1/0	443	36.70	336.60 M	318.60 M
2/0	540	44.92	390.00 M	370.80 M
3/0	663	52.96	457.20 M	433.80 M
4/0	814	63.96	556.20 M	527.40 M

NEON SIGN AND OIL BURNER CABLES



For use with luminous tube (neon) signs and oil burner ignition systems.

No.	Volts	Finish	Approx. O.D.	100 Ft.	500 Ft. @
14	5,000	Lacquer	.240"	$7.25	$6.60 C
14	10,000	Lacquer	.300"	8.36	7.60 C
14	15,000	W. P.	.445"	9.24	8.40 C
14	15,000	Lacquer	.400"	9.90	9.00 C

THERMOSTAT CABLE

Extensively used for automatic fuel burner control, signal and intercommunicating systems.
Armored Thermostat Cable
Table "TC"

No. 18 solid copper conductors with asbestos insulation and cadmium plated steel armor over all.

Size	Wires	100 Ft.	250 Ft.	1000 Ft.
18-3	3	$6.34	$62.80 M	$45.30 M
18-4	4	7.44	62.00 M	57.10 M

Unarmored Thermostat Cable

No. 18 solid copper conductors with 2 paraffined windings, twisted and paraffined cotton dampproof braid overall.

Size	Wires	100 Ft.	250 Ft.	1000 Ft.
18-2	2	$2.57	$19.70 M	$16.90 M
18-3	3	3.38	28.10 M	24.10 M
18-4	4	4.35	36.30 M	31.10 M

ANNUNCIATOR WIRE



Single supplied on ¼, 1-lb. coil and 7-lb. spool, 140 ft. to lb. Twisted supplied on 5-lb. spool.

No.		Per Lb.	25 Lb.	100 Lb.
18	Single, ¼-lb. Coil	$0.90	$0.82	$74.40
18	Single, 1-lb. Coil	.85	.80	72.20
18	Single, 7-lb. Spool	.85	.75	71.10
18	Twisted, 5-lb. Spool	.90	.82	75.50

TWISTED TELEPHONE WIRE (SOLID)

Weatherproof or Oak Tan Dry Braid as listed. Two and three wire [illegible] Insulation.

No.	Wires	Braid	100 Ft.	1000 Ft.
19	2	Dry Int.	$3.40	$30.64
19	3	Dry Int.	5.10	45.96
19	2	W. P.	3.30	29.84
19	3	W. P.	4.96	44.76

"ROCKBESTOS" ASBESTOS COVERED RANGE OR HEATSTAT WIRE

Solid Conductor—See Table "AC"

Solid conductor wire with [illegible] asbestos covering, used for wiring electric [illegible], etc.

No.	Ft.	Per 1000 Ft.
16	$0.07	$ 6.28
14	.08	7.60
12	.09	9.00
10	.10	9.72
8	.12	10.76

TWO AND THREE CONDUCTOR OSCILLATING FAN CORD



Extremely flexible and will withstand severe operating service.

Construction—Extra flexible copper conductors. Cotton separator. Code rubber insulation. Cotton braid—colored for identification. Conductors twisted and braided together with glazed cotton braid.

No.		Per Ft.
PD2037	2 Conductor	$0.24
PD7418-5	3 Conductor	.30



MAGNET WIRE

Accurately drawn to size.

Smooth, uniform insulation.

(10 lb. or 50 lb. Spools

No.	Single Cotton Enamel 10 lbs. @ Per Cwt.	Single Cotton Enamel 50 lbs. @ Per Cwt.	Plain Enamel 10 lbs. @ Per Cwt.	Plain Enamel 50 lbs. @ Per Cwt
14	$66.20	$57.20	$58.40	$50.4
15	66.70	58.70	59.00	51.6
16	68.00	60.00	59.70	51.7
17	70.70	62.70	60.60	52.6
18	73.60	65.60	61.60	53.6
19	76.80	68.80	62.70	54.7
20	79.90	71.90	63.70	55.7
21	83.30	75.30	64.80	56.8
22	86.50	78.50	65.80	57.8
23	90.00	81.60	66.90	58.9
24	93.30	85.30	67.90	59.9
25	101.10	93.10	71.30	63.3

(4 lb. to 5 lb. Spools)

No.	Single Cotton Enamel 5 lbs. @ Per Cwt.	Plain Enamel 5 lbs. @ Per Cwt.
26	$112.60	$78.80
27	121.40	80.30
28	130.20	81.70
29	139.00	83.60
30	151.60	85.70
31	167.00	89.40

HEAVY FORMVAR MAGNET WIRE

No.	10 lb. Spool Per Cwt.	50 lbs. Per Cwt.	No.	10 lb. Spool Per Cwt.	50 lbs. Per Cwt.
16	$67.50	$59.50	23	$82.20	$73.10
17	69.60	61.60	24	83.20	73.9
18	72.55	64.53	25	88.60	80.6
19	75.50	67.50	26	94.00	85.0
20	77.10	69.10	27	100.90	92.0
21	78.70	70.70	28	107.10	99.1
22	79.90	71.90			

Please Note: We cannot accept [illegible] than standard spools of magnet wire

FLEXIBLE MOTOR LEAD WIRE
Single Braid

Tinned copper with cotton separator. N[illegible] Standard rubber wall, weatherproof [illegible]

No.	Wall	Stranding	Per 1000 Ft.	100 Ft.	500 Ft. @
		Single Conductor			
12	3/64"	65/#30	$0.04	$3.84	$20.16
10	3/64"	105/#30	.06	4.72	24.84
			Per 1000 Ft.	100 Ft.	500 Ft. @
8	4/64"	133/#29	$0.08	$6.36	$37.44
4	4/64"	133/#27	.09	8.30	47.00

HEAT RESISTING FLEXIBLE MOTOR LEAD WIRE

Recommended for use on small motors where a baking varnish is used.

Construction: Flexible tinned copper conductor. Paper separator. Insulation [illegible] rubber compound to resist baking [illegible] cotton braid with heat resisting [illegible]

No.	Ins.	Stranding	Per Ft.	100 Ft.	500 Ft.
18	1/64	16/#30	2c	$1.54	$11.06
16	1/32	26/#30	3c	2.20	20.14
14	3/64	14/#30	4c	3.20	29.00

Colors: Black only.

ALL-RUBBER LEAD-IN AND GROUND WIRE

Insulated with special rubber compound which is easily stripped leaving the conductor clean and ready for quick splicing and easy soldering.

No.		100 Ft.	500 Ft.
18	Stranded	$0.98	$8.88

MATERIAL COPYRIGHTED 1946

Rubber Covered Cords and Cables

OBJECT TWISTED LAMP CORD



New Code Type C—Green and Yellow and Olive Green
On 250 Ft. Metal Spools.

No.	100 Ft.	250 Ft. Coil	1000 Ft.	3000 Ft.
18	$2.10 C	$22.20 M	$26.00 M	$26.70 M
16	4.22 C	36.54 M	36.00 M	35.00 M
14	6.28 C	57.80 M	54.50 M	53.04 M

RAYON PARALLEL LAMP CORD

WITH UNDERBRAID

Has braid over all and braid over individual conductors.

No.	Less than 250 Ft.	250 Ft. Coil	1000 Ft.
18—1/4"	$2.86 C	$26.26 M	$25.00

Maroon, Green, Brown, White, Black, Old Gold or Brush Brass. 500 Ft. on Spool.

FLAME PROOF NITROGEN CORD

Rochester Type AF



Approved for use with large size lamps, as used in commercial or industrial lighting fixtures. Supplied in silk braid. Color Dark Brown.

No.	100 Ft.	500 Ft.	1000 Ft.
18—Silk	$3.26 C	$29.76 M	$27.60
14—Silk	4.14 C	37.62 M	34.90

TYPE CF SINGLE CONDUCTOR FIXTURE CORD



Flame resisting insulation, single braid. Constructed of strands of No. 30 wires. Choice of Black, White, Brown or Oak Tan, with or without tracer.

No.	100 Ft.	1000 Ft.	3000 Ft.
18	$1.34 C	$12.10 M	$11.64 M
16	1.94 C	17.46 M	16.82 M

SILK AND COTTON COVERED SINGLE CONDUCTOR CORD TYPE "FF"



Coil quantity not broken to assort colors.

Silk Covered Cord

No.	100 Ft.	500 Ft. @	1000 Ft. Spool
18—1/4"	$1.40 C	$12.76 M	$12.10 M

Colors: Brush Brass or Brown.

Cotton Covered Cord

Colors: Brush Brass, Brown and Brown with tracer.

No.	100 Ft.	500 Ft. @	1000 Ft. Spool
18—1/4"	$1.42 C	$12.96 M	$12.40 M

TYPE "F" REINFORCED CORD



A very rugged substantial cord extensively used on Vacuum Cleaners and other portable devices

No.		100 Ft.	250 Ft.	1000 Ft.	3000 Ft.
18	1/4" Small	$4.54 C	$41.28 M	$39.50 M	$36.70 M
18	1/4" Large	6.56 C	59.52 M	57.00 M	53.50 M

BREWERY CORD TWISTED



New Code Twisted Flexible

No.	100 Ft.	250 Ft. Coil	1000 Ft.
18	$2.90 C	$25.40 M	$23.88 M
16	3.60 C	45.20 M	42.24 M
14	7.20 C	71.00 M	67.96 M

TYPE "S" 60% RUBBER CORD



Made of extremely flexible stranded conductors and covered with two belts of highest grade pure gum rubber. Outer belt 60% rubber. Inner belt 30% rubber. Built for hard service. The rubber covering is cured by a special scientific process which insures long lasting resiliency and will resist acids, oils, water and severe abrasion.

No.	Cond.	O.D.	100 ft.	250 ft.	1000 ft.
18	2	.400	$16.72	$10.80 C	$100.32 M
18	3	.421	21.66	14.06 C	129.96 M
18	4	.500	25.84	16.80 C	155.04 M
16	2	.421	20.90	13.58 C	125.40 M
16	3	.450	24.70	16.06 C	148.20 M
16	4	.562	31.54	20.50 C	189.24 M
14	2	.562	31.54	20.50 C	189.24 M
14	3	.625	37.24	24.20 C	223.44 M
14	4	.675	44.08	28.64 C	264.48 M
12	2	.625	39.90	25.94 C	239.48 M
12	3	.675	46.26	30.12 C	278.16 M
12	4	.750	54.34	35.32 C	325.84 M
10	2	.675	46.74	30.38 C	280.44 M
10	3	.800	56.24	36.56 C	337.44 M
8	2	.850	77.90	50.64 C	451.52 M
8	3	.950	100.70	65.46 C	584.88 M
6	2	.950	98.80	64.22 C	571.84 M
6	3	1.100	123.50	80.28 C	716.30 M

7 to 19 Strands.

JUNIOR 40% RUBBER CORD



The same construction as above except of smaller diameter.

No.	Cond.	O.D.	100 ft.	250 ft.	1000 ft.
18	2	.290	$11.78	$ 7.66 C	$ 70.78 M
18	3	.354	17.10	11.12 C	102.60 M
16	2	.356	14.44	9.38 C	86.24 M
16	3	.400	20.52	13.34 C	123.12 M

"DURACORD" OIL RESISTING



The heavy-duty portable cord for use in chemical plants, steel mills, refineries, garages, battery plants, etc. Duracord has a tough covering of thick heavy long fiber cotton woven like a fire hose, oil resisting.

No.	Wires	O.D.	100 ft.	250 ft.	1000 ft.
18—1/4"	2	.306	$7.48	$4.92 C	$43.56 M
18—1/4"	2	.390	10.06	6.68 C	59.28 M
18—1/4"	3	.405	14.12	12.34 C	125.36 M
16	2	.405	13.52	13.10 C	114.84 M
16	3	.430	16.82	11.26 C	134.52 M
14	2	.530	19.84	13.62 C	166.44 M
14	3	.560	22.54	20.50 C	180.24 M
12	2	.605	28.10	21.60 C	193.80 M
12	3	.635	28.26	25.70 C	237.12 M

RUBBER SHEATHED CORD—SPECIAL For the Shop or Commercial Use



Similar in size and appearance to Super-Service Junior Cord. This is a competitive grade of All Rubber Covered Cord.

No.	Wires	Apx. O.D.	100 Ft.	250 Ft. @	1000 Ft.
18	2	.31"	$5.16 C	$47.94 M	$44.96 M
18	3	.34"	6.88 C	62.90 M	60.12 M
16	2	.32"	6.28 C	57.56 M	55.00 M
16	3	.36"	8.72 C	79.84 M	76.30 M

HOUSEHOLD ALL-RUBBER CORD TYPE SV



A sturdy all-rubber covered flexible cord for household service such as on washers, vacuum cleaners, polishers, etc. Made of 40% rubber which is scientifically cured by special process to insure flexibility and long service.

No. Wires	Dia.	100 Ft.	250 Ft.	1000 Ft.	2500 Ft.
18	2	.250	$4.84 C	$43.88 M	$41.96 M	$40.08 M

TYPE POSJ BUNA MID-RIP PARALLED ALL RUBBER CORD



This new all rubber parallel cord is "extra special flexible" conductors constructed of 41 strands of No. 34 wire, both embedded in a single strip of soft flexible para rubber.

Colors: Brown and Black.

No.	100 Ft.	250 Ft.	1000 Ft.
18—1/4"	$2.88	$30.38	$24.30
16—1/8"	6.46	50.50	40.40

TYPE "POT" THERMOPLASTIC CORD



2 conductor parallel flexible type T.

Colors: Black, Brown, White and Green.

No.	Color	Less 250 Ft.	250 Ft.	1000 Ft.
18-2	Black	$64.40 M	$57.20 M	$51.50 M
18-2	Brown	64.40 M	57.20 M	51.50 M
18-2	White	64.40 M	57.20 M	51.50 M

HEATER CORD Type HPD—3000 Cycle



Extra flexible. All sizes have strands constructed of No. 34 wires, insulated with pure asbestos yarn, covered with black and gray braid.

No.	100 Ft.	250 Ft.	1000 Ft.
16	$5.06 C	$46.10 M	$44.10 M
16	6.86 C	53.00 M	52.60 M
14	7.20 C	66.00 M	62.00 M

HEATER CORD Type HPD—10,000 Cycle



"Special extra flexible" with conductors constructed of strands of No. 36 wires. Insulated with pure asbestos yarn. Glazed black and gray cotton braid with rayon marker.

No.	100 Ft.	250 Ft.	1000 Ft.
18	$5.12 C	$46.64 M	$44.42 M
16	6.22 C	56.68 M	53.90 M

THREE WIRE HEATER CORD Type HPD 3000 Cycle—Gray Silk



For wiring combination pendant [illegible] and convenience outlets on kitchen fixtures.

No.	Per Ft.	100 Ft.	250 Ft.
18	$ 7.20 C	$ 5.84 C	$ 5.30 C
16	10.96 C	8.00 C	7.00 C

"AMERICAN BEAUTY" HEATER CORD



The super-flexible Heater Cord, constructed of strands of No. 34 wires. Black and gold braid overall. Size No. 17.

No.	Per Ft.	100 Ft.	250 Ft.
100GB	$0.07	$6.48	$15.88 C

PACKINGHOUSE CORD



Extremely rugged Saturated Weather proof Braid.

No.	Less than Coil	250 Ft. Coil	1000 Ft.
18	$6.06 C	$55.20 M	$52.50 M
16	7.52 C	68.20 M	65.20 M
14	10.28 C	94.10 M	90.00 M
12	17.20 C	156.10 M	149.30 M

Property of Supply Guide Inc. Not to be reproduced

Motor Repair and Insulating Material



WESTINGHOUSE UNTREATED COTTON TAPES

36 Yards per Roll

No.	Thickness	Width	Per Roll	100 Rolls Per Roll
7580-1	.0055"	½"	$0.36	$0.32
7580-1	.0055"	¾"	.42	.37
7580-1	.007"	½"	.38	.34
7580-1	.007"	¾"	.44	.40
7580-1	.007"	1"	.48	.44
7580-1	.007"	1¼"	.54	.48
7580-1	.007"	1½"	.64	.56
7580-1	.011"	¾"	.52	.48
7580-1	.011"	1"	.62	.56

We can furnish all other patterns, thickness, etc., of this and webbing.

UNTREATED ASBESTOS TAPES

No.	Thickness	Width	Yds. Per Roll	Weight Per Roll	Per Lb.
1586	.010	½"	32	7 oz.	$6.20
1586	.015	½"	32	10 oz.	5.20
1586	.025	½"	36	18 oz.	3.40
1586	.025	¾"	36	20 oz.	3.00

GLASWEVE TAPE (36 Yd. Rolls)

No.	Thickness	Width	Per Roll	Per Roll
7826-2	.007	¾"	$2.42	$2.20
7826-2	.007	1"	2.80	2.54
7826-2	.010	¾"	2.52	2.30
7826-2	.010	1"	3.02	2.74

WHITE COTTON SLEEVING (1 lb. Spools)

No.	I. D.	Yds. Per Spool	Lb.	10 Lbs.
1570	.045	550	$2.52	$22.40
1570	.064	420	2.64	23.80
1570	.081	320	2.64	24.00
1570	.100	150	2.64	24.00

GLASWEVE SLEEVING (100 Yd. Spools)

No.	I. D.	Lbs. Per Spool	Per Spool
7842-1	¼"	1.06	$6.78
7842-1	⅜"	1.54	10.40
7842-1	½"	2.28	15.40
7842-1	¾"	3.12	21.42



WESTINGHOUSE TREATED TAPES

Varnished Cambric (oiled linen) seamless bias cut, 36 yards per roll.

No. 1206—Tan

No. 1265—Black

Thickness	Width	Per Roll	40 Rolls Per Roll	Thickness	Width	Per Roll	40 Rolls Per Roll
.007"	¼"	$0.58	$0.52	.010"	1"	$1.30	$1.08
.007"	½"	.82	.76	.012"	½"	.88	.80
.007"	1"	1.10	1.00	.012"	¾"	.94	.88
.010"	¼"	.82	.86	.012"	1"	1.30	1.14
.010"	½"	.90	.84				

VARNISH CAMBRIC CLOTH

Varnished Cambric (oiled linen) 25 and 50-yard rolls. 36" wide.

No.	Color	Cut	Thickness	Sq. Yd.	100 Yds. Sq. Yd.
1266	Tan	Bias Cut	.007"	$1.04	$0.84
1266	Tan	Bias Cut	.010"	1.06	.92
1265	Black	Bias Cut	.007"	1.04	.84
1265	Black	Bias Cut	.010"	1.06	.92
1267	Tan	Str. Cut	.007"	1.20	.76
1267	Tan	Str. Cut	.010"	1.28	.84

BLACK HEAVY CANVAS, VARNISHED

25-Yard Rolls

No.	Thickness	Width	Sq. Yd.
1232	.030	36"	$1.54

FISHPAPER (RAWHIDE FIBRE)

A hard dense gray paper.

No.	Thickness	Width	Lb.
1545	.010	40"	$1.10

COMBINATION FISHPAPER AND FABRIC

36 x 36 Sheets

No.	Thickness	Lbs. per Sheet	Per Sheet	25 Sheets
1269	.011	0.65	$2.56	$2.10
1269	.017	1.00	2.08	1.68

WESTINGHOUSE INSULATING VARNISHES AND PAINTS



The ingredients are carefully selected to obtain the best possible quality.

VARNISH (AIR DRYING)

No.	Drying Time	1 Qt.	1 Gal. Can Per Gal.
3199	2-4 hr., Black	$0.90	$2.72
1103	½ hr., Clear	1.80	5.72
7260-1	4-6 hr., Black	1.30	4.40
3396	4-6 hr., Clear	1.25	4.30
1133-2	½ hr., Black	1.90	5.80

VARNISH (BAKING)

Best Grade)

1781	8-10 hr., Black	$1.00	$3.50
8168	4-6 hr., Black	1.10	3.88
2227	8-10 hr., Black	1.30	3.78
2370	8-16 hr., Clear	1.20	4.30
8109	6-8 hr., Black	1.00	3.50

(Synthetic)

7826-1	4-8 hr., Clear	1.64	6.80

VARNISH (Thermoset) SYNTHETIC BAKING

7826	4-16 hr., Clear	$2.00	$6.40
7826-3	4-16 hr., Clear	2.00	6.40

THINNERS

1130	For Spirit Varnish	$1.10	$4.00
1609-1	For Standard Clear and Black Oil Varnishes	.60	1.96
7525	For Lacquer	.94	3.40
2062-2	For Synthetic Varnish and Enamels	.90	2.76
8119	For Spirit Varnishes or No. 672 Enamel	.86	3.30
2567	For 646 Cement	1.80	5.70

ENAMELS

672	2-3 hr., Red	$2.00	$7.16
1737	2-4 hr., Black	1.40	5.18

(Synthetic)

7340	1-4 hr., Red	2.00	7.16

PAINT

2690	8-24 hr., Gray	1.84	6.26

CEMENTS

No.	Color	Application	
618	Black	for sealing transformer bushings, etc. For 10-lb. Cake	$2.10
646	White	for repairing fire defectors, porcelain, etc. Quart	2.40

FIBRE SHEETS

46" x 72" Sheets

Red—Black—Gray

No.	Thickness	Lbs. per Sheet	Lb.
7540-1	⅛"	10	$1.00
7540-1	¼"	20	2.00
7540-1	⅜"	40	4.02
7540-1	½"	50	5.00
7540-1	⅝"	60	6.00

ARMATURE WEDGES

Made of fishpaper "U" shape.

No.	O. D.	Ht.	100 Ft.
102	¼"	¼"	$1.50
103	⅜"	¼"	1.60
104	⅜"	⅜"	1.65
105	½"	⅜"	1.80
106	½"	½"	2.10

MAPLE ARMATURE WEDGES

No.	Wid.	Dep.	100 Ft.	200 Ft.	500 Ft.
106	½"	½"	$0.60	$5.04 M	$3.98 M
109	⅝"	½"	.64	5.36 M	4.30 M
107	⅝"	⅝"	.60	5.04 M	3.98 M
102	¾"	½"	.60	1.94 M	3.88 M
101	¾"	¾"	.60	4.94 M	3.88 M
100	1"	½"	.58	4.72 M	3.68 M
105	1"	¾"	.58	5.04 M	4.00 M
110	1"	1"	.64	5.30 M	4.24 M

STRING SOLDER



Highest quality solid String Solder. All quantities packed on spools as follows:

30-70 GRADE	Lb.
1 lb. Spool @	$0.90
5 lb. Spool @	.80
25 lb. Spool @	.64
50 lb. Spool @	.60

40-60 GRADE	
50 lb. Spool @	$0.74



ROSIN AND ACID CORE SOLDER

A string solder which has a solder flux in the core.

Specify Acid or Rosin Core

1 lb. Spools

1 Lb. Spools	5 Lbs.	25 Lbs.
$1.00 lb.	$0.96 lb.	$0.92 lb.

No. 30 BAR SOLDER



Guaranteed half and half grade. Approximate weight 1½ lbs per bar.

Per Lb.	25 Lbs.	100 Lbs.
$0.60 lb.	$0.56 lb.	$55.50

OHIO CARBON BRUSH ASSORTMENTS FRACTIONAL H. P. KITS



Contains brushes for small horsepower motors, fan motors, vacuum sweepers, dictaphones, etc. Kits are divided into compartments, as shown, separating each type.

No. 6 Kit—Contains 92 brushes and 18 springs $6.60

Renewals for above, any size brush or spring ..... Each .10



"NOKORODE" SOLDERING PASTE

This paste will flux all metals except aluminum. Non-corrosive, safe as resin and rapid as acid.

	Each	12 Cans @
2 oz. Cans	$0.24	$0.20
		3 Cans @
1 lb. Cans	$1.54	$1.40 Lb



COMMERCIAL OR BURNLEYS SOLDERING PASTE

	Per Can	36	72
2 oz. Cans	$0.18	$0.16	$0.14
4 oz. Cans	.34	.28	.26
8 oz. Cans	.50	.40	
16 oz. Cans	.80	.74	
5 lb. Cans	3.44		



OZITE "B" POTHEAD AND INSULATING COMPOUND

Used for filling cable terminals, pots, indoor and outdoor junction boxes and cable joints, in 1 gallon cans.

Approx. 10 lbs. per gallon.

Per Gallon	
1-gal. can	$3.80
5-gal. cans	3.50

Write for our complete Westinghouse HUFFER-NELL Insulating Material Catalog and Samples

DISCONTINUED 3/15/82