

TO OPEN CASSETTE -
REMOVE ENTIRE BLUE PLUGGED END OF CASSETTE
DO NOT TOUCH FILTER PAPER. REPLACE WHEN COMPLETE.
CONNECT PUMP TO RED PLUG.

ASBESTOS PERSONNEL MONITORING
METHANOL - DISTILLATION COLUMN
REMOVAL

NAME: BRUCE C. COLE
FIRST NAME MIDDLE INITIAL LAST NAME

S.S. NUMBER: 250-86-1057

DATE: 11-7-82 SAMPLING CASSETTE IDENT. E-6

TIME STARTED PUMP 8:45 am

TIME STOPPED PUMP 3:45 pm

TOTAL TIME 7 HRS.

WAS RESPIRATORY PROTECTIVE EQUIP. USED ☐ YES ☒ NO
How Long _____

GNL WEATHER CONDITIONS: WIND SPEED 5-10 MPH
WIND DIRECTION SSW
AVG TEMP °F 70

GNL COMMENT ON TASKS -

RETURN FORM & CASSETTE TO LEE T. FREELAND
11-7-82 ENVIRON. GRP #42

DBE 1140622

DUP 0515613

DU 007201

TO OPEN CASSETTE -
REMOVE ENTIRE BLUE PLUGGED END OF CASSETTE
DO NOT TOUCH FILTER PAPER. REPLACE WHEN COMPLETE.
CONNECT PUMP TO RED PLUG.

ASBESTOS PERSONNEL MONITORING
METHANOL - DISTILLATION COLUMN
REMOVAL

NAME: ROUND A LEE
FIRST NAME MIDDLE INITIAL LAST NAME

S.S. NUMBER: 457-21-5441

DATE: 11-7-82 SAMPLING CASSETTE IDENT. J-15

TIME STARTED PUMP 6:20 PM

TIME STOPPED PUMP 3:30 AM

TOTAL TIME 9 hrs

WAS RESPIRATORY PROTECTIVE EQUIP. USED ☐ YES ☒ NO
How Long

GNL WEATHER CONDITIONS: WIND SPEED 7-10
WIND DIRECTION N
AVG TEMP °F 48

GNL COMMENT ON TASKS -

RETURN FORM & CASSETTE TO LEE T. FREELAND
11-7-82 ENVIRON. GRP #42

DBE 1140623

DUP 0515614

DU 007202

ASBESTOS REMOVAL - METHAVAL.

11-11-82

- Noise meter delivered to Don Lee. He showed how to use and agreed to put up sign as I had discussed w/ G. G. Smith & L. Wilson. The generator & of cooling tower will remain in place about another week since of new power line requirements. Told Don meter required calibration Friday by Don.
- Returned methu to P. C. Pedgett PD Lab early AM, 11-12-82.
 - Prepared samples and paper for shipment to West Panel Labs.
 - Cause of weather conditions rain/drizzle and shifting variable winds will not sample any ambient air downwind of thermal site. All activity in off column and water blunting complete.
 - Cassette I-95 was discarded because membrane was torn. Not used for any sampling.

DBE 1140624

DUP 0515615

DU 007203