

REPORT OF CALL

Calliope ASBESTOS

UNION CARBIDE CORPORATION

P.O. Box 579 Niagara Falls, N.Y. 14302

CC for
S. K. George - Atlanta
T. R. Holliger - Atlanta
F. H. Larrison
J. F. Luther
J. L. Myers
J. R. Stickney
Niagara Falls - File
J. W. Rawlings
G. L. Vessels ✓

RECEIVED

FEB 2 1971

UCC-CALIDRIA
KING CITY, CA.

T. R. Holliger,
S. K. George, and
By H. B. Rhodes

Date 1/21/71

Full Name Kaiser Gypsum Corp.
Address 9225 Dames Pt. Rd.
Jacksonville, Fla. 32201

Mfrs. of Building Materials

Interviewed
Mr. Bill O'Donnell - Plant Sup.

PLAINTIFF'S
EXHIBIT

UC-669

OBJECTIVE

Follow up on Mr. O'Donnell's interest in using SG-210 to correct a poor color situation in their ready-mix TJC.

OBSERVATIONS

Mr. O'Donnell had checked with their Delanco, N.J. plant and found that they were not using SG-210. Some other solution had been found for their problem. He plans to get a formulation out of Antioch or Santa Ana.

Provided him with background information and pictures of SG-210 and discussed the need for reformulation. Promised to provide freight costs and toxicology report. He will then propose to his management that they try out the available formulations. He can apparently make minor adjustments if needed.

RECOMMENDED ACTION

HBR - Send toxicology report.

TRH - Follow in a month or so.

Typed 1/27/71
bsn