MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE Ky 787 LOT 37297

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
50	123	6,150		
STUMP	Lump	5873		

TOTAL NET WT. 6,150 PKG. N-CODE 1000

PROD. SPVR. DATE WHSE. OPER.

JT 10/2/00

N34998

DUP050106132

95/246

CG 03 CODE KY-787-D PKG. ____

→ OCT-1-80 37297

EST. WGT. ~~1921~~ LBS.

O/R
HP

TOTAL WGT ~~6121#~~ 5845# (REQ ____)

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-787-D (S)	EWK 10-19-77
Alternate	DCG 10-25-77
TYPED BY	
JIC 11-4-77	

MAKING NOTES

REMARKS

NAME: KROLOR® YELLOW-MEDIUM

NON-BLEEDING

-PRESSING-

INSTRUCTIONS						RECORD					
VAT	246					PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	10-2-80					STARTED	1[illegible]				
TIME	4:[illegible]					CAKES USED	72				
RELEASED BY	E.M.					WATER ON	6 PM				
PRESS	98	96	93			HRS. WASHED	6				
NO. OF CAKES	70	72	72			OHMS	2000				
PRESS WITH		AGITATION				HRS. WASHED					
WASH TO 2000		OHMS WITH 35-75°F WATER				OHMS					
TEST AFTER 4		HOURS				HRS. WASHED					
LOAD ON 10 CARS						OHMS					
						CAKE CONDITION					
						NO. CARS LOADED	10				
						EXPLAIN LOSSES					

SAMPLES 1-8 oz. JAR

DELIVER TO CTL FOR COLOR

SAMPLED BY 401 RELEASED BY [illegible]

-DRYING-

DRY 12 HRS AT 220°F.
THEN DRY 8 HRS AT 160°F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

No. Drums: 27

SAMPLES

DELIVER TO

NO. CARS PULLED

SAMPLED BY

LUMP WGT. 5873

RELEASED BY RH

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM

MAX. TEMP. 150°F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES Added stump bags to batch - Reason for high yeild [illegible] 10-18-80

SAMPLE WITHOUT MIXING

SAMPLES 1 env + 1 Pt Can

DELIVER TO C T L

DATE MIXED

SAMPLED BY

RELEASED BY

DUP050106133

37297
41
231

0.00 *

0.00 * 37297
41
188

2.50 +
0.12 -
2.51 +
0.12 -
2.40 +
0.12 -
2.45 +
0.12 -
2.45 +
0.12 -
2.35 +
0.12 -
2.30 +
0.12 -
2.55 +
0.12 -
2.35 +
0.12 -
2.30 +
0.12 -
2.40 +
0.12 -
2.50 +
0.12 -
2.40 +
0.12 -
2.55 +
0.12 -
2.40 +
0.12 -
[illegible] +
0.12 -
0.95 +
0.12
37.67 *
2.35
35.32

2.37 +
0.12 -
2.36 +
0.12 -
2.57 +
0.12 -
2.60 +
0.12 -
2.28 +
0.12 -
2.30 +
0.12 -
2.26 +
0.12 -
2.23 +
0.12 -
2.45 +
0.12 -
2.35 +
0.12 -
0.96 +
0.12 -
23.41 *
3532
5873

16 Doors

28 drs

DUP050106134