

FORMULA RECORD

Formula: Ground Lignite Driedboard Fuel - Fille

Formula

Y-1230

Consistency

Date: 20-1922 Old No.

For Use Of

Classification

1 5 M Bbl. Bbl. 2 Bbl. Code No.

Percent

Manufacturing Specifications

Sample No. 1-1212-A. (Lignite Gaseous Fille Fuel, 1)

Grind

Sample No. 2-1212-A. (Lignite Fille Fuel, 1)

Kind of Mill

Sample No. 3-1212-A. (Lignite Fille Fuel, 1)

Rate per Hr.

Sample No. 4-1212-A. (Lignite Fille Fuel, 1)

Specimen

Analytic

Formula for "White-Deposit Fuel" (Y-507)

N12386

GLD060179

FORMULA RECORD

Formula No. 4

Date _____ Laboratory No. _____

Case Classification

Code Number	One Gallon Batch	One Gallon Batch	One Gallon Batch	One Gallon Batch	One Gallon Batch	Manufacturing Specifications
Part	Lbs.	Oz.	Gal.	Lbs.	Oz.	
1	1	8				Grind 14 78
2	1	8				Kind of Mill 14 78
3	1	8				Strainer 14 78
4	1	8				Weight per Gallon 14 78
5	1	8				Light Balance Temp.
6	1	8				Heavy Balance Temp.
7	1	8				Viscosity 14 78 Temp.
8	1	8				Vacuometer 14 78
9	1	8				Flash Point
10	1	8				Is Aptitude Required
11	1	8				Remarks
12	1	8				14 78 old paint
13	1	8				14 78 old paint
14	1	8				14 78 old paint
15	1	8				14 78 old paint
16	1	8				14 78 old paint
17	1	8				14 78 old paint
18	1	8				14 78 old paint
19	1	8				14 78 old paint
20	1	8				14 78 old paint
21	1	8				14 78 old paint
22	1	8				14 78 old paint
23	1	8				14 78 old paint
24	1	8				14 78 old paint
25	1	8				14 78 old paint
26	1	8				14 78 old paint
27	1	8				14 78 old paint
28	1	8				14 78 old paint
29	1	8				14 78 old paint
30	1	8				14 78 old paint
31	1	8				14 78 old paint
32	1	8				14 78 old paint
33	1	8				14 78 old paint
34	1	8				14 78 old paint
35	1	8				14 78 old paint
36	1	8				14 78 old paint
37	1	8				14 78 old paint
38	1	8				14 78 old paint
39	1	8				14 78 old paint
40	1	8				14 78 old paint
41	1	8				14 78 old paint
42	1	8				14 78 old paint
43	1	8				14 78 old paint
44	1	8				14 78 old paint
45	1	8				14 78 old paint
46	1	8				14 78 old paint
47	1	8				14 78 old paint
48	1	8				14 78 old paint
49	1	8				14 78 old paint
50	1	8				14 78 old paint
51	1	8				14 78 old paint
52	1	8				14 78 old paint
53	1	8				14 78 old paint
54	1	8				14 78 old paint
55	1	8				14 78 old paint
56	1	8				14 78 old paint
57	1	8				14 78 old paint
58	1	8				14 78 old paint
59	1	8				14 78 old paint
60	1	8				14 78 old paint
61	1	8				14 78 old paint
62	1	8				14 78 old paint
63	1	8				14 78 old paint
64	1	8				14 78 old paint
65	1	8				14 78 old paint
66	1	8				14 78 old paint
67	1	8				14 78 old paint
68	1	8				14 78 old paint
69	1	8				14 78 old paint
70	1	8				14 78 old paint

GLD060180

MADE IN U.S.A. (U)

FORMULA RECORD

Goods *Superphosphate Fertilizer Yellow* Formula No. *Y1230H*
 Consisting of *Squid* Date *6-16-49* Laboratory No.
 For Use on *Squid* Cost Classification

Code Number	One Gallon Batch		Collon Batch		Collon Batch		Manufacturing Specifications
	Min.	Max.	Min.	Max.	Min.	Max.	
<i>W-69</i>		<i>3</i>		<i>4</i>		<i>240</i>	Grind <i>1-8</i>
<i>W-104</i>				<i>1 1/2</i>		<i>134</i>	Kind of Soil <i>Yellow</i>
<i>W-143</i>		<i>1</i>		<i>1 1/2</i>		<i>134</i>	Size <i>1/2 in.</i>
<i>W-1</i>				<i>13</i>		<i>65</i>	Weight per gallon <i>11.96#</i>
<i>V-258</i>		<i>5</i>				<i>50</i>	Light Gauge <i>Temp</i>
<i>V-119</i>		<i>1 1/2</i>				<i>12 1/2</i>	Heavy Gauge <i>Temp</i>
<i>V-107</i>		<i>1 1/2</i>				<i>12 1/2</i>	Viscosity <i>80-90</i> Temp.
<i>S-43</i>		<i>1 1/2</i>				<i>5</i>	Viscometer <i>#4 Ford cup</i>
<i>P-24</i>		<i>2 1/2</i>				<i>14</i>	Flash Point
<i>P-29</i>		<i>2 1/2</i>					In Aerator Required
<i>Changed to new quality</i>							Remarks <i>Y1230</i>
<i>Standard Formula</i>							<i>Std. Cuprous Sample</i>
<i>Standard Formula</i>							<i>Signature</i>
<i>Not to be taken</i>							
<i>Yield</i>							
<i>from 1 lb.</i>							
<i>Recontinued 2-1-49</i>							
<i>See 24 1230-13</i>							

GLD060181

Y-1230 - A

10-9-28

(JAPALAC DRAINBOARD ENAMEL - WHITE)

Formula: - Same as Y-1217-B (Japalac Gloss White En.)
Same as Y-902-B (Gloss White Enamel)
Same as Y-903-B (Bath Tub Enamel)

Relabel for "White Cement Enamel" (Y-907)

ANALYSIS: - Pigment 39.7 %
Liquid 60.3
100.0 %

Pigment: - Lithopone,	100 %
Liquid: - Damar Varnish	49.5 %
Treated Linseed Oil	15.1
Rubbing Varnish	21.5
Liquid Drier	.8
Mineral Spirits	5.3
	100.0 %

Weight per gal. - 10.2 lbs.

Round Cans - 1/5s.

"Japalac" Label.

Discontinued

GLD060182

FORMULA RECORD

Consistency *Granular* *Yellow* *Gran* Formula No. *Temp* *Y12-30-H*
 Date *2-4-48* Laboratory No.

For Use On

Code Number	One Gallon Batch	Gallon Batch	Gallon Batch	Manufacturing Specifications
	Vol.	Wt.	Vol.	
<i>W-69</i>	<i>3</i>	<i>4</i>		<i>1-3</i>
<i>W-104</i>	<i>2</i>	<i>4 1/2</i>		<i>Yellow</i>
<i>W-91</i>	<i>1</i>	<i>1 1/2</i>		
<i>W-1</i>				
<i>W-5H (Sample)</i>	<i>3</i>			
<i>(2400 Sample)</i>				
<i>V-357</i>	<i>4</i>			
<i>S-43</i>	<i>1</i>			
<i>P-44</i>				
<i>P-29</i>				
<i>Form to be used until V-358 is available</i>				

DISCONTINUED
 SEE *1-3*

Kind *1-3*
 Kind of Mill *Yellow*
 Strain
 Weight per Gallon *10.75**
 Light Source *Temp.*
 Heavy Range *Temp.*
 Viscosity *10-30 Temp.*
 Viscosity *4 cups*
 Flash Point
 Is Airtight Required

Remarks
Match for Y12-30
Yellow
W-104 in Yellow
in 2-4 H-10
Cont of Sample
Yellow Body
110-H

Good Japanese Koenig Golden Yellow
Consistence: Liquid

For the on
Customer

Phong No. 7-1250-3

Laboratory 2b

Engr. Class.

—Mittler—

Feb 19

is still young

7-11-70

...TITANIC...

Order Via 7 am

Don't let me

March 10, 1944

THE JOURNAL OF THE

Refuser

Abstract

Spraying . . . **Turning** .

Dispersing

Район

1

1 Air drives in 5 feet

A. D. is not in Overnite

Reference

SONNETS

Little Licker

三

[illegible]

15

Abstract

[illegible]

ANALYST'S NAME: J. A. J. J.

FORMULA RECORD

FORMULA NO. Y-1230-2

NAME: Japanese Golden Yellow

LABORATORY NO.

CONSIDER

DATE: 2-23-60

FOR USE OF

TEST CLASS

UNITED STATES

STANDARD

DRUG

UNITED STATES

WILL

WT. OR BT.

UNITED STATES

IS ACIDITY REQUIRED

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

UNITED STATES

VEG. F.O.

TEMP.

Scanned by
Not to Filter
Not to Filter

FIELD

CONCULATOR

GLD060196

