




Shell Oil Company
Interoffice Memorandum

AUGUST 18, 1987

721.1

ENVIRONMENTAL/IND. HYGIENE	
DATE 8/20/87	NAME A. F. Schmit
☐	Return Document to
☒	Record Copy in File
☐	Information Copy
Record Copy in ECB STATE	
Copy:	
Circulate:	

FROM: SR. INDUSTRIAL HYGIENIST, HEALTH & SAFETY, MFG. & TECH.
TO: SEE ATTACHED DISTRIBUTION LIST
SUBJECT: FEDERAL OSHA ASBESTOS STANDARD



The attached correspondence is for your information.

Phil Snyder
P. J. Snyder *BD*

PJS:bjd

Attachment

cc: K. C. Crawford
O. D. Long
J. D. Ransdell
A. F. Schmit

LAM 017184

BT8723003

DPMC-10921

INDUSTRIAL HYGIENE REPRESENTATIVES

ANACORTES REFINERY
F. J. KING

GEISMAR PLANT
M. T. BARCLAY

MARIETTA PLANT
M. W. HERSHMAN

MARTINEZ MANUFACTURING COMPLEX
M. B. KOVACEVICH

NORCO MANUFACTURING COMPLEX
A. K. MENARD

ODESSA REFINERY
S. C. HENDRICKSEN

TAFT PLANT
J. J. DELAUNE

WILMINGTON MANUFACTURING COMPLEX
S. V. SEVER

WOODBURY PLANT
R. A. NOCCO

WOOD RIVER MANUFACTURING COMPLEX
W. M. CUNNINGHAM

LAM 017185



Shell Oil Company • Shell Chemical Company
Interoffice Memorandum

ADD	KCC	JHB	PJS	PJW
HEALTH & SAFETY MANUFACTURING & TECHNICAL				
AUG'17 1987				
BJD				
CU For: Date:			File No:	

AUGUST 14, 1987

FROM: A. F. SCHMIT, STAFF INDUSTRIAL HYGIENIST, HEALTH & SAFETY
DEER PARK MANUFACTURING COMPLEX

TO: P. J. SNYDER, SENIOR INDUSTRIAL HYGIENIST, HEALTH & SAFETY
MANUFACTURING & TECHNICAL

SUBJECT: "COMPETENT PERSON" UNDER OSHA ASBESTOS STANDARD

The attached memo indicates that the "competent person" under the OSHA Asbestos standard must have attended an EPA-approved training course or be State certified in those States with asbestos abatement certification and training programs. This information may be useful to share with Shell location personnel.

A. F. Schmit

Attachment

cc: DPMC
T. E. Gillespie
B. T. Waggoner
AFS Chron
ECB Satellite

OSP
H. L. Kusnetz
J. L. Rivard

LAM 017186

U.S. Department of Labor

Occupational Safety and Health Administration
Washington, D.C. 20210

Reply to the Attention of:

SEP 5 1956



MEMORANDUM FOR: GIBERT J. SAULTER
Regional Administrator

FROM: CHARLES E. ADKINS *Charles E. Adkins*
Acting Director
Health Standards Programs

THROUGH: JOHN B. MILES, JR. *JBM*
Director
Field Operations

SUBJECT: Asbestos Construction Standard
a) Competent Person
b) OSHA Reference Method

Copica Made
- 9/12/86
JRX

✓	AREA	
✓	AREA/ESO	
✓	AREA/TEC-FAP	
✓	Area Directorate	
	11 © Dec.	

✓ TS 8 tall

This is in response to your memo of July 25 requesting clarification as to the minimum qualifications a "competent person" must possess and for clarification as to what constitutes a method equivalent to the OSHA Reference Method (Appendix A) for asbestos sampling and analysis.

A "competent person" must have academic credentials and/or field experience in asbestos abatement. By virtue of his or her background, this individual will be capable of identifying existing asbestos hazards in the workplace and will be a person who has the authority to take prompt corrective measures to eliminate them, as specified in §1926.32(f). The "competent person" will be knowledgeable of the contents of the new asbestos standard (29 CFR 1926.58), the identification of asbestos and its removal procedures, and other practices for reducing the hazard. This individual must also have attended an EPA-approved training course or be State certified in those States with asbestos abatement certification and training programs. (States with certification and training programs are Alabama, Alaska, Arkansas, Illinois, Iowa, Kansas, Maryland, New Jersey, Oklahoma, Ohio, Rhode Island, Tennessee and Washington.)

In regard to your second question, methods equivalent to the OSHA Reference Method are the NIOSH 7400 method (Revision #2) and the OSHA ID 160 method developed by the OSHA Salt Lake City Laboratory. Any other method would have to be evaluated on a case-by-case basis by our laboratory.

LAM 017187

FEB 16 1987

DPMC-10924