

ETHYL GASOLINE CORPORATION

CHRYSLER BUILDING
405 LEXINGTON AVENUE

INTER-OFFICE
CORRESPONDENCE

NEW YORK May 11, 1942.

Dr. Robert A. Kehoe,

Dear Bob:

I am attaching hereto copy of a letter which came in today from Mr. Larsen indicating, unfortunately, that it will apparently be necessary for you to go to St. Paul as a witness.

The enclosed copy of my reply to Mr. Larsen also makes the suggestion that from now on you and he correspond directly in this matter.

Very truly yours,

Coard

DB
Enc.

KE 0004506

FAEGRE, BENSON & KRAUSE

1260 NORTHWESTERN BANK BUILDING

MINNEAPOLIS, MINN.

May 9, 1942

C
O
P
Y
Mr. J. C. Taylor,
Vice-President,
Ethyl Corporation,
405 Lexington Avenue,
New York, N. Y.

Dear Mr. Taylor:

In re: State of Minnesota v. Continental
Oil Company et al.

We regret to advise you that the County Attorney has refused to enter into any stipulation to the effect that lead-blending beyond the terminal is not practical. For this reason we are compelled to ask Dr. Kehoe to come to St. Paul as a witness.

While trial is scheduled to begin Tuesday, May 19th, Dr. Kehoe may defer his coming until the following day or even until Thursday, the 21st, if this would be more convenient. We shall try in every way possible so to arrange matters that he need not be in St. Paul more than one day, but we are unable to give a definite promise to this effect.

We assume that Dr. Kehoe has been made acquainted with the point we wish to cover with his testimony. While a somewhat detailed statement was made in our letter to you of April 2nd, what we wish by him to show, as indicated above, is that it is not practical to do lead-blending at numerous bulk plants, each of them, with a few exceptions, of individual tank capacities not exceeding 30,000 gallons. It would be very helpful to us and also would tend to shorten Dr. Kehoe's stay in St. Paul if he could supply us with a statement of what he can testify to in respect of the foregoing point.

KE 0004507

FAEGRE, BENSON & KRAUSE

1260 NORTHWESTERN BANK BUILDING

MINNEAPOLIS, MINN.

2. Mr. J. C. T.

Dr. Kehoe should be asked to bring with him
st. Paul copies of the regulations issued by your
company during the years 1932 to 1940, inclusive,
relating to the blending of tetraethyl lead with
gasoline, and also copies of plans or blue prints used
during those years in connection with erection of
blending plants. Two copies of each regulation or
set of blue prints should be sufficient.

It may be that in respect of certain phases
of his testimony Dr. Kehoe may look with favor upon
supporting testimony from one or more qualified local
medical men. If he cares to make any suggestions, we
will be glad to have them and will attempt to get in
contact with any supporting witnesses he may name.

A copy of this letter is enclosed which you
may send to Dr. Kehoe.

Yours truly,

FAEGRE & BENSON

HNL:JH

By Hayner N. Larson

KE 0004508