

IN THE CIRCUIT COURT OF THE SEVENTEENTH JUDICIAL CIRCUIT
WINNEBAGO COUNTY, ILLINOIS
LAW DIVISION

PLAINTIFF'S EXHIBIT

SRS-22

RUSSELL BREMER AND
BARBARA BREMER

Plaintiffs,

METROPOLITAN LIFE
INSURANCE Co., et al.

Defendants.

Case No. 01 L 133

SEARS, ROEBUCK AND CO. RESPONSES TO INTERROGATORIES

To: Steven Penn, Stachyra & Penn, 3319 W. Belden, Suite 1, Chicago, Illinois 60647

Defendant, Sears, Roebuck and Co. (hereinafter "Sears"), through its attorneys Segal, McCambridge, Singer & Mahoney, Ltd., responds to Plaintiffs' Interrogatories as follows:

PREAMBLE AND GENERAL OBJECTIONS

Sears, Roebuck and Co. does not now mine, mill, manufacture, process or distribute wholesale and has never mined, manufactured, processed or distributed wholesale asbestos-containing products as those terms are commonly used and understood in this litigation. Sears at all relevant times is and has been a retailer of various customer products and services, and at certain times and at certain places, may have sold asbestos-containing products manufactured and/or distributed by others. As such, Sears ability to answer these interrogatories is limited by this role. Further, these interrogatories seek information that is extremely broad and burdensome given the

INTERROGATORIES

1. State whether defendant ever manufactured, mined, sold, installed, or otherwise placed asbestos or asbestos-containing products or equipment into the stream of commerce, and if so, state:

- (a) the name of the corporation or entity engaged in such activity;
- (b) the specific activity or activities involved;
- (c) the dates each entity was involved;
- (d) the relationship between defendant and each entity;
- (e) the dates your relationship with each entity ended; and,
- (f) if applicable, state the manner by which each such entity was acquired by you.

ANSWER:

Defendant objects to this Interrogatory as it is overly broad, unduly burdensome, irrelevant and not reasonably calculated to lead to the discovery of admissible evidence. However, without waiver, Defendant states as follows: As far as the products at issue in this matter (Joint Cement for Dry Wall, Ready-Mixed Joint Cement, Patching Plaster and Spackling Paste) and the time period plaintiffs alleged to have purchased these products (1964 through 1979), Defendant states that it sold such products at various times between 1964 and 1974, however, based on its investigation as of this date, has no information that these products contained asbestos. See Defendant's Response to Request for Admissions.

- (e) a complete description of any such equipment supplied to any of the job sites listed in the definitions above;
- (f) a description of the asbestos or asbestos containing products required for the equipment, including specifications, brand and trade names.

ANSWER:

Defendant objects to this interrogatory as irrelevant. The allegations against Sears in this matter do not pertain to equipment.

- 4. If defendant at any time mined, manufactured, installed and/or sold asbestos or asbestos containing products then state the following:
 - (a) the brand names of each such product and the years manufactured and sold;
 - (b) a description of the physical and chemical composition of each product including the type of asbestos contained in each such product and the percentage of each type of asbestos in each product;
 - (c) a description of the physical appearances of each such product, including its color and texture;
 - (d) the form and sizes in which the product was sold, e.g. powder, half-rounds, flats, etc; dimensions;
 - (e) the type of packages, e.g., bags, boxes, cans, in which the product was sold or distributed, a physical description thereof, and a description of any printed material,

trademark, insignia, or corporate logo that appeared thereon. Please annex hereto a photo or copy of each logo so described;

- (f) a detailed description of the intended uses of each such product; and
- (g) if any warnings or instructions concerning the possibility of injury or disease were ever affixed to or distributed with the products, then set forth the following information:
 - 1. the brand and trade name of each such product that contained a warning or instruction;
 - 2. the date a warning or instruction was first attached to or distributed with each such product;
 - 3. the method used to distribute the warning or instruction to persons likely to use the product,
 - 4. the exact wording of each warning or instruction;
 - 5. please annex hereto copies of each such warning or instruction.

ANSWER:

Defendant objects to this Interrogatory as overly broad, unduly burdensome, irrelevant and not reasonably calculated to lead to the discovery of admissible evidence. However, without waiver, Defendant states as follows:

- (a) See response to No. 1 and Response to Request For Admissions. Defendant does not have a list of all merchandise sold through its retail outlets from 1964 through 1979, however, it has searched its general catalogs for Chicago Fall/Winter and

Spring/Summer for the products at issue in this matter and has found that none of these products were sold through the catalog after 1974. For the period 1964 through 1974, Defendant attaches the catalog pages, which advertise Joint Cement for Dry Wall, Ready Mixed Joint Cement, Patching Plaster and Spackling Paste as Exhibit 1. These catalog products set forth a description of each product and its packaging, as well as identify which years each product was sold. Defendant has no information available regarding the composition of these products, other than the catalog references. Investigation continues.

(b) See response to No. 4(a).

(c) See response to No. 4(a) and Exhibit 1. Defendant is no longer in possession of these products and therefore is unable to answer more fully at this time. Investigation continues.

(d) See Exhibit 1.

(e) See Exhibit 1. Investigation continues.

(f) See Exhibit 1.

(g) Unknown at this time; investigation continues.

5. Has the defendant, ever sold, distributed, constructed, installed, repaired, or maintained either directly or indirectly, any asbestos products or any equipment to or at the work sites listed in the definitions above?

ANSWER:

11. Were any studies or tests conducted on the defendant's asbestos containing products or equipment to determine any potential health hazards involved in their use? If so:

- (a) identify each individual who conducted such studies or tests;
- (b) describe the nature, manner, method and result of each study or test
- (c) identify and affix to your answer copies of all reports of the results of such tests or studies.

ANSWER:

Sears objects to this interrogatory as overly broad, but consistent with the objections and limitations set out in the Preamble and General Objections, and based on information currently available and reviewed as of this time, and without waiver, Sears has no information that any studies or tests were conducted on any of the products at issue (Joint Cement for Drywall, Patching Plaster, and Ready Mixed Joint Cement and Spackling Paste) identified by plaintiffs in the First Amended Complaint and discovery responses. Sears is continuing its investigation.

12. Has defendant ever visited the plaintiffs work sites listed above for the purpose of promoting, selling, or discussing the use of your asbestos-containing products or equipment or for inspecting or reviewing their use? If so:

- (a) state the name, address, and title of each individual who made such a visit;
- (b) the date of each visit;
- (c) state the name of the person he or she saw or spoke to on each occasion;

STATE OF ILLINOIS


COUNTY OF COOK

§
§ SS:
§

Kenneth L. Vermilion, being duly sworn, states that he is an Assistant Secretary and an authorized agent for the purpose of executing this document on behalf of Sears, Roebuck and Co.; that while he does not have personal knowledge of all of the facts recited in the foregoing document, the statements and information made herein have been collected and made available to him by counsel and employees of Sears, Roebuck and Co.; that the information contained herein is true and correct to the best of his knowledge and belief and the document is, therefore, verified on behalf of Sears, Roebuck and Co.


Kenneth L. Vermilion

SUBSCRIBED AND SWORN TO Before me by the said Kenneth L. Vermilion on this 20th day of September, 2001, to certify which witness my hand and seal of office.


Notary Public in and for
the State of Illinois



Renew old furniture without removing original finish!



Furniture Renewing Kits . . 2 types

Easy to put on! No scrubbing, no coarse sanding, no paint removing, no wood bleaching. Plastic finish takes lots of wear, resists chipping. Both kits have the same coverage and are applied in same easy 3-step manner: (1) paint over old finish; (2) apply grain or antique effect with cloth; (3) protect surface with clear finish. Finishes will hide marks and stains. Surface is smooth to touch, hard enough so that it resists chipping, wear. Both can also be applied over metal surfaces. *Regular Kit* is sufficient to cover desk or table and 2 chairs or TV cabinet. *Jumbo Kit* covers piano or desk and chair or table and 4 chairs.

Graining Kit. Warm simulated wood finishes can be applied so realistically that they will pass for real wood grain. Two kit sizes.

Choose from these finishes: bleached mahogany, blond mahogany, fruitwood, limed oak (gray), limed oak (tan) and antique white. *State SIZE.*

30 G 3251—Regular Kit. Shipping weight 3 pounds. \$2.79
30 G 3252—Jumbo Kit. Shipping weight 5 pounds 8 ounces. \$4.49

Antiquing Kit. Tiny metal flecks in finish simulate a handsome aged appearance that is so popular in today's furnishings.

Your choice of white gold, black gold, copper tone or coin silver. *State color.*
30 G 3254—Jumbo Kit. Shipping wt. 5 lbs. \$4.49

Transparent Finish for ready-to-paint furniture, shutters

Easy to apply . . brush or spray on. Color-toned varnish gives quality look to inexpensive cabinet woods. Dries in 4 hours.
30 G 2750—Blonding white. *State SIZE.*
30 G 2751—Provincial (tan). *State SIZE.*
PINT. Shpg. wt. 1 lb. 6 oz. \$1.59
QUART. Shpg. wt. 2 lbs. 6 oz. \$1.59
16-OZ. (1 pint). Aerosol push-button spray can . . . easiest to apply. Wt. 1 lb. 8 oz. . . \$1.39

Finish Removers

Clean off paints, varnish, etc.

Water Rinse Remover. Removes all finishes from wood, plaster, metal, glass, concrete. Apply, wait a few minutes, scrape or rub off with steel wool and water, wipe with sponge. Non-flammable. Contains no wax. Qt. does 30-50 sq. ft. *State SIZE.*

30 G 2772—PINT. Shpg. wt. 1 lb. 12 oz. . . \$9c
30 G 2773—QUART. Shpg. wt. 3 lbs. . . . \$1.49
30 G 2772C—GALLON. Shpg. wt. 11 lbs. 4.59

Good quality non-flammable, scrape-off Remover. Removes all types of finish from most surfaces. Apply, let stand, then scrape surface clean. Does not contain wax . . no after wash needed. Qt. does 30-50 sq. ft.
30 G 2777—QUART. Shpg. wt. 3 lbs. 4 oz. \$9c
30 G 2779C—GALLON. Shpg. wt. 11 lbs. \$2.95

Tile and Linoleum Finish


Ends wearing problems . . hard, high-gloss sealer-finish won't absorb dirt, liquids . . won't yellow. Stays clean looking with very little care. Kit contains qt. sealer, qt. finish, does 200 sq. ft.
30 G 2740—KIT. Wt. 5 lbs. 4 oz. . . . \$1.98
30 G 2738—Finish only. Wt. 2 lbs. 14 oz. 98c

Driveway Coating

Tar emulsion . . contains no asphalt. Seals, beautifies, protects all asphalt surfaces against gasoline and oil. Fast drying. Paint traffic lines, games, etc. over it. Gallon does up to 100 sq. ft. Black. *State SIZE.*

30 G 3750C—GALLON. Wt. 11 lbs. . . . \$1.84
30 G 3750T—5-GAL. Wt. 52 lbs. . . . 8.44
50-GALLON DRUM. Freight (rail or truck) from factory in Cleveland, Ohio. 30 G 3750N—Wt. 510 lbs. . . . \$62.44
Neoprene Applicator, 48-in. handle. 30 G 3753C—Width 18 in. Wt. 3 lbs. \$1.99

Preparations for walls, windows, pipe



1 White Latex Interior Caulk. For sealing cracks around tubs, sinks, showers, etc. Use as grout for plastic or metal tile. Stays white. Won't crack, crumble. Excess wipes off with damp rag.
30 G 3214—4-oz. tube. Shpg. wt. 10 oz. . . 57c

2 Easy Glaze Putty. Tough . . elastic . . non-sticky. Sets glass firmly, fills nail holes. Qt. does 6 average sashes. *State SIZE.*
30 G 2206—1/2 P. Shpg. wt. 1 lb. 6 oz. . . 25c
30 G 2206—QUART. Shpg. wt. 4 lbs. 8 oz. 75c

3 Wall Primer and Sealer. Primes plaster, porous materials. Seals hair-line cracks on old paint (oil or latex). Dries overnight. Gallon does 300-500 sq. ft. depending upon porosity. *State SIZE.*

30 G 2652—QUART. Shpg. wt. 3 lbs. 6 oz. \$1.05
30 G 2652C—GALLON. Shpg. wt. 12 lbs. 3.49

4 Odorless Speed Prime. Dries in 2 hours. Seals and primes plaster, brick, masonry and wallboard . . does not lift fibers. Tools wash up in water. Gal. does 300-500 sq. ft. depending upon porosity. *State SIZE.*

30 G 2650—QUART. Shpg. wt. 3 lbs. 2 oz. \$1.19
30 G 2650C—GALLON. Shpg. wt. 11 lbs. 3.95

5 Inset-Tape. Stops condensation on cold water pipes. 18 ft. x 1 1/4 in. wide. Covers 15 ft. of 1/2-in. pipe.
30 G 3481—Shpg. wt. 2 pounds. . . . \$1.35

6 2-In. Perforated Paper Tape. Tan. Use with joint cement. *State SIZE.*
30 G 1173—25-Ft. ROLL. Shpg. wt. 9 oz. . 35c
30 G 1173—250-Ft. ROLL. Wt. 1 lb. 6 oz. . 79c

7 Joint Cement. Mix with water. Apply before and after tape. 5 lbs. bind 75-ft. roll of tape. Off white. *State SIZE.*
30 G 1178—5 LBS. Shpg. wt. 6 lbs. . . . 79c
30 G 1178C—15 LBS. Shpg. wt. 16 lbs. . \$1.69

8 Spackling Compound. Patches wood and plaster cracks. Add water. *State SIZE.*
30 G 2642—1 lb. Shpg. wt. 1 lb. 6 oz. . 25c
30 G 2642—5 LBS. Shpg. wt. 5 lbs. 12 oz. 65c

Spackling Paste. As above, but ready to use. Needs no primer. *State SIZE.*
30 G 2643—1/2 OZ. Shpg. wt. 10 oz. . . 27c
30 G 2643—QUART. Shipping wt. 4 lbs. . . 75c

9 Softwood. Cellulose fiber paste. Hardens like wood. Repairs cracks, holes.
30 G 2644—*State SIZE*
1 1/2-oz. Wt. 2 oz. 16c; Pt. Wt. 1 lb. 10 oz. 63c
1/2 Pt. Wt. 14 oz. 38c; Qt. Wt. 2 lbs. 12 oz. \$1.06

Electric Paint Remover for large, flat areas

Remove paint fast, easily and safely without using liquid paint removers. Heat blisters interior or exterior paint . . crisp scrapings are not messy or sticky. Two extra scrapers: one for moldings, one for irregular shapes. 110-120-volt, 60-cycle AC or DC. Complete with 6-foot cord and instructions.

30 G 2915—Shipping weight 3 pounds 12 ounces. . \$10.94

Aluminum Paints . . check rust, fight rot, reflect heat



*397 gallon

30 G 343—PINT. Shpg. wt. 1 lb. 6 oz. . . 78c
30 G 343—QUART. Shpg. wt. 2 lbs. 6 oz. \$1.24
30 G 343C—GALLON. Shpg. wt. 9 lbs. . . 3.97
30 G 343L—5-GALLON CAN. Wt. 42 lbs. 18.88



*532 gallon

30 G 291—QUART. Shipping weight 2 pounds 7 ounces. \$1.53
30 G 291C—GALLON. Shpg. wt. 9 lbs. . . 5.32

Anti-Rust Paints . . 8 brilliant colors

Goes right over rust . . no sanding necessary! Paint soaks into rust . . seals out water and air. Durable, weather-defying finish retains color brightness. Three ways to use Anti-Rust: (1) Primer only under any top coat paint, (2) use Anti-Rust Color Finishes without Primer (except on unpainted galvanized metal or aluminum), (3) for maximum protection, best appearance use both Anti-Rust Primer and Color Finish. Quart. covers up to 150 square feet. Request color card 39G6845. *State SIZE.*


PINT. Wt. 2 lbs. \$1.17; 2 PINTS. Wt. 4 lbs. . . \$1.99
QUART. Wt. 3 lbs. 9 oz. . . . 1.97; 2 QUARTS. Wt. 7 lbs. . . 3.49
GALLON. Wt. 13 lbs. 6.48; 2 GALLONS. Wt. 26 lbs. . 10.95

Color	Pint and Quart	Gallon	Color	Pint and Quart	Gallon
Red PRIMER	30G820	30G820C	Ocean green	30G831	30G831C
Oxide red . . .	30G825	30G825C	Bright red	30G833	30G833C
Emerald green	30G826	30G826C	Aluminum	30G834	30G834C
Black	30G827	30G827C	Shell white	30G837	30G837C
Nautilus gray	30G830	30G830C			



*648 gallon

EXHIBIT
Ex 3
2-14-02



Full Barrel
Caulk Guns



Cartridge
Caulk Gun

Gear-Shift Gun

Only \$1.67

[6] The only cartridge-type gun with a gear shift. Handle UP for fast caulking; DOWN for easy pull of the trigger. Rounded handle and trigger. Takes any 8 1/4-in. cartridge—see (8), (9) below, left.

30 A 3441—Gun only. Shpg. wt. 2 lbs. 6 oz. \$1.67

Gun with Our Best Caulk Cartridge. See (9).
30 A 3433—Shpg. wt. 4 lbs. 2 oz. \$2.14

See the following pages for a complete line of exterior paints for your home. You'll find paints for every make and style of home. Make Sears your headquarters for all your decorating needs.

[3] 9-inch Model. Specially serrated gear-shift rod controls caulk flow. UP for fast, firm speed on large cracks; DOWN for slow, easy speed on smaller crevices. Trigger handle set under frame... provides better balance. Twist-lock cap removes easily. Has 1/4-in. O tip (see other tips below). Bulk washer included. Converts to cartridge use.

30 A 3442—Shpg. wt. 3 lbs. \$2.84

[4] 15-inch Professional-type. As above but holds 66% more caulk. Tempered gearshift rod. Shpg. wt. 3 lbs. 12 oz.

30 A 3444..... \$4.88

Extra Gun Tips. For above (1/4-in. O) (1/4-in. O) (1/4-in. Δ) (1/4-in. O (crevice)). Shipping weight 8 ounces.

30 A 3449..... Package \$1.27

[5] 9-inch Standard Model. Thrifty homeowner's type for filling cracks and holes before painting. Very easy to load and use. Takes any 8 1/4-in. cartridge (see below).

30 A 3440—Shpg. wt. 1 lb. 12 oz. \$0.84c

[7] Bulk Caulking Compound. Use with full barrel guns or with trowel. Neutral gray color. Gal. caulks up to 200 lineal ft. *State SIZE.*

30 A 3494—QUART. Shipping weight 3 lbs. 14 oz. \$0.84c

30 A 3494C—1/2 GALLON. Has cardboard disc to fill gun by vacuum action. Shipping weight 11 pounds. \$2.17

30 A 3494C—GALLON. Shipping weight 15 pounds. \$2.88

8 1/2-inch Caulk Cartridges. Fit cartridge or full-barrel caulking guns. Caulks up to 20 lineal feet.

[8] Plain Cartridge. Our best quality neutral gray caulking compound. One reusable plastic spout included. *State quantity.*

30 A 3422—One cartridge. Shpg. wt. 1 lb. 8 oz. \$0.34c

30 A 3422—3 cartridges. Shpg. wt. 4 lbs. 8 oz. \$0.97c


30 A 3422C—12 cartridges. Shpg. wt. 16 lbs. \$3.69

[9] Cartridge with attached spout. Our best quality white caulking compound. Has stop flow feature. *State quantity.*


30 A 3415—One cartridge. Shpg. wt. 1 lb. 12 oz. \$0.47c

30 A 3415—3 cartridges. Shpg. wt. 4 lbs. 8 oz. \$1.25

30 A 3415C—12 cartridges. Shpg. wt. 17 lbs. \$4.69




Caulking
Compound



Weather Strip

Weather Strip. Handy rope form. Just pull back 1/4-inch strips in place. Resists cracking. *State SIZE.* Wts. 1 lb.; 2 lbs. 14 oz. 14 ft. coll. \$0.34c 50 ft. coll. \$0.89c



[11] Latex Interior Caulk. For small cracks around bath, shower stalls, laundry areas. As good as grout for plastic, metal or wood. Stays white. Won't crack or peel. Excess caulk wipes off with a cloth. Shipping weight 10 ounces. 14 ft. coll. \$0.57c

[12] Glass Putty. Elastic. non-sag. Sets glass firmly, fills nail holes. Quart does six average window panes. *State SIZE.*

30 A 2206—State SIZE
Shpg. wt. 1 lb. 6 oz. \$0.25c
Shpg. wt. 4 lbs. 8 oz. \$0.75c

[13] CHARTMAN Putty Knife. 1 1/2-inch wide flexible blade. Plastic handle. Shpg. wt. 5 oz. \$0.72c

Interior Wall Primer and Sealer plus Odorless Speed Prime

[14] Wall Primer and Sealer. Primes plaster, porous materials. Seals hairline cracks on old paint (oil or latex). Dries overnight. Gallon does 300-500 sq. ft., one coat. *State SIZE.*

30 A 2652—QUART. Wt. 3 lbs. 6 oz. \$0.98c

30 A 2652C—GALLON. Wt. 12 lbs. \$3.45

[15] Odorless Speed Prime. Dries in just two hours. Seals and primes plaster, brick, masonry or wallboard—does not lift fibers. Not for painted surfaces, wood or metal. Tools wash clean. Gal. does up to 300-500 sq. ft., 1 coat. *State SIZE.*

30 A 2650—QUART. Shpg. wt. 3 lbs. 2 oz. \$1.19

30 A 2650C—GALLON. Shpg. wt. 11 lbs. \$3.89

Repair those cracks and joints before you paint

To hide wall joints in plasterboard, wallboard, etc.

- (1) put cement over joint
- (2) apply tape
- (3) cover with more cement
- (4) apply paint.

[16] Joint Cement. Mix with water. 5 lbs. bind 75-ft. roll of tape. Off white.

30 A 1178C—State SIZE
5 lbs.—Shpg. wt. 6 lbs. \$0.79c
15 lbs.—Shpg. wt. 16 lbs. \$1.79

[17] 2-in. Perforated Paper Tape. Tan.

30 A 1173—State SIZE
75-FT. ROLL—Wt. 9 oz. \$0.38c
250-FT. ROLL—Wt. 1 lb. 6 oz. \$0.67c

[18] Insul-Tape stops condensation on cold water pipes. 18 ft. x 1 1/4-in. wide. Covers 15 ft. of 1/2-in. pipe.

30 A 3481—Shpg. wt. 2 lbs. \$1.35

[19] Spackling Compound. Patch cracks in plaster or wood. Add water.

30 A 2662—State SIZE
1 lb.—Shpg. wt. 1 lb. 6 oz. \$0.25c
5 lbs.—Shpg. wt. 5 lbs. 12 oz. \$0.65c

Spackling Paste. As above but ready to use. Needs no primer. *State SIZE.*

30 A 2663—1/2 OZ. Wt. 10 oz. \$0.27c
30 A 2663—QUART. Wt. 4 lbs. \$0.69c

[20] Softwood. Cellulose fiber paste. Repairs wood cracks, holes. *State SIZE.*

30 A 2664—1/2 OZ. TUBE. Wt. 2 oz. \$0.14c
30 A 2664—1/2 PINT. Wt. 14 oz. \$0.35c
30 A 2664—PINT. Wt. 1 lb. 10 oz. \$0.59c
30 A 2664—QUART. Wt. 2 lbs. 12 oz. \$0.98c

SEARS 979

EXHIBIT
5x4
2-14-02



Softens old finishes in minutes. Removes all finishes from wood, plaster, metal, glass, concrete.
For horizontal or vertical surfaces

Our Best Quality **\$1.49** Quart

Excellent even on irregular surfaces. Faster acting than good quality below. Scrape off, or scrub off with steel wool and water, then wipe with sponge. Contains no wax, no need to clean surface with solvents afterwards. Will not raise even the finest wood grain. Non-flammable. Quart does from 30 to 50 square feet.

30 H 62524—QUART, Shipping weight 3 pounds. . . . \$1.49
30 H 62525C—GALLON, Shipping weight 11 pounds. . . . 4.49

Our Good Quality **89¢** Quart

For flat, vertical or horizontal surfaces. Softens paint in minutes for easy removal with scraper. No need to clean surface with solvent after removal of paint. Non-flammable. Use indoors or out. Contains no benzol. Will not discolor finest woods if used according to directions. Quart does from 30 to 50 square feet.

30 H 62514—QUART, Shpg. wt. 3 lbs. 4 oz. . . . 87c
30 H 62515C—GALLON, Shipping weight 11 pounds. . . . \$2.95

Caulk to protect your paint job

It takes less muscle with Our Best 2-speed Gun



Our Best 9-inch Cartridge Gun. Two-speed gear shift model. Put handle up for fast caulking, down for easy-pulling slow application.

Trigger is set under barrel for best handling. Takes cartridges below.

30 H 44403—Shpg. wt. 2 lbs. 6 oz. . . . \$1.79

Good Quality 9-inch Cartridge Gun. Thrifty home-owner's type. Easy to load and use. Takes cartridges below.

30 H 44400—Shpg. wt. 1 lb. 12 oz. . . . 84c

Full-barrel Cartridge Gun

9-in. size. Takes interchangeable tips. 2-speed gear shift like (9) above, use for large cracks, slow for small cracks. Trigger set under frame for best balance. Size (1/2-in. Ø) tip. Bulk washer included. Converts to cartridge use.

30 H 44404—Shpg. wt. 3 lbs. . . . \$2.98

Set of 4 caulking gun tips for above

30 H 44420—Shpg. wt. 8 oz. . . . Set \$1.27

(12), (13) 8 1/2-in. Cartridges. Fit all 9-in. guns. Caulk to 20 linear ft. *State quantity.*

Cartridge with attached spout. Our best. White compound. Has stop-flow feature.

30 H 38030—One cartridge. Wt. 1 lb. 12 oz. . . . 54c
30 H 38030—Wt. 4 lbs. 8 oz. . . . 5 for \$1.44
30 H 38030C—Wt. 17 lbs. . . . 12 for 4.92

Meta Cartridge. Neutral gray compound. Re-usable plastic spout with each order.

30 H 38010—One cartridge. Wt. 1 lb. 8 oz. . . . 36c
30 H 38010—Wt. 4 lbs. 4 oz. . . . 3 for 97c
30 H 38010C—Wt. 16 lbs. . . . 12 for \$3.84

Bulk Caulking Compound. Use full-barrel gun or trowel. Neutral gray. Gallon caulkers up to 200 linear feet.



30 H 38054—QUART, Shpg. wt. 4 lbs. . . . 89c
30 H 38055C—GALLON, Shpg. wt. 15 lbs. . . . \$2.89

Kwik Kord Weather Strip. Caulk in rope form. Just press 14-inch strips in place with fingers. Flexible. . . . resists cracking.

30 H 38086—15-FT. PACKAGE. Wt. 1 lb. . . . Dkg. 37c
30 H 38087—50-FT. PKG. Wt. 2 lbs. 14 oz. . . . Pkg. 92c

White Latex Interior Caulk. For cracks around tubs, sinks, showers, etc. Use as grout for plastic or metal tile. Stays white. Won't crack or crumble. Excess wipes off. 4-oz. tube.

30 H 38071—Shpg. wt. 10 oz. . . . Each 57c



Paint over rust, seal out water

\$6.68 Gallon **\$1.45** 16-oz. Spray Can

Penetrates. Special pigments arrest rust action. For fences, tanks, tools, machinery, lawn furniture. Weather-defying. . . . retains its color brightness. Request Color Card 39 H-6345.

Use both primer and color for maximum protection, or use colors with-out primer (except on unpainted galvanized metal or aluminum), or use primer only under any top coat. Quart covers up to 150 square feet.

QUART, Shpg. wt. 3 lbs. 9 oz. . . . \$1.97 2 QUARTS, Shpg. wt. 7 lbs. . . . \$3.50
16-OUNCE SPRAY CAN, Shipping weight 1 pound 12 ounces. . . . \$1.45

Color	QUART	SPRAY CAN	Color	QUART	SPRAY CAN
*Red PRIMER	30 H 37004	30 H 44050	Black	30 H 37034	30 H 44070
*Emerald green	30 H 37024	30 H 44040	Nautlius gray	30 H 37044	
Bright red	30 H 37064	30 H 44080	Aluminum	30 H 42074	30 H 44090
Oxide red	30 H 37014		Shell white	30 H 37064	
Ocean green	30 H 37034		White		30 H 44010

*SAVE! Buy these two colors in full gallons:
30 H 37005C—Red PRIMER, Shipping weight 13 pounds. . . . Gallon \$6.68
30 H 37025C—Emerald Green, Shipping weight 13 pounds. . . . Gallon \$6.68



Heavy Glass Putty. Tough, elastic. Not sticky. Sets glass firmly. Fills holes. Quart does 6 sahes.

30 H 62516—QUART, Wt. 1 lb. 8 oz. . . . 25c
30 H 62516C—QUART, Wt. 4 lbs. 8 oz. . . . 75c

Wall Primer and Sealer. Primer for plaster, porous materials. Seals fine cracks on old paint (oil or water). Dries overnight. Gallon does 300 sq. ft. depending on surface.

30 H 62514—QUART, Wt. 3 lbs. 6 oz. . . . \$1.09
30 H 62515C—GALLON, Wt. 12 lbs. . . . 3.75

Overlaid Speed Prime. Dries in 2 hours. Seals and primes plaster, masonry and wallboard. . . . does 300 sq. ft. wash up in water.

30 H 62514—QUART, Wt. 3 lbs. 2 oz. . . . \$1.25
30 H 62515C—GALLON, Wt. 11 lbs. . . . 3.95

Joint Cement. Use with paper tape. Fills joints in dry-wall concrete. . . . covers 75 feet of joint.

30 H 62514—QUART, Wt. 3 lbs. . . . Can 79c
30 H 62515C—GALLON, Wt. 11 lbs. . . . \$2.95

Spackling Compound. Patches wood, plaster cracks and water.

30 H 57223—4 lbs. Wt. 6 lbs. Can 79c

Spackling Paste. As above, but ready to use. Needs no primer.

30 H 57234—QUART, Wt. 4 lbs. . . . 89c

Softwood. Cellulose fiber paste. Hardens like wood. Repairs cracks, holes. Can be sanded smooth.

16-OUNCE TUBE, Shipping wt. 2 oz. . . . 16c
30 H 57090 16c

QUART, Shipping weight 14 ounces.

30 H 57092 32c
PMT, Shipping weight 1 pound 10 ounces.

30 H 57093 39c
QUART, Shipping weight 3 lbs. 12 oz.


30 H 57094 94c

2-Inch Perforated Paper Tape. Use with joint cement.

75-FOOT ROLL, Shipping wt. 9 oz. . . . 33c
30 H 13117 33c
25-FOOT ROLL, Shipping wt. 1 lb. 6 oz. . . . 77c
30 H 13118 77c

1964 Fall Winter

Undercoats and Primers



EPOXY Concrete Patcher ... harder than concrete

So hard that the patch holds firm even if the concrete around it cracks! Achieved by chemical reaction to rock-like consistency—no shrinkage. Tremendous adhesion... will not break loose under pressure. Waterproof. Apply to damp or dry surfaces.

For areas where great strength is needed... concrete steps, garage floors, etc. Gallon spread 14 inch thick, covers about 14 sq. ft.

30 H 59284—Quart.
Wt. 4 lbs. 8 oz. \$7.29
30 H 59285C—Gallon.
Wt. 17 lbs. 7.59

1222 SEARS



Use undercoats and primers over new, bare or worn surfaces... over porous surfaces or thin paint. They improve adhesion of the top coat, improve coverage, add to durability. And they give a smoother-looking job. All are for both oil-base and latex paints.

For Exterior wood, masonry, asbestos shingles, metals

1 House Paint Undercoat for wood. It's a primer-tackler for oil-base or latex paints. Also prevents wood stain staining of latex. Resists peeling and mildew. Gallon does up to 300 square feet. Oil base. White.
30 H 21904—Qt. Wt. 3 lbs. 9 oz. \$1.49 30 H 21905C—Gal. Wt. 14 lbs. \$4.99
W30 H 21907L—5 gallon pail. Shipping weight 64 pounds. \$12.95

2 Stucco, Masonry and Asbestos Shingle Undercoat. Penetrates and seals. Especially needed for good adhesion of latex paint to powdery masonry or stucco paint, colored stucco, porous or badly weathered asbestos shingles. Gallon does up to 300 square feet. Oil base.
30 H 32905C—Gallon. Shipping weight 12 pounds. \$3.98


3 Anti-Rust Primer for interior or exterior metal. Stops rust and holds tight. Use over any clean metal, galvanized or rusted surface as a primer for any suitable top coat, including metallic paints. Dries in 24 hours. Gallon does up to 600 square feet. Oil base. Red.
30 H 37004—Qt. Wt. 3 lbs. 8 oz. \$1.97 30 H 37005C—Gal. Wt. 13 lbs. \$6.48

4 Gutter Grip Primer acts as a "super adhesive" to prevent paint peeling on galvanized steel and aluminum gutters. Dries in about 20 minutes and allows immediate painting. On new gutters, no nail for "weathering." On painted gutters, strip off old paint; use paint remover, facing page. Gutter primer about 150 linear feet. Clean holes with lacquer thinner, page 1230.
30 H 37204—Quart. Shipping weight 2 pounds 10 ounces. \$1.97

For Interior wood, plaster and masonry

5 Enamel Undercoat and Wall Primer-Sealer. For wood, painted plaster, unpainted plaster that has cured for 60 days, brick, stucco, masonry. Also for metal, but for best results use (3) above. Seals and primes. Seals hairline cracks on old paint. Dries overnight. No unpleasant odor. May be colored with oil-base tinting colors at right. Gallon does up to 450 sq. ft.
30 H 88054—Qt. Wt. 3 lbs. 10 oz. \$1.29 30 H 88055C—Gal. Wt. 13 lbs. \$3.85

6 Wellboard, Dry-wall and Wellboard Primer. Does not lift fibers, dries in 2 hours. Also for painted plaster, unpainted plaster that has cured for 20 days, brick, stucco, masonry. No painty odor. Tends wash out in water. Gallon does 300 to 500 sq. ft. Not for wood, metal or over glass finishes. Latex base.
30 H 88014—Qt. Wt. 3 lbs. 2 oz. \$1.29 30 H 88015C—Gal. Wt. 13 lbs. \$3.85



Masonry Patchers and Fillers seal cracks and pores... use before you paint

9 Latex Concrete Patcher. Economically patches and resurfaces large areas—floors, sidewalks, driveways. Commonly used for leveling floors before tiling. Patching consists of cement powder and liquid latex (to be mixed). Latex provides great flexibility under temperature extremes. Where patch comes under structural stress or settling, use epoxy patcher at left. 10-lb. package covers about 10 sq. ft. with 1/2 inch thick layer.

30 H 59265—5-lb. package. Ship. wt. 7 lbs. 6 oz. \$1.39
30 H 59267—10-lb. package. Ship. wt. 14 lbs. 6 oz. \$2.19

10 Masonry Stop-Leak. Sets up quickly in just 15 minutes, sealing even leaks where water is running through. Won't shrink or pull away from masonry... holds tight under constant vibration (it's commonly used in washing machine installations). Use on cracked masonry or to set ledges or blocks in masonry floor or walls.
30 H 59205—5-lb. package. Shipping weight 6 lbs. \$2.00

11 Block Filler. Fills large pores in unpainted concrete or cinder or slag blocks before using basement paints on page 1216. Use inside or out, above or below grade. Powder form, mix with water. 25 pounds does 150 sq. ft. on cinder blocks, 300 sq. ft. on concrete blocks. Portland cement base. White.
W30 H 56207K—25-pound bag. Shipping weight 27 lbs. Box 12.39



Joint Cement for dry-wall... Patchers for plaster and wood

Use patchers to smooth over rough spots, fill holes and cracks in interior surfaces before painting.

12 Joint Cement. Use with perforated paper tape (21) on facing paper to cement joints in dry-wall or wall-board. 5 pounds does 75 linear feet of joint.

30 H 59105—5-lb. bag. Ship. wt. 6 lbs. \$1.79
30 H 59106C—15-lb. bag. Ship. wt. 14 lbs. Box 31.59

13 Softwood. Soft as putty, handles like wood, looks like wood. Can be painted or varnished, bolts nails or screws. Can be sanded, drilled, sanded smooth.

30 H 39082—1/2 pint. Shipping weight 12 oz. \$3.79
30 H 39083—Pint. Ship. wt. 1 lb. 1 oz. \$5.99

14 Specpling Paste for plaster, wood and wellboard. Ready mixed and self-priming. Goes on like butter, dries white and hard, like plaster. Easily sanded. Fills cracks and smooths over "alligatoring".

30 H 59334—Quart. can. Ship. wt. 1 lb. Can 94c

Powder Form Specpling Compound. Mix with water. Same use as above. Before sanding over with oil-base paint, use interior primers above at left.
30 H 59325—5-pound bag. Ship. wt. 4 lbs. Box 75c

Tinting Colors

You mix exact shade you want

7 For Oil-base Balances. Can also be used as artists' colors. Table shows result of one tube added to one gallon white paint. For interior or exterior use. Finely with (9) cardstock. Write for free Color Card 27 H 6392.

1/4-oz. tube. Ship. wt. 1 oz. ... Tube 33c

Color No.	Tube pigment	Color result
30 H 89104	Lampblack	Dark gray
30 H 89114	Prussian blue	Dark blue
30 H 89124	Zinc white	Pure white
30 H 89134	Raw umber	Warm gray
30 H 89144	Neutral umber	Light brown
30 H 89154	Raw sienna	Rich cream
30 H 89164	Burnt sienna	Rich
30 H 89174	Vermilion red	Rich red
30 H 89184	Indian red	Rich pink
30 H 89194	Raw lake	Rich
30 H 89204	Prussian blue	Bright blue
30 H 89214	Ultramarine blue	Rich blue
30 H 89224	Van Dyke brown	Rich gray
30 H 89234	Chromite green	Light green
30 H 89244	Malachite green	Rich green
30 H 89254	Chromite green	Rich green
30 H 89264	Chromite green	Rich green
30 H 89274	Chromite green	Rich green
30 H 89284	Chromite green	Rich green
30 H 89294	Chromite green	Rich green

8 For Powder-form texture and rawlin paints. Just add water. Tints 75 pounds of powder.

10-oz. package. Wt. 13 oz. ... Box 49c

Color	10 ounce
Patchment brown	30 H 57612
Fruity pink	30 H 57622
Carbide blue	30 H 57632
Neon blue	30 H 57642
Sunshine yellow	30 H 57652
Must green	30 H 57662



Self-stick Vinyl Panels look like real brick

Less than **28¢** square foot,
in cartons

Just peel off paper backing and apply to clean, firm, smooth surface. Cut with scissors if needed... no special tools required to install. 3-dimensional panels of durable, semi-rigid vinyl are washable, grease and stain resistant. Non-flammable. Flexible enough to bend around corners. Pop out short bricks at end to interlock panels so you maintain even spacing between bricks for real masonry look. Each panel 12x24 in. Carton of 6 panels. Shpg. wt. 1 lb. 12 oz... Carton \$3.29

Color	Catalog No.
(1) Antique Brick	
Red.....	30 B 95566
White.....	30 B 95565
(2) Holland Brick	
White.....	30 B 95561
Red.....	30 B 95562
(3) Tennessee Stone	
Beige.....	30 B 95564
White.....	30 B 95563

NOTE: See the latest wall covering and murals in Sears Wallpaper Books at your nearest Sears Catalog Sales Office

Mosaic-look Self-adhesive Vinyl Panels


Less than **38¢** square foot,
in cartons

Glistening, durable vinyl panels have the look and feel of the real thing... yet cost much, much less. They're washable, stain-resistant and waterproof. Non-flammable.

To apply, just remove paper backing and press panels over clean, firm, smooth surface. For problem walls, first apply coat of shellac or lacquer. Cut to fit if necessary or bend to fit around corners. Won't shrink or stretch.

Carton of eight 12x12-inch panels. (1/4 sections shown.) Instructions. Shipping weight 1 lb.... Carton \$2.98


Color	Cat. No.
(4) Pebble Stones	
White, gold-color fleck.....	30 B 95614
Silver gray.....	30 B 95600
(5) Squares	
White, gold-color fleck.....	30 B 95609
Fern green.....	30 B 95608
Parchment beige.....	30 B 95612
Petal pink.....	30 B 95611
Capri blue.....	30 B 95610
(6) Variegated Squares	
Sunshine yellow.....	30 B 95607
Capri blue.....	30 B 95604
Petal pink.....	30 B 95605
White, gold-color fleck.....	30 B 95603
Parchment beige.....	30 B 95606



Self-stick heavy plastic Textured Wall Covering

Non-flammable, stain-resistant, washable and scrubable. **89¢** square foot. Just peel off paper backing and apply directly to clean wall, furniture, etc. No paste or tools needed. Won't curl up, stretch or shrink. Cut with scissors. 18 in. wide. Instr. WC-10 oz. Yard 89¢; 25 yards or more, Yard 79¢

Color	Cat. No.	Color	Cat. No.
(7) Swirls		(9) Wood grain	
Green.....	30 B 95959P	Light walnut.....	30 B 95953P
Yellow.....	30 B 95974P	Blonde wood.....	30 B 95952P
Blue.....	30 B 95961P	Walnut.....	30 B 95951P
Sand.....	30 B 95957P	(10) Grasscloth	
Dark red.....	30 B 95960P	Gold, silver.....	30 B 95980P
White.....	30 B 95958P	Blue, silver.....	30 B 95981P
(8) Irish linen		Antique white.....	30 B 95982P
Turquoise.....	30 B 95955P	(11) Travertine marble	
Yellow.....	30 B 95954P	Sand.....	30 B 95977P
Pink.....	30 B 95956P	Blue.....	30 B 95978P
		Green.....	30 B 95979P



Drop cloths, Masking Tape, Thinners, Patching Material

- 12 Plastic Drop Cloths. Rip-resistant. 30 B 44500—6x12-ft. Shpg. wt. 11 oz. Each 98¢; 3 for \$2.64
- 30 B 44501—9x12-ft. Wt. 1 lb. 6 oz. Each \$1.79; 3 for \$4.86
- Professional-type Drop Cloths. Heavy 8-oz. cotton drill. Last for years.
- 30 B 44532—6x12-ft. Wt. 3 lbs. 9 oz. \$7.69
- 30 B 44533—9x12-ft. Wt. 5 lbs. 9 oz. \$10.89
- 30 B 44534—12x20-ft. Wt. 12 lbs. \$21.98
- 13 Masking Tape.
- 30 B 13153—1 1/2 in. x 30 ft. Wt. 4 oz. Roll 39¢; 3 for \$1.08
- 30 B 13154—1 in. x 30 ft. Wt. 5 oz. Roll 67¢; 3 for \$1.83
- 30 B 13152—1 in. x 180 ft. Wt. 12 oz. Roll \$1.19; 3 for \$2.97
- 30 B 13150—2 in. x 180 ft. Wt. 1 lb. 4 oz. Roll \$2.29; 3 for \$6.18
- 14 Weather Strip Caulk Cord. 90 ft. long. 3/16 in. bead. Gray.
- 30 B 38157—Wt. 1 lb. 8 oz. Pkg. 95¢
- 15 5-qt. Plastic Pail. Steel handle.
- 30 B 44723—Wt. 2 lbs. 3 for 99¢
- 16 Turpolene. Thin oil-base paint. Cleans tools. Sent freight (rail or truck) or express. Shpg. wt. 8 lbs.
- 30 B 62065N—Gal. Ea. \$1.25; 2 for \$2.36
- Odorless Thinner for odorless oil paints.
- 30 B 62014—Qt. Wt. 2 lbs. 49¢; 2 for 88¢
- Shellac Solvent. Shpg. wt. 2 lbs.
- 30 B 62024—Qt. Wt. Each 69¢; 2 for \$1.24
- 17 "Boiled" Linseed Oil. Speeds drying.
- 30 B 62415C—Gallon. Wt. 9 lbs. \$2.98
- "Raw" Linseed Oil. Slows drying time.
- 30 B 62405C—Gallon. Wt. 9 lbs. \$2.89
- 18 Super Brush Cleaner. Wt. 3 lbs.
- 30 B 62624—Qt. Ea. \$1.39; 2 for \$2.60
- 19 Spackling Paste. Fills cracks, dents.
- 30 B 59334—Quart. Wt. 4 lbs. 95¢
- 20 Patching Plaster. 5-lb. box.
- 30 B 59305—Wt. 5 lbs. 8 oz. Box 49¢
- 21 Softwood. Fills holes and cracks. Hardens like wood. Wt. 1 lb. 8 oz.
- 30 B 39083—Pint. Each 55¢; 2 for \$1.20
- 22 Joint Cement for drywall. Use with tape below. 5 lbs. does 75 linear ft.
- 30 B 59105—5-lb. Shpg. wt. 6 lbs. Box 89¢
- 30 B 59108C—15-lb. Wt. 16 lbs. Box \$2.19
- 23 2-inch Perforated Tape for dry wall joints. 250-ft. roll.
- 30 B 13152—Shpg. wt. 3 lb. 8 oz. Roll 89¢
- 24 Latex Putty and Glazing Compound.
- 30 B 39034—Quart. Wt. 4 lbs. 49¢

Paint peeling? Use these

- 25 Aluminum Wedges. Insert under each clapboard—spaced between every stud—to release moisture. 1 1/4 in. long. Pkg. of 100.
- 30 B 44771—Shipping weight 6 oz. Pkg. \$2.79
- Wedge Insert Tool.
- 30 B 44772—Shipping weight 2 oz. 49¢
- 26 Round Aluminum Vents with screen louvers. Insert in drilled 1-in. hole between every stud and 5 in. below ceiling line. Box of 10.
- 30 B 44770—Shipping weight 2 oz. Box \$1.69


Paint and Gloss Removers

- 27 Electric Paint Peeler. Fast way for flat and irregular surfaces. 2 extra contour scrapers. 110-120-volt, 60-cycle A.C.
- 30 B 44790—Shpg. wt. 3 lbs. 4 oz. \$12.50
- 28 Paint and Varnish Liquid Remover. Non-flammable. Quart does up to 50 sq. ft.
- 30 B 62534—Quart. Shpg. wt. 3 lbs. \$1.19
- 30 B 62535C—Gallon. Shpg. wt. 11 lbs. 3.98
- 29 Liquid Sand-ban. Removes wax, cuts gloss. Wipe on, then repaint. Wt. 2 lbs. 6 oz.
- 30 B 62804—Quart. Each 75¢; 2 for \$1.40

Bathroom Caulk

- 30 Dow-Corning Silicone Rubber Bathroom Caulk. White. Stays flexible. Seals, waterproofs around tubs, sinks, showers. Sticks to porcelain, ceramic, plastic, glass, metal, wood. Cut tapered spout to adjust flow. 3-oz. tube.
- 30 B 38110—Shipping weight 5 ounces. \$1.87
- 31 White Latex Interior Caulk. Same uses as above. Can be painted over. 4-oz. tube.
- 30 B 38071—Shipping weight 5 ounces. 65¢






STRING
SUMMER
'70

Drop Cloths

- 1 2½-mil Plastic. A must for homeowners... as opening may prevent plant frost cover, many other uses. Strong, for repeated usage.
30 K 44500—6x9 feet. Shpg. wt. 11 oz. Each \$1.29; 3 for \$3.45
30 K 44501—9x12 feet. Wt. 1 lb. 6 oz. Each 2.09; 3 for 5.64
- 2 8-oz. Cotton Drill. Tear resistant, washable, extra strong.
30 K 44532—6x12 feet. Shipping weight 3 lbs. 4 oz. \$8.19
30 K 44533—9x12 feet. Shipping weight 4 lbs. 8 oz. \$11.89



Masking Tape

Each 1½-in. x 30-ft. roll **47c** 3 for **\$1.26**

- 1½-inch by 30-foot roll.
30 K 13153—Shipping wt. 4 oz. Each 47c; 3 for \$1.26
- 1-inch by 90-foot roll.
30 K 13154—Shipping weight 5 ounces. Each 77c; 3 for 2.16
- 1-inch by 180-foot roll.
30 K 13152—Shipping weight 12 ounces. Each \$1.19; 3 for 3.24
- 2-inch by 180-foot roll.
30 K 13150—Shpg. wt. 1 lb. 4 oz. Each 2.55; 3 for 6.87




Heavy Duty Paint Remover

Quickly removes all paint, varnish, enamel, lacquer, shellac and many synthetics. Non-flammable. Non-staining. Penetrates deeply to soften paint fast. Quart does up to 50 sq. ft. Remove quickly by rinsing or by scraping.
30 K 62534—Quart. Shpg. wt. 3 lbs. \$1.49
30 K 62535C—Gallon. Shpg. wt. 11 lbs. 4.98
▲Electric Paint Remover. Details on page 1229.
30 K 44791—Shpg. wt. 2 lbs. 8 oz. \$12.50



Add Paint Stripes

Give your car, trailer, water skis or whatever, some real excitement with this paint striper. Kit will do 8 different types, sizes of stripes. Includes 6 striping wheels, 4 spacers, extra capped bottle. Use with almost any heavy-bodied paint, enamel, lacquer or glue.
30 K 44780—Shpg. wt. 4 oz. Kit \$3.29



3 Topcoat. Thins oil paints. Sent freight (air or truck) or express. Gallon Shpg. wt. 8 lbs. 30 K 62065H—\$1.69; 2 for \$2.98

4 Speed Out. Gallon. Rollers speeds paint drying. 30 K 62415C—Wt. 9 lbs. \$3.69

5 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

6 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

7 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

8 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

9 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

10 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

11 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

12 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69

13 Easy. Shows paint drying time. 30 K 62405C—Wt. 9 lbs. \$3.69



Design your own patterns. Here's your chance to be creative as you watch nail holes and cracks vanish in one coat. Thick and creamy. Create patterns with brush, sponge, spatula... many textures possible using almost any tool. A gallon does up to 130 square feet.
Shipping weight 15 pounds.

Each \$3.96
2 or more gallons. Each 3.49

Color	Latex
White.....	30 K 57005C
Light lemon.....	30 K 57035C
Azure blue.....	30 K 57285C
Grape lavender lt.-726.....	30 K 57425C
Fiesta bleque lt. (rose)-646.....	30 K 57545C
Autumn wheat (beige)-567.....	30 K 57065C
Indian orange lt.-605.....	30 K 57275C
Avocado smoke lt.-916.....	30 K 57335C
Antique white.....	30 K 57445C

Order FREE Color Card 39 K 7212

Latex Sand Texture Paint

Each **487** 2 or more **439**
gallon each

Softly diffuses light to hide surface defects. Brush on in an even coat or texture lightly. Thick and creamy. Cover completely with one coat. Excellent for ceilings. Gallon does up to 100 sq. ft. Shipping weight 14 pounds.
Gallon—Each \$4.87; 2 or more, each \$4.39

Color	Gallon
White.....	30 K 58005C
Light lemon.....	30 K 58035C
Autumn wheat (beige)-567.....	30 K 58065C
Indian orange lt.-605.....	30 K 58275C
Azure blue.....	30 K 58285C
Avocado smoke lt.-916.....	30 K 58335C
Grape lavender lt.-726.....	30 K 58425C
Antique white.....	30 K 58445C
Fiesta bleque lt. (rose)-646.....	30 K 58545C

Order FREE Color Card 30 K 7212

PRICE ROLLED BACK!

\$2.98 25-lb. box

Fall Big Book was \$3.19. Powder Texture Paint. Only 2 boxes do a 10x12-ft. room. Capable of heavy texturing. 25-lb. box does up to 225 sq. ft. Off-white color.
30 K 59509C—Shipping weight 27 pounds..... Box \$2.98



Texturing Brush

4-inch texturing brush for application of all sand, texture paints. Plastic bristles. Wood handle.
30 K 12608—Shpg. wt. 8 oz. \$1.37

Bathtub Caulk

12 White Latex. For tub and tile. Dries quickly. Can paint over. 4-oz. tube. Wt. 5 oz.
30 K 38071—Tube...69c

13 Dow-Corning Silicone. Seals, water-proofs. Stays white and elastic; won't peel. 3-oz. tube. Shpg. wt. 5 oz.
30 K 38110—Tube...\$1.87

Weather Strip Caulk Cord

Press into place. 90-foot roll. Gray color.
Shpg. wt. 1 lb. 8 oz.
30 K 38157—Roll...\$1.19




Drywall Accessories

14 Ready-mixed Joint Cement for filling, tapping drywall joints. Does up to .50 linear feet. Gallon. Shpg. wt. 13 lbs.
30 K 59125C...\$2.39

15 Perforated Tape for use with joint cement. 2 in. x 250-ft. roll. Wt. 1 lb. 8 oz.
30 K 13192....97c

16 Applicator. Plated steel. Shpg. wt. 12 oz.
30 K 44778...\$1.09



SEEK 1237