ice

Monsanto

Monsanto Company
800 N. Lindbergh Boulevard
St. Louis, Missouri 63167
Phone: (314) 694-1000

April 29, 1988

Ms. Elizabeth Gormley - CMA
Ms. Toni Allen - Piper & Marbury
Mr. Steve Rosenthal - Morrison & Foerster
DR. Douglas Bannerman - NEMA
Mr. Tim Hardy - Kirkland & Ellis

Attached is the latest information from California on Proposition 65 regarding PCBs. Note specifically:

1) Attachment (2) page 2 - Dr. Book recommends PCBs as a "Possible Candidate Reproductive Toxicant" to be listed under Prop. 65.

2) Attachment (3) page 2 - A California Prop. 65 risk assessment (carcinogenic?) for PCBs is to be developed by October 1, 1988 using the existing EPA CAG document or that of California State Agencies as a basis.

It looks like the battle continues fiercely there. We need to get together to discuss what, if anything, we want to do as a group to comment on and influence the Prop. 65 SAP in these areas.

Dr. James is currently putting together a soil risk assessment document to justify EPA spill-cleanup levels for use in New Jersey. This may provide a basis for further comments in California.

I'll ask Elizabeth Gormley to contact each of you regarding a meeting to discuss this subject.

Sincerely yours,

John H. Craddock, Ph.D.
Product & Environmental Safety Director

ve
Enc.
cc: Dr. Paul R. Michael - Monsanto

bcc: Dr. Rob James - U of A
Dr. G. J. Levinskas - Monsanto

MCO 7647523

PCB-ARCH-EXT0371372