

Pacific Asbestos Corporation

COPPERPOLIS, CALIFORNIA 95228

TELEPHONE 209/785-2201

TLX 359458 CABLE ADDRESS CHRYSOTILE



Pacific Asbestos Corporation

PLAINTIFF'S EXHIBIT

KG-105

April 11, 1972

Mr. Ralph W. Grigg
Commodity Purchasing Manager
Kaiser Gypsum Company, Inc.
Kaiser Center
Oakland, California 94604

RECEIVED
APR 12 1972
KAISER CEMENT & GYPSUM
PURCHASING DEPARTMENT

Dear Mr. Grigg:

This is in response to your letter of December 27, requesting Health and Environmental information in the use of asbestos fibres. As you recall, we have discussed this verbally, and I have had the pleasure of two meetings with Mr. Sheahan at Antioch. I shall try to put down on paper the essence of the information and discussions as they may apply to your manufacturing and to the end use of your products which include asbestos. Please bear in mind that there are myriads of publications, regulations, agencies and people involved in this Health-Environmental bit, and that there is a rather high degree of conflicting facts (and fancies). Time will aid in removing some of the current emotionalism, but in the meantime our industry program should be to get our houses in order.

Now to your request (I shall refer to your item numbers):

1. There is evidence that mesotheliomas and neoplasms may be caused by asbestos dust.

The fibres we produce are 100% Chrysotile.

Ralph W. Grigg

-2-

April 11, 1972


2. a. Wet: perhaps water soluble bags
Dry: Respirators, good housekeeping, dust emission control.
 - b. Cut and fill or pulper disposal. Shroud and hood with negative pressure vacuuming.
 - c. Per Govt. regulations (Bur. or Mines or OSHA).
 - d. Unknown at present
 - e. Not possible
3. Joint Compounds Respirators where dust prevails.
Good housekeeping and monitoring.

Wall Textures: Slurry into noggle.
Ceiling Textures: Disposal into bags
 - a. Enclosed mixing
 - b. Minimize overspray, respirators, good housekeeping,
 - c. Clean up while product still wet.
4. a. Federal: Environmental Protection Agency and Occupational and Safety Health Act regulations.
 - b. Some of those are in process, but have not been made effective.

I hope this will assist you. We certainly do not have all the answers. As more information becomes available, we shall pass it on to you.

Sincerely,

PACIFIC ASBESTOS CORPORATION



Robert J. Tucker

RJT:ms

cc: Mr. J. S. Shealan
Kaiser Gypsum Company, Inc.
P.O. Box 460
Antioch, CA 94509

PACIFIC ASBESTOS CORP

RECEIVED APR 12 1972

April 11, 1972

Mr. Ralph W. Grigg
Commodity Purchasing Manager
Kaiser Gypsum Company, Inc.
Kaiser Center
Oakland, California 94604

Dear Mr. Grigg:

This is in response to your letter of December 27, requesting Health and Environmental information in the use of asbestos fibres. As you recall, we have discussed this verbally, and I have had the pleasure of two meetings with Mr. Sheahan at Antioch. I shall try to put down on paper the essence of the information and discussions as they may apply to your manufacturing and to the end use of your products which include asbestos. Please bear in mind that there are myriads of publications, regulations, agencies and people involved in this Health-Environmental bit, and that there is a rather high degree of conflicting facts (and fancies). Time will aid in removing some of the current emotionalism, but in the meantime our industry program should be to get our houses in order.

Now to your request (I shall refer to your item numbers):

1. There is evidence that mesotheliomas and neoplasms may be caused by asbestos dust.
2. The fibres we produce are 100% Chrysotile.

Ralph W. Grigg

-2-


April 11, 1972

2.
 - a. Wet: perhaps water soluble bags
Dry: Respirators, good housekeeping, dust emission control.
 - b. Cut and fill or pulper disposal. Shroud and hood with negative pressure vacuuming.
 - c. Per Govt. regulations (Bur. or Mines or OSHA).
 - d. Unknown at present
 - e. Not possible
3. Joint Compounds Respirators where dust prevails.
Good housekeeping and monitoring.
Wall Textures: Slurry into noggle.
Ceiling Textures: Disposal into bags
 - a. Enclosed mixing
 - b. Minimize overspray, respirators, good housekeeping.
 - c. Clean up while product still wet.
4.
 - a. Federal: Environmental Protection Agency and Occupational and Safety Health Act regulations.
 - b. Some of these are in process, but have not been made effective.

I hope this will assist you. We certainly do not have all the answers. As more information becomes available, we shall pass it on to you.

Sincerely,

PACIFIC ASBESTOS CORPORATION


Robert J. Tucker

RJT:ms

✓ cc: Mr. J. S. Sheahan
Kaiser Gypsum Company, Inc.
P.O. Box 460
Antioch, CA 94509