

July 2, 1974

COMPILATION OF PRE-EMPLOYMENT LIVER FUNCTION TESTS AT ALL
B.F.GOODRICH LOCATIONS FROM APPROXIMATELY MID-MARCH TO DATE

Each employee is identified by age, sex, race and the abnormal liver function test which precluded his employment.

Below is a summary of those rejected because of abnormal liver function tests:

Calvert City, Kentucky	4/23 or 17%
Long Beach, California	12/41 or 29%
Pedricktown, New Jersey	5/37 or 14%
Henry, Illinois	0/18 or 0%
Louisville, Kentucky	23/117 or 20%
Avon Lake, Ohio	34/175 or 19%



M. R. Johnson, M.D.
Director, Department of
Environmental Health

v

23519002

PRE-EMPLOYMENT BLOOD TESTS
CALVERT CITY, KENTUCKY

<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Observed Value/Normal Value</u>
27	W	M	TB 1.8/1.5 - 1.3/1.0
36	W	M	GGTP 918457/28 (Tested three times)
31	W	M	LDH 161/155
27	W	M	LDH 215/155

Normal

25	W	M	X
45	W	M	X
28	W	M	X
20	W	M	X
30	W	M	X
37	W	M	X
25	W	M	X
29	W	M	X
30	W	M	X
42	W	M	X
22	B	M	X
19	B	M	X
20	W	F	X
23	W	F	X
21	W	M	X
21	W	M	X
27	W	M	X
23	W	M	X
22	W	F	X

Total Normal 19

Total Other 4

23519003

PRE-EMPLOYMENT BLOOD TESTS
LONG BEACH, CALIFORNIA

(All Male)

<u>Age</u>	<u>Race</u>	<u>Normal</u>	<u>Observed Value/Normal Value</u>
23	W		TB 1.1/1 LDH 123/120
18	B	X	
19	W	X	
18	W	X	
23	B		GGTP 42/28
23	B		GGTP 92/28
23	Sp. Am.	X	
21	Sp. Am.	X	
18	W	X	
23	B		GGTP 33.9/28
21	W		LDH 126/120 SGOT 43/40
31	B		GGTP 65/28
19	B		TB 1.1/1
21	B		TB 1.1/1
19	B		LDH 156/155
21	W	X	
19	B	X	
18	B	X	
20	W	X	
20	W	X	
39	B	X	
35	Oriental	X	
20	B	X	
20	W	X	
24	W	X	
20	B	X	
21	W	X	
22	Sp. Am.	X	(Summer employee in Design Engineering)
24	Oriental	X	(Summer employee in Lab)
24	Oriental	X	(Summer employee in Lab)
22	W	X	
22	Sp. Am.		LDH 197/155 SGOT 87/55
22	Sp. Am.	X	
26	B	X	
23	B	X	(Retested. Initial GGTP 30 - Final 20/28)
18	B	X	
22	W		SGPT 96/53 SGOT 72/55
39	B		GGTP 35/28
27	W	X	
20	W	X	
21	Am. Indian	X	

Total Normal 29

Total Other 12

23519004

PRE-EMPLOYMENT BLOOD TESTS
PEDRICKTOWN, NEW JERSEY

(All Male)

<u>Age</u>	<u>Race</u>	<u>Normal</u>	<u>Observed Value/Normal Value</u>
21	W	X	
21	W		TB 1.6/1.5
25	W		SGPT 106/53
21	W	X	
29	W	X	
24	W	X	
23	W	X	
23	B	X	
40	W	X	
23	W	X	
20	B		SGPT 71/53
26	B	X	
24	W	X	
24	W	X	
25	W	X	
18	W	X	
21	W		SGPT 158/53
25	W	X	SGOT 91/55
28	W	X	
18	W	X	
19	W	X	
22	B	X	
20	W	X	
25	W	X	
20	W	X	
23	B	X	
21	W	X	
19	W	X	
28	W	X	
23	B	X	
27	W		SGOT 56/55
19	W	X	
21	W	X	
20	B	X	
19	B	X	
23	W	X	
27	W	X	
Total Normal		32	
Total Other			5

23519005

PRE-EMPLOYMENT BLOOD TESTS
HENRY, ILLINOIS

(All Male)

<u>Age</u>	<u>Race</u>	<u>Normal</u>
18	W	X
19	W	X
19	W	X
19	W	X
19	W	X
19	W	X
21	W	X
21	W	X
22	W	X
23	W	X
23	W	X
26	W	X
34	W	X
46	W	X
49	W	X
Total Normal		18
Total Other		0

23519006

PRE-EMPLOYMENT BLOOD TESTS
LOUISVILLE, KENTUCKY

<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Observed Value/Normal Value</u>
22	W	M	TB 2.2/1.0
18	W	M	AP 117/85 SGOT 44/40
19	W	M	AP 90/85
41	W	M	AP 90/85
18	W	M	AP 105/85 SGOT 50/40
45	B	M	LDH 250/255 GGTP 47/28
28	W	M	AP 127/85
24	W	M	TB 1.1/1.0 AP 105/85
22	W	M	TB 2.0/1.0
25	W	M	TB 1.4/1.0
25	W	M	TB 1.35/1.0
20	W	M	TB 2.1/1.0
22	W	M	TB 1.1/1.0
28	B	M	TB 1.2/1.0
32	W	M	TB 1.3/1.0 SGOT 50/40
20	W	M	GGTP 32/28
30	B	M	GGTP 29/28
20	W	M	TB 1.8/1.0
19	W	M	TB 1.2/1.0 AP 90/85
51	W	F	AP 110/85 GGTP 36/28
22	W	M	TB 1.4/1.0 SGOT 56/40 SGPT 65/25
20	B	M	TB 1.1/1.0 AP 90/85
48	W	M	SGPT 34/25

Normal

24	W	M	X
21	W	M	X
21	W	M	X
18	W	M	X
27	W	M	X
32	W	M	X
20	W	M	X
25	W	M	X
21	W	M	X
21	W	M	X
19	W	M	X
18	W	M	X
22	B	M	X
22	W	M	X
20	W	M	X
26	W	M	X
19	B	M	X
21	W	M	X
21	W	M	X
24	W	M	X

23519007

2.
PRE-EMPLOYMENT BLOOD TESTS
LOUISVILLE, KENTUCKY

<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Normal</u>	<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Normal</u>
19	W	M	X	20	B	M	X
19	B	M	X	36	W	M	X
25	W	M	X	23	W	M	X
23	W	M	X	20	W	M	X
18	W	M	X	20	W	M	X
22	W	M	X	27	W	M	X
41	W	M	X	26	W	M	X
19	W	M	X	21	W	M	X
22	W	M	X	19	W	M	X
20	W	M	X	27	B	M	X
20	W	M	X	19	W	M	X
26	W	M	X	27	W	M	X
22	W	M	X	46	W	M	X
20	W	M	X	43	W	F	X
20	W	M	X	50	W	F	X
30	W	M	X	34	W	M	X
25	W	M	X	21	W	M	X
24	W	M	X	20	W	M	X
23	B	M	X	18	W	M	X
18	W	M	X	21	W	M	X
23	W	M	X	21	W	M	X
30	W	M	X	24	W	M	X
20	B	M	X	21	W	M	X
27	W	M	X	19	W	M	X
19	W	M	X	30	W	M	X
28	W	M	X	19	W	M	X
28	W	M	X	40	W	M	X
22	W	M	X	45	W	F	X
27	W	M	X	21	W	M	X
40	W	M	X	23	W	M	X
18	W	M	X				
19	W	M	X				
20	W	M	X				
22	B	M	X				
24	W	M	X				
21	W	M	X				
29	W	M	X				
18	W	M	X				
18	W	M	X				
19	W	M	X				
21	W	M	X				
24	W	M	X				
23	B	M	X				
28	B	M	X				
Total Normal			94				
Total Other			23				

23519008

PRE-EMPLOYMENT BLOOD TESTS
AVON LAKE, OHIO - BOTH LOCATIONS

<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Observed Value/Normal Value</u>
19	B	M	SGOT 52/50 SGOT 61/50 LDH 229/200
19	B	M	(LDH 272/200 SGOT 50/50 GGTP 9.9/12.5
			(LDH 281/200 SGOT 73/50 TB 1.2/1.0
			(TB 1.5/1.5
27	W	M	LDH 226/200 SGOT 82/50 AP 93/85
25	W	M	TB 1.1/1.0
29	B	M	SGOT 55/50
21	B	M	SGOT 124/50 TB 1.2/1.0
20	W	M	SGOT 59/50
23	B	M	GGTP 35/28
27	W	M	SGPT 103/53 SGPT 73/53 SGPT 109/53
21	B	M	SGOT 61/55 SGPT 114/53 TB 1.0/1.5
23	B	M	GGTP 29/28
23	W	M	(SGPT 123/53 SGPT 131/53 GGTP 37/28
			(SGOT 64/55
25	B	M	SGPT 107/53 SGOT 77/55 SGPT 113/53
			SGOT 64/55
19	B	M	SGOT 65/55
20	B	M	TB 1.1/1.5
20	W	M	LDH 220/200 SGOT 55/50
23	W	M	SGPT 77/53 SGOT 71/55 GGTP 52/28
20	W	M	TB 2.1/2.5
23	W	M	LDH 202/155
20	B	M	SGPT 257/53 SGOT 172/55 GGTP 164/ 28
20	B	M	AP 228/148
31	W	M	SGPT 53/53 GGTP 34/28 GGTP 29/28
19	W	M	TB 1.8/1.5
23	B	M	SGPT 150/53 SGOT 109/55 GGTP 58/28
20	W	M	TB 1.6/1.5
22	B	M	SGPT 107/53 SGOT 80/55 GGTP 81/28
20	W	M	SGPT 63/40
20	W	M	SGPT 236/53 SGPT 157/53
?	B	M	SGOT 34/50 TB 1.2/1.0 SGPT 114/53
?	B	M	SGOT 52/50 SGPT 87/53
?	B	M	AP 93/85
21	B	M	LDH 292/155
24	W	M	TB 1.9/1.5
20	W	M	(SGPT 93/53 GGTP 31/28
			(SGPT 113/53 GGTP 45/28

23519009

PRE-EMPLOYMENT BLOOD TESTS
AVON LAKE, OHIO - BOTH LOCATIONS

<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Normal</u>	<u>Age</u>	<u>Race</u>	<u>Sex</u>	<u>Normal</u>
20	W	M	X	19	W	M	X
30	W	M	X	20	B	M	X
33	W	M	X	20	B	M	X
23	W	M	X	32	W	M	X
21	W	M	X	23	W	M	X
19	W	M	X	20	W	M	X
20	W	M	X	20	B	M	X
21	W	M	X	22	W	M	X
18	W	M	X	20	B	M	X
27	W	M	X	20	B	M	X
25	W	M	X	20	W	M	X
29	B	M	X	25	B	M	X
20	W	M	X	22	W	M	X
22	W	M	X	22	W	M	X
21	B	M	X	21	W	M	X
22	W	M	X	20	W	F	X
20	W	M	X	20	W	M	X
20	W	M	X	21	W	M	X
19	W	M	X	25	W	M	X
19	W	M	X	25	W	M	X
20	B	M	X	24	W	M	X
21	W	M	X	19	W	M	X
22	W	M	X	20	W	M	X
23	W	M	X	20	W	M	X
22	W	M	X	20	W	M	X
25	W	M	X	21	W	M	X
25	W	M	X	23	W	M	X
23	W	M	X	22	W	M	X
30	W	M	X	21	W	M	X
20	B	M	X	22	W	M	X
20	B	M	X	23	W	M	X
20	B	M	X	19	B	M	X
21	W	M	X	30	B	M	X
22	W	M	X	20	Sp. Am.	M	X
19	W	M	X	20	W	M	X
22	W	M	X	22	W	M	X
25	W	M	X	22	W	M	X
20	B	M	X	19	W	M	X
19	W	M	X	20	W	M	X
19	W	M	X	22	B	M	X
19	W	F	X	21	W	M	X
19	B	M	X	20	W	M	X
23	B	M	X	20	W	M	X
23	B	M	X	19	W	M	X

3.

PRE-EMPLOYMENT BLOOD TESTS
AVON LAKE, OHIO - BOTH LOCATIONS

Age	Race	Sex	Normal	Age	Race	Sex	Normal
22	W	M	X	19	B	M	X
19	W	M	X	19	Sp. Am.	M	X
23	W	M	X	19	Sp. Am.	M	X
18	B	M	X	20	B	M	X
25	W	M	X	19	Sp. Am.	M	X
21	W	M	X	20	W	F	X
23	W	M	X	18	W	F	X
19	W	M	X	23	B	M	X
21	Sp. Am.	M	X	21	Sp. Am.	M	X
25	B.	M	X	24	W	M	X
22	Sp. Am.	M	X	29	W	M	X
24	B	M	X	22	W	M	X
19	W	M	X				
19	W	M	X				
19	W	M	X				
23	W	M	X				
22	W	M	X				
20	W	M	X				
21	W	M	X				
21	W	M	X				
19	W	M	X				
20	W	M	X				
19	W	M	X				
19	W	M	X				
19	W	M	X				
28	W	M	X				
20	B	M	X				
18	W	M	X				
34	W	M	X				
26	B	M	X				
19	B	M	X				
22	B	M	X				
18	B	M	X				
20	W	M	X				
18	W	M	X				
18	W	M	X				
21	W	M	X				
21	B	M	X				
20	B	M	X				
19	Sp. Am.	X	X				
18	B.	X	X				
Total Normal			141				
Total Other			34				

23519011