MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE YT858 LOT 34875

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	18	2167	32	
	STUMP			

TOTAL NET WT. 2167 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
[illegible]	3/18	292

N 31992



N 31992.01

DUP050293047

33/1105

CG 46 CODE YT-858-D PKG. ____

→ MAF. 15 34895

EST. WGT. 2313 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-858-D (A)	EWK 09-30-76
	DCG 05-30-78
TYPED BY	
emw080878	

MAKING NOTES

REMARKS

AME: DALAMAR® YELLOW BLEEDING

-PRESSING-

INSTRUCTIONS						RECORD					
AT		105				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
ATE		3/15/80				STARTED	5:30 AM				
IME		4:45 AM				CAKES USED	60				
ELEASED BY		[illegible]				WATER ON	10 AM				
RESS	32	33	35			HRS. WASHED	700				
O. OF CAKES	60	60	60			OHMS	5000				
RESS without AGITATION						HRS. WASHED					
ASH TO 4000 OHMS with 35-75°F water						OHMS					
EST AFTER 6 HOURS						HRS. WASHED					
OAD on 10 cars						OHMS					
						CAKE CONDITION	9				
						NO. CARS LOADED					
DO NOT LOAD BOTTOM 2 ROWS OF CARS						EXPLAIN LOSSES					

AMPLES LQT

DELIVER TO

SAMPLED BY RELEASED BY

-DRYING-

Dry 36 hrs at 150°F

LUMP: - OK - WET - SALTS - CONTAMINATE

all color pulled

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 15

AMPLES

NO. CARS PULLED LUMP WGT. 2171

DELIVER TO

SAMPLED BY RELEASED BY

-GRINDING-

MILL 4 or 10 HSP 1/8" RP SCREEN 3500 RPM

SCREEN RPM

MAX. TEMP. °F

CO2 USAGE: 10-10-10 %

OXYGEN

EXPLAIN LOSSES

AMPLE WITHOUT MIXING

DATE MIXED

AMPLES 1 Env & 1 Pt Can +1 Q1

DELIVER TO C T L

SAMPLED BY 227 RELEASED BY

DUP050293048

N 31992.02

34895 #
.51 #
3.71 #
.00 T

1.71
.17 -
1.66
.17 -
1.71
.17 -
1.70
.17 -
1.70
.17 -
1.69
.17 -
1.57
.12 -
1.57
.12 -
1.60
.12 -
1.71
.17 -
1.68
.17 -
1.63
.12 -
1.64
.12 -
1.59
.17 -
.80
.12 -
21.71 T

15 dec

9 car

N 31992.03

DUP050293049