

MD-3-A

PACKAGE TICKET

CODE

BT 427-15

LOT

G 24-14

PO

NET WT/PKG

NO. PKG

PACK WT

LOCATION

17

2290

35

STUMP

TOTAL NET WT

2290

LUMP WT

2284

PKG. N-CODE

PROD. SUPV

DATE

OPERATOR

RH

7 12 82

319

N32874

DUP050464534

DATE PRINTED: 1/24/82

APPROVED BY

20-21
213

(LOT.)

NOTES:

JOB NAME: 20BT427DPJ

SAMPLED BY
RELEASED BY

DATE MIXED 7/2/82
SAMPLED BY 213
RELEASED BY

N32874.01

14
51
17

0.00 *

1.73 +
0.14 -
1.70 +
0.14 -
1.73 +
0.14 -
1.71 +
0.14 -
1.72 +
0.14 -
1.73 +
0.14 -
1.77 +
0.14 -
1.80 +
0.14 -
1.77 +
0.14 -
1.85 +
0.14 -
1.76 +
0.14 -
1.80 +
0.14 -
1.81 +
0.14 -
1.92 +
0.14 -
22.84 *

N32874.02

DUP050464536

S.V. 200,202,204,210, 213 261

D.V.

DATE PRINTED: 1/26/82

APL

CG 20 CODE BT-427-D PKG

PROCESSES APPROVED BY
() BT-427-D (J) BBK 11/20/81

JUN 25 1982

G2H14

(DATE)

(LOT NUMBER)

TYPED BY: DB

EST. WT. 2225* LBS.

STANDARD HRS.

TIME M

Not use # 8900 A lot C-519 only

EQUIP MENT	NAME: 'MONASTRAL' BLUE R	02 PAGES	USE LBS.	N-CODE	ACCT LBS
	NOTE: FOR PROCESSING N-8900-A & N-8802-A, PRESET WATER METER PER CHART FOR WATER ADDITION TO FULL TOTES. USE MODE 3 FOR FULL TOTES & MODE 2 FOR STUMPING TOTES				
SV 1	1 RUN 2-3" (+ OR - 200 G) WATER INTO V- <u>213</u>				
	2 STATION # <u>2</u> WEIGH & PUMP IN			8900-A	416
	GALS OF WATER SEQUENCER STEPS				
	LOT 6 11 16 #100% %				
	<u>C-519</u> 6 11 16 <u>416</u> <u>27.5</u>		1513	8900-A	
	TOTAL <u>416</u> #100%				
	3 STATION # <u>2</u> WEIGH & PUMP IN			8802-A	1855
	GALS OF WATER SEQUENCER STEPS				
	LOT 6 11 16 #100% %				
	<u>507</u> 6 11 16 <u>483</u> <u>19.3</u>		<u>2500</u>	8802-A	
	<u>507</u> 6 11 16 <u>559</u> <u>22.5</u>		<u>2586</u>		
	<u>507</u> 6 11 16 <u>350</u> <u>16.0</u>		<u>2165</u>		
	<u>507</u> 6 11 16 <u>769</u> <u>19.4</u>		<u>2392</u>		
	TOTAL <u>1253</u> #100%				
	4 TURN ON AGITATOR				
313 2	5 RUN IN 14" (207 G) WATER INTO V-313 & HEAT TO 80-100 DEG F				
	NOTE: VENT ON SOD.DRESINATE TANK OR VAT USED FOR THIS SOL'N SHOULD BE CHECKED FOR DRAFT PRIOR TO DUMPING THE SOD.DRESINATE				
	6 ADD IN 3-4 MIN		185	530-A	185
	7 STIR 5 MIN & RECORD: PH <u>10.2</u> (10.0-10.5)				
	8 STIR 15 MIN OR LONGER TO DISSOLVE FOR S 15				
	JUN 29 1982				
304 3	9 RUN IN 10" (122 G) WATER INTO V-304				
	10 WEIGH & DUMP IN		64	20-A	64
	11 STIR TO DISSOLVE FOR S 17				
SV 4	12 RECORD: PH <u>9.4</u> (8.0-10.0)				
	13 IF NECESSARY, ADJ TO PH 8.0-10.0 ASSUME 50%			7-D	
	& RECORD: PH			27-D	

N32874.03

DUP050464537

EQUIP MENT		PAGE 02 OF 02	CG 20	CODE BT-427-D	(J)	USE LBS	N-CODE	ACCT LBS
	14	HEAT TO 170-175 DEG F IN 20-25 MIN						
		RECORD: TIME START <u>11:42</u> TEMP <u>170</u> °F						
SV	15	RUN IN V-313 FROM S 8 THRU A 20 MESH SCREEN						
4	16	STIR 10 MIN						
CONT.	17	RUN IN V-304 FROM S 11 THRU A 20 MESH						
		SCREEN						
	18	STIR 15 MIN						
	19	FLOOD TO <u>52</u>						
	20	STOP AGITATOR						
		SV 200 202 204 210 213 261						
		S19 77" 87" 88" 74" 52" 60"						
		GAL 5205 5150 5174 5143 5153 5220						
		START <u>7:00 PM</u> FIN <u>2:18 PM</u> OPTR <u>101</u>						
		=====						
		=====						
		=====						