GLAND PACKING
TWISTED ASBESTOS-VALVE STEM

MATERIAL DESIGNATION 5005

PLAINTIFF'S EXHIBIT
GOU-5

GRAPHITED ASBESTOS GLAND PACKING

TWISTED WHITE COMMERCIAL GRADE ASBESTOS YARN, LUBRICATED WITH A LIGHT PETROLEUM BASE OIL. ROUND CROSS SECTION. GRAPHITED THROUGHOUT. TEMPERATURES UP TO 500°F.

SIZES - INCHES:	3/16	1/4
ITEM NO.:	0018	0025

PURCHASING DATA:

AVAILABLE IN SMALL QUANTITIES SUCH AS 1/4 LB. SPOOLS.

USES:

THIS IS A GENERAL SERVICE TYPE OF PACKING FOR HOT AND COLD WATER AND LOW PRESSURE STEAM. USED FOR GLAND PACKING WITH QUENCH TYPE GLANDS.

APPROVED VENDORS:

JOHNS-MANVILLE	J-M STYLE 193-VG6
GARLOCK, INC.	STYLE NO. 117-T
CRANE PACKING CO.	STYLE #814

OBSOLETE
REPLACED BY
DWG. 5026

GOULDS PUMPS INC.

SENECA FALLS, NEW YORK, U. S. A.

SECT. 2

ALPHA INDEX OR ITEM: PACKING-GLAND

MATERIALS SPECIFICATIONS SHEET

MATERIAL CLASS: 6005

STOCK SHEET NO.:

PALMETTO

DESCRIPTION:

TWISTED FROM HIGH QUALITY LONG FIBRE ASBESTOS.
LUBRICATED WITH A SPECIAL COMPOUND FORCED INTO EACH
SINGLE STRAND. AN EXPENSIVE PACKING.
STOCKED IN 1/4" SIZE ONLY.

DATE	REVISED					BG / AGO	PAGE NO.
BY: ANC	DER						1

DATE [illegible]	STANDARDS	ALPH. INDEX PACKING - GLAND
WRITTEN BY [illegible]	GOULDS PUMPS, INC.	DWG. NO.
REVISED DATE 10-22-62 [illegible]	SENECA FALLS, N.Y.	MATERIAL - CLASS [illegible]
REVISED DATE		OLD DESIGNATION [illegible]

PALMETTO

DESCRIPTION:

TWISTED FROM HIGH QUALITY LONG FIBRE ASBESTOS. LUBRICATED WITH A SPECIAL COMPOUND FORCED INTO EACH SINGLE STRAND. AN EXPENSIVE PACKING.

USE:

ORIGINALLY STOCKED FOR USE ON HYDROIL, NOW USED ON FIG. 1845 MANUAL CONTROL VALVE.
FIG. 3450, 14"

PURCHASING DATA:

STOCKED IN 1/4" SIZE ONLY AND PURCHASED IN #1 SPOOLS.
VENDOR: GREENE, TWEED AND COMPANY.
1/4" & 3/16" STOCKED
(BELT ROPE SUPPLY., NO. WALES, PA.)

OBSOLETE