

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE 157 788 LOT 35927

NET WT/PKG	NO. PKG	PACK WGT	LOCATION	PQ
<u>1,610</u>	<u>1</u>	<u>T-</u>	<u>280</u>	
<u>1,610</u>	<u>1</u>	<u>T-</u>	<u>32</u>	
<u>1,620</u>	<u>1</u>	<u>T-</u>	<u>330</u>	
<u>1,890</u>	<u>1</u>	<u>T-</u>	<u>259</u>	

STUMP 6,457TOTAL NET WT. 6,730 PKG. N-CODE

PROD. SPVR.

DATE

WHSE. OPER.

JT615100

N32278

MAY 27 1980

CO 03 CODE KY-788-D PKG. _____
 → MAY 28 35927
 EST. WGT. 1648 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

95
262

PROCESSES KY-788-D (I)	APPROVED BY EWK 10/19/77
	DCG 10/25/77
	MTW 10/26/77
TYPED BY jlc 11/1/77	
MAKING NOTES	

REMARKS

TOTAL WGT 6248# (REQ _____)

NAME: KROLOR® YELLOW-LIGHT

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

VAT	DATE	TIME	BY	AGITATION	OHMS	HOURS	PRESSLOAD	1ST	2ND	3RD	4TH	5TH
	5-29-80	6:55A	95		35-75°F		STARTED	2:50AM				
			96				CAKES USED	22				
			95				WATER ON	2:50AM				
			72				HRS. WASHED	13				
			72				OHMS	2800				
							HRS. WASHED					
							OHMS					
							HRS. WASHED					
							OHMS					
							CAKE CONDITION					
							NO. CARS LOADED	11				
							EXPLAIN LOSSES					

1 - 8 oz jar
 DELIVER TO CIL for Color

SAMPLED BY 477 RELEASED BY

-DRYING-

DRY 12 HOURS AT 220°F
 THEN DRY 4 HOURS AT 160°F

LUMP: - OK - WET - SALTS - CONTAMINAT

ADDITIONAL DRYING HOURS REQUIRED

NO. CARS FILLED
 SAMPLED BY

NO. DRUMS: 27
 LUMP WGT. 6457
 RELEASED BY DCL

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM
 MAX. TEMP. 150°F

SCREEN RPM
 MAX. TEMP. °F

EXPLAIN LOSSES High yield due to adding
 Stump base at 7:00 to 6:00
 6-5-80

SAMPLE AFTER / WITHOUT MIXING
 SAMPLES 1 env + 1 pint can
 DELIVER TO CIL

DATE MIXED
 SAMPLED BY RELEASED BY

N32278.01

DUP050457383

35927
41
56

41.36 +

0.00 *

2.59 +

2.73 +

0.12 -

0.12 -/

2.62 +

0.12 -

2.58 +

0.12 -/

2.54 +

2.59 +

0.12 -/

0.12 -

2.78 +

2.51 +

0.12 -

2.70 +

0.12 -/

0.12 -

2.56 +

2.70 +

0.12 -

0.12 -/

2.62 +

0.12 -/

2.65 +

2.67 +

0.12 -

0.12 -/

2.54 +

2.71 +

0.12 -/

0.12 -

2.71 +

2.51 +

0.12 -/

0.12 -

2.58 +

0.76 +

2.64 +

0.12 +

64.57 *

0.12 -/

2.54 +

0.12 -/

2.47 +

0.12 -/

2.60 +

0.12 -/

2.56 +

0.12 -/

2.48 +

0.12 -/

1.86 +

0.12 -/

41.36 *

N32278.02

DUP050457384