

PLAINTIFF'S EXHIBIT

GP-839


1976

GypsoSurr Board



SGP 0002606

DT	Document Index	2
MR	Manufacturer Testing Facilities	4
UA	Uses, Applications, Limitations	4
PP	Product Presentation	5
OP	Overall Production Place ..	6-27
AI	Construction, Assembly, Installation	14-27
MF	Materials, Finishes	28-34
CS	Coatings, Surfaces	28-34
TC	Technical Support	35
CC	Code Acceptability, Certification	35



SGP 0002607





TESTING AND RESEARCH FACILITIES



Georgia-Pacific's Gypsum Product Development and Technical Service laboratory is located at Tigard, Oregon. This is where new products such as Predec® gypsum paneling, tile backer board, sound deadening board, Sentinel™ board, Denscote®, Denscal® and Densite® plasters, and Firestop® gypsum board had their beginnings. The G-P family of joint system products, the G-P sound control systems and the G-P fire rated systems, including the shaft wall systems, were also developed here. The increase in multi-family living has made fire safety and sound privacy of utmost importance.

The technical personnel at the Gypsum Lab also deal with quality and production problems. The effort to offer reliable products at the lowest possible cost is a never-ending task. Georgia-Pacific must be technically competent in these continually changing times in order to be able to furnish the products required by the construction industry.





GEORGIA-PACIFIC THE COMPANY

Georgia-Pacific began its history distributing lumber domestically and abroad from the South, then entered the fields of plywood manufacture and timber ownership and management. It believed in integrated manufacturing and each phase of using a tree's residue produced something new . . . lumber hardboard, particleboard, pulp, paper (fine papers, working papers, containers, tissues, food board, etc.), chemicals from paper residues, chemicals to help make wood products, chemicals for broad market sales, new kinds of plywood, recycling of wood and chemical materials, development of new and better trees, better timber management methods. Other resources include . . . gypsum (gypsum products), natural gas, metallurgical and other coal, oil, silica, ceramic clays and many other minerals. G-P is also a nationwide distribution system in every major market in the United States and Canada, and a transportation company with fleets of trucks and railcars to ensure good service with good products. Georgia-Pacific owns timber throughout the U.S. and in Brazil and Canada; timber rights in Indonesia and the Republic of the Philippines. It also manufactures wood products in Brazil, the Philippines and Indonesia, selling to both Asia and America. G-P is a highly decentralized company with over 34,000 employees working in 47 states, the District of Columbia and several foreign countries. Georgia-Pacific . . . The Growth Company.



SYSTEM INSTALLATION DETAILS

5/8" FIRESTOP® GYPSUM BOARD 1 LAYER BOTH SIDES (BASIC 1 HR. FIRE RATED WALL)

#086


STC/34

SOUND TEST OR-64-8

FIRE RATING/1 HR. COMBUSTIBLE
FIRE TEST U.L. U305 (U.L. 5)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 5/8" Gypsum board Firestop®
4. 5d Common Nails—7" spacing



5/8" FIRESTOP® GYPSUM BOARD 2 LAYER 2 SIDES

#098



STC/41

SOUND TEST OR-64-12

FIRE RATING/2 HR. COMBUSTIBLE
FIRE TEST T-194

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 5/8" Firestop Type X Gypsum board
4. 6d and 8d Nails



1/2" FIRESTOP® GYPSUM BOARD LAMINATED TO 1/4" GYPSUM SOUND DEADENING BOARD

#100


STC/45

SOUND TEST G&H BW 27FT

FIRE RATING/1 HR. COMBUSTIBLE
FIRE TEST U.L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 1/2" Firestop Type XXX Gypsum board or Firestop® Eternawall™
5. 5d cc Nails
6. 4d Finish
7. G-P Joint Compound





5/8" FIRESTOP® GYPSUM BOARD LAMINATED TO 1/4" GYPSUM SOUND DEADENING BOARD

#102

STC/47


SOUND TEST G&H BW 28FT

FIRE RATING/1 HR. COMBUSTIBLE

FIRE TEST U.L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 5/8" Firestop Type X Gypsum board or Firestop Eternawall™
5. Joint Compound
6. 4d Finishing Nails
7. 5d Nails



5/8" FIRESTOP® GYPSUM BOARD TYPE X, 1 LAYER LAMINATED TO 1/4" S.D.B., 2 SIDES WITH 1 1/2" INSULATION

#106

STC/50


SOUND TEST G&H BW 35FT

FIRE RATING/1 HR. COMBUSTIBLE

FIRE TEST U.L. U312 (U.L. 30)

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 1/4" Gypsum Sound Deadening Board
4. 5/8" Firestop Type X Gypsum board or Firestop Eternawall™ Gypsum board
5. Joint Compound
6. 4d Finishing Nails
7. 5d Nails
8. 2" Insulation Batts



1/2" FIRESTOP® GYPSUM BOARD LAMINATED TO 1/4" GYPSUM SOUND DEADENING BOARD

#105


STC/47 STC/52 WITH INSULATION

SOUND TEST G&H BW 29ST/G&H BW 30ST

FIRE RATING/1 HR. COMBUSTIBLE/EST.

Materials Used

1. 2" x 4" Wood Studs staggered 8" o.c. on opposite sides of 2" x 6" Wood Plate
2. 2" x 6" Wood Plate
3. 1/4" G-P Gypsum Sound Deadening Board
4. 1/2" Firestop Type XXX or Firestop Eternawall™ Gypsum board
5. G-P Joint Compound
6. 4d Finishing Nails and 4d Common Nails
7. 5d Common Nails
8. 2" Insulation Batts (on BW-30ST for STC/52)



1/2" FIRESTOP® GYPSUM BOARD LAMINATED TO 1/4" GYPSUM SOUND DEADENING BOARD

#109


STC/50 STC/55 WITH INSULATION

SOUND TEST G&H BW 31ST/G&H BW 32ST

FIRE RATING/1 HR. COMBUSTIBLE/EST.

Materials Used

1. 2" x 4" Wood Studs (double row) 16" o.c.
2. 2" x 4" Wood Plates—1" apart
3. 1/4" G-P Gypsum Sound Deadening Board
4. 1/2" Firestop Type XXX or Firestop Eternawall™ Gypsum board
5. 4d Finishing Nails, 4d Nails
6. 5d Nails
7. G-P Joint Compound
8. 2" Insulation Batts (on BW 32ST with insulation for STC/55)





5/8" FIRESTOP® GYPSUM BOARD OVER FIBER SOUND DEADENING BOARD 2 SIDES

#118

STC/46


SOUND TEST OR-64-73

FIRE RATING/1 HR. COMBUSTIBLE

FIRE TEST T-3006

Materials Used

1. 2" x 4" Wood Studs 16" o.c.
2. 2" x 4" Wood Plates
3. 2" x 4" Wood Fire Blocks
4. 1/2" Fiber Sound Deadenng Board
5. 5/8" Firestop Type X Gypsum board
6. 5d Cement Coated Nails and 8d Box Nails
7. Laminating or Joint Compound



1/2" FIRESTOP® GYPSUM BOARD 1 LAYER EACH SIDE OVER T. & G. COREBOARD

#230

STC/36


SOUND TEST G.A.

FIRE RATING/2 HR. NON-COMBUSTIBLE

FIRE TEST G.A.

Materials Used

1. 1" T. & G. Coreboard, "V" edge
2. 1/2" Firestop Gypsum board
3. Metal Track
4. Laminating Adhesive



1/2" FIRESTOP® GYPSUM BOARD 2 LAYERS ON FACE, 1 LAYER INSIDE, BOTH SIDES

#175


STC/57 STC/59 WITH INSULATION
SOUND TEST R.A.L.

FIRE RATING/2 HR. COMBUSTIBLE

FIRE TEST FM WP-297

Materials Used

1. 2" x 4" Wood Studs 24" o.c.
2. Fireblocks—2" x 4" x 22 1/2"
3. 1/2" Firestop Type X Gypsum board
4. 8d Coated Box Nails
5. 6d Coated Box Nails
6. 6d Nails
7. 12d Common Nails



1/2" GYPSUM BOARD OVER COREBOARD

#200

STC/47


SOUND TEST OR-64-39

FIRE RATING/2 HR. NON-COMBUSTIBLE

FIRE TEST T-2575

Materials Used

1. 3" x 1 1/4" Wood Perimeter Framing
2. 1" x 24" Tongue & Groove Coreboard
3. 1/2" Gypsum board
4. Laminating Compound
5. 8d Nails



½" GYPSUM BOARD OVER CORE-BOARD WITH INSULATION IN CAVITY

#202


STC/57

SOUND TEST OR-64-59

FIRE RATING/3 HR. NON-COMBUSTIBLE/EST.

Materials Used

1. 1" x 1½" Wood Strips
2. 1" x 24" Tongue & Groove Coreboard
3. ½" Gypsum board
4. 2" Insulation
5. Laminating or Joint Compound
6. 5d and 8d Nails



¾" FIRESTOP® GYPSUM BOARD 1 LAYER EACH SIDE

#300


STC/35

SOUND TEST OR-64-81

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST T-2316**

Materials Used

1. 1½" Steel Studs, 24" o.c.
2. 1½" Floor and Ceiling Track
3. ¾" Firestop Type X Gypsum board
4. 1" Type S Gypsum board Screws



½" FIRESTOP® GYPSUM BOARD 1 LAYER EACH SIDE WITH INSULATION IN CAVITY

#328


STC/41

SOUND TEST OR-66-5

FIRE RATING/1 HR. NON-COMBUSTIBLE

Materials Used

1. 2½" Metal Stud 24" o.c.
2. 2½" Metal Track Top and Bottom
3. ½" Firestop Gypsum board
4. 2½" Insulation
5. 1" Gypsum board Screws



¾" FIRESTOP® GYPSUM BOARD 1 LAYER EACH SIDE WITH INSULATION IN CAVITY

#302


STC/44

SOUND TEST OR-64-81

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST T-2316**

Materials Used

1. 1½" Steel Studs, 24" o.c.
2. 1½" Floor and Ceiling Track
3. ¾" Firestop Type X Gypsum board
4. 1½" Insulation
5. 1" Type S Gypsum board Screws



**1/2" FIRESTOP® GYPSUM BOARD,
LAYERS 2 SIDES WITH INSULATION
IN CAVITY**

#310

STC/48

SOUND TEST BW 12FT


FIRE RATING/2 HR. NON-COMBUSTIBLE

FIRE TEST T-3218

(fiberglass insulation not required for fire rating)

Materials Used

1. 2 1/2" G-P Steel Studs, 24" o.c.
2. 2 1/2" Floor and Ceiling Tracks
3. 1/2" Firestop® Type XXX Gypsum board
4. 2" Insulation
5. Laminating or Joint Compound
6. 1" and 1 3/4" Type S Gypsum board Screws



**5/8" FIRESTOP® GYPSUM BOARD,
2 LAYERS 2 SIDES**


#314

STC/46 EST.

**FIRERATING/2HR. NON-COMBUSTIBLE/EST.
FIRE TEST T-2557**

Materials Used

1. 2 1/2" G-P Steel Studs, 24" o.c.
2. 2 1/2" Floor and Ceiling Track
3. 5/8" Firestop® Gypsum board, 2 layers each side
4. 1" & 1 3/4" Type S Screws



**5/8" FIRESTOP® GYPSUM BOARD,
1 LAYER 1 SIDE, 2 LAYERS OTHER SIDE**

#312


STC/43

SOUND TEST OR-63-2

**FIRE RATING/1 1/2 HR. NON-COMBUSTIBLE/
EST.**

Materials Used

1. 2 1/2" G-P Steel Studs, 24" o.c.
2. 2 1/2" Floor and Ceiling Track
3. 5/8" Firestop® Type X Gypsum board
4. 1" and 1 3/4" Type S Gypsum board Screws



**1/2" FIRESTOP® GYPSUM BOARD,
1 LAYER 1 SIDE, 1/2" G-P REGULAR,
2 LAYERS OTHER SIDE**


#316

STC/48 EST.

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST T-4848**

Materials Used

1. 3 5/8" Steel Studs, 24" o.c.
2. 3 5/8" Track
3. 1/2" Firestop® Type XXX Gypsum board
4. 1/2" Regular Gypsum board, 2 layers
5. 1 1/2" Insulation (not required for fire rating)
6. 1" and 1 3/4" Type S Screws



**5/8" FIRESTOP® GYPSUM BOARD,
2 LAYERS 2 SIDES WITH INSULATION
IN CAVITY**


#324

**STC/52
SOUND TEST OR-64-50**

**FIRE RATING/2 HR. NON-COMBUSTIBLE
FIRE TEST T-2557**

Materials Used

1. 3 5/8" Steel Studs, 24" o.c.
2. 3 5/8" Floor and Ceiling Track
3. 5/8" Firestop® Type X Gypsum board
4. 2" Insulation
5. Laminating or Joint Compound
6. 1" and 1 5/8" Type S Gypsum board Screws




**1/2" FIRESTOP® GYPSUM BOARD,
OVER 1/4" GYPSUM SOUND
DEADENING BOARD**

#326

**STC/47 STC/52 WITH INSULATION*
SOUND TESTS: BW-33ST/BW 34ST
FIRE RATING/1 HR. NON-COMBUSTIBLE**

Materials Used

1. 1 5/8" Steel Studs, 24" o.c.
2. 1 5/8" Floor and Ceiling Track
3. 1/4" G-P 1/4" Gypsum Sound Deadening Board
4. 1/2" Firestop® Type XXX Gypsum board or Firestop® Eternawall™ Gypsum board
5. 1 3/4" Type S Gypsum board Screws
6. 1 1/4" Type S Gypsum board Screws
7. 1/2" x 6" x 12" Gypsum board Spacers
8. 2" Insulation Batts (on BW-34ST for 52 STC)



**1/2" FIRESTOP® GYPSUM BOARD,
OVER 1/4" GYPSUM SOUND
DEADENING BOARD**


#415

**STC/41; IIC 75 (WITH CARPET & PAD)
SOUND TEST G&H BW 2-MT**

**FIRE RATING/1 HR. NON-COMBUSTIBLE
EST. BASED ON L 503 (U.L. 46)**

Materials Used

1. 2" x 10" Wood Joists
2. Carpet and Pad
3. 1/2" Particleboard Underlayment
4. 5/8" CD Grade Plywood Subfloor
5. 1/4" G-P Gypsum Sound Deadening Board
6. 1/2" Firestop® Type XXX Gypsum board
7. 4d Ring Shank Nails; 6d Common Nails; 8d Common Nails



**1/2" FIRESTOP® GYPSUM BOARD
ON RESILIENT METAL FURRING
(FLOOR/CEILING)**


#402

**STC/47
SOUND TEST TL 65-155**

**FIRE RATING/1 HR. NON-COMBUSTIBLE
FIRE TEST L502 (U.L. 33)**

Materials Used

1. 2" x 10" Wood Joists
2. Rosin Building Paper
3. 1" x 6" Tongue and Groove Subflooring
4. 1" x 4" Tongue and Groove Finished Flooring
5. Donn DG-6 Resilient Channels
6. 1/2" Firestop® Type XXX Gypsum board
7. 1" Type S Gypsum board Screws and 8d Nails



JOINT SYSTEM PRODUCTS

G-P Joint System products are designed to conceal joints and nail heads and "surface-weld" gypsum-board panels together. Properly used, these products assure smooth, seamless appearance of walls and ceilings, with joints stronger than the gypsum-board itself.

Check with your nearest G-P Distribution Center.

G-P BEDDING COMPOUND

Bedding Compound is designed to provide maximum adhesion of tape to the joints and for initial application to nail heads and corner bead. It spreads smoothly and may be hand or machine applied.

Coverage: 15 to 20 lbs. per 1,000 sq. ft. (Used in conjunction with 40 to 45 lbs. of Topping Compound.) **25 lb. bags.**

G-P TOPPING COMPOUND

G-P Topping Compound is specifically designed for the second and third coats over the bedding compound. Since it is used only for topping, the amount of adhesive can be reduced and other materials incorporated which reduce the shrinkage and make it easier to sand and work. Coverage is approximately 40 to 45 lbs. per 1,000 square feet. (Used in conjunction with 15-20 lbs. of G-P Bedding.)

Available in 25 lb. bags.

TRIPLE DUTY JOINT COMPOUND

Triple Duty Gypsum board Joint Compound is a vinyl multipurpose joint system product. A single bag offers taping, topping and texturing. It can be used for all coats in the reinforcing and concealing of joints in gypsumboard construction. The binder, a vinyl, gives this product a wet life of 30 to 60 days duration. This allows premixing in large quantities prior to application. Triple Duty can be applied using standard hand or mechanical tools. There is low shrinkage and it is easily sanded. When the application is completed, the surface is ready for priming and decoration as desired with no further preparation necessary. **Coverage:** 60 lbs. per 1,000 sq. ft. **25 and 50 lb. bags.** Can be used as a Texture. **Coverage:** 12-50 lbs. per 1,000 sq. ft.

G-P READY MIX JOINT COMPOUND

Ready Mix Joint Compound is an easy-working material for embedding the joint reinforcing tape and the filling and finishing of joints in gypsum board construction. Furnished in cans and cartons ready to use, this stable, all-purpose compound is also excellent for use in covering nail heads and forming interior and exterior angles. Ready Mix Joint Compound assures a standard mixture for uniform workability throughout the job. It has a long wet life and will not spoil even when the container is left open. Ready Mix Joint Compound produces an excellent surface for any type of decoration. Ready Mix Topping Compound also available. For best results the surface should be primed before being decorated. **Coverage:** 5 gal. per 1,000 sq. ft. **Package—1 and 5 gal. cans, 4 gal. cartons.**

G-P ALL PURPOSE JOINT COMPOUND

G-P All Purpose Joint Compound is used for bedding tape, topping, corner bead, nail spotting and texturing. When taping be sure the compound under the tape, and the first coat over the tape is thoroughly dry before applying the next coat over the joints. When used for texturing, for best results, apply a

vinyl primer to the entire area before texturing. The texture may be applied with a roller, sponge, brush or can be sprayed, depending on the type of configuration desired. **Coverage:** 60 lbs. per 1,000 sq. ft. **25 lb. bag and packaged 18 lbs. of compound plus 250' roll of tape.**

● color coded packaging

VINYL
YELLOW

For ease of reference and to make certain that the right product is always used for the right job, Georgia-Pacific has color coded all its Joint System Products by their base properties. All Casein based products are packaged in natural kraft bags. Vinyl based products are available in yellow bags. The texturing products and the consumer line are all in white bags. A further differentiation is made with the lettering color, as the chart below indicates:

Note: Check with the G-P gypsum sales manager regarding the products available in your area.

ready mix

coverage: Approximately 5 gallons per 800 sq. ft. of gypsum-board.



SGP 0002618

DISTRIBUTION CENTERS United States

ALABAMA

Birmingham
3400 Bell St.
(205) 841-0415
Huntsville
570 Highway 20 East
Madison, Alabama
(205) 772-9681

Mobile

3451 Georgia-Pacific Ave.
(205) 479-0604
Montgomery
4542 Baldwin Ave.
(205) 288-7280

ALASKA

Fairbanks
2720 India St.
(907) 452-2183

ARIZONA

Phoenix
4801 West Colter St.
(602) 939-4113
Tucson
450 E. Irvington Rd.
(602) 889-9701

ARKANSAS

Ft. Smith
6901 Jenny Lind Road
(501) 644-4381
Little Rock
3101 Dugan St.
(501) 374-0212
Texarkana
3500 Tennessee Road
(501) 773-4818

CALIFORNIA

Anaheim
1700 Lewis St.
(714) 634-4841
Fresno
5286 East Home Ave.
(209) 251-4871
Los Angeles
14750 Nelson Ave.
City of Industry
(213) 988-5551
Oakland
2300 Polvorosa Ave.
San Leandro
(415) 352-5100
Riverside
1450 Citrus Ave.
(714) 684-5353

Sacramento

2951 Orange Grove Ave.
North Highlands
(916) 481-4444
Salinas
1031 Industrial Ave.
(408) 758-0913
San Diego
901 West 24th St.
National City
(714) 262-9855
San Fernando
7891 Deering Ave.
Canoga Park
(213) 987-3211
San Jose
660 East Gish Rd.
(408) 297-7800
Santa Rosa
3417 Standish Road
(707) 544-3040

COLORADO

Denver
3900 Livalde St.
(303) 371-1500

CONNECTICUT

Hartford
776 North Main St.
Manchester, Conn.
(203) 646-8700
Wallingford
805 North Colony St.
(203) 288-8723

DELAWARE

Wilmington
Rittenhouse Ind. Pk.
Terminal Ave. & Christians
(302) 656-8203

FLORIDA

Ft. Myers
3587 Work Drive
(813) 332-3857
Jacksonville
1333 Haines St.
(904) 356-8711
Miami
3201 N.W. 110th St.
(305) 688-6603
Orlando
2721 Regent Ave.
(305) 293-5781
Pensacola
4601 McCoy Dr.
(904) 434-5501
Tallahassee
888 Mabry St.
(904) 578-2148

TAMPA

3701 East Columbus Dr.
(813) 621-1351
West Palm Beach
900 West 5th
Riverside Beach
(305) 844-6371

GEORGIA

Atlanta
1013 North St.
(404) 449-7400
Norcross, Ga.
(404) 449-7400
Augusta
553 Gordon Highway
(404) 724-0578
Columbus
401 Blanchard Dr.
(404) 327-6521
Macon
7591 N.E. Ind. Blvd.
(912) 781-9700
Savannah
Telfair Rd.
and SCL Drive
(912) 233-0071

IDaho

Boise
1675 Commercial Ave.
(208) 345-6441

IOWA

Des Moines
5631 Northeast 17th St
(515) 265-5251

ILLINOIS

Chicago
10453 Waveland Ave.
Franklin Park
(312) 678-2990
Harvey
(312) 928-3338
Bloomington
422 White Oak Rd.
Normal, Illinois
(309) 452-9422
Quad Cities
300 East Fourth Ave.
Milan, Ill.
(309) 787-8121

INDIANA

Elkhart
225 Collins Rd.
(219) 294-5481
Evansville
520 North Congress Ave.
(812) 477-6123
Fort Wayne
8620 Bluffton Road
(219) 747-1691
Indianapolis
1477 South Franklin Road
(317) 357-8754

KANSAS

Wichita
401 West 47th St. South
(316) 522-4831

KENTUCKY

Louisville
2715 Grassland Drive
(502) 491-5440

LOUISIANA

Baton Rouge
1011 Leesville St.
(504) 343-7481
Lafayette
611 S.W. Evangeline
Thruway
(318) 232-2551
New Orleans
7500 Almonaster Ave.
(504) 241-2380
Shreveport
2801 Valley View Dr.
(318) 686-8771

MAINE

Bangor
Bennett St. & Hildreth
(207) 947-0142
Portland
508 Warren Ave.
(207) 797-8584

MARYLAND

Baltimore
6813 Quad Ave.
(301) 285-4700
Salisbury
Armstrong Parkway &
Marvel Rd.
(301) 546-2161

MASSACHUSETTS

Boston
250 Ballardvale St.
Wilmington
(617) 444-8300

Springfield

121 Memorial Drive
Memorial Ind. Park
(413) 781-7030

MICHIGAN

Detroit
1800 Sears Ind. Dr.
Livonia
(313) 522-5100
Grand Rapids
625 Buchanan Ave. S.W.
(616) 241-1628
Saginaw
3720 E. Wash. Rd.
(517) 752-8134

MINNESOTA

Minneapolis
8175 County Line Rd. 18
(612) 425-6811

MISSISSIPPI

Jackson
555 Gulf Line Rd.
(601) 939-6420

MISSOURI

Cape Girardeau
Nash Road
(314) 334-0533
Kansas City
1445 Taney St.
North Kansas City
(816) 842-3368
St. Louis
6025 Byassess Dr.
Hazelwood
(314) 731-0181
Springfield
3220 East Cherry St.
(417) 869-1841

MONTANA

Billings
600 Daniel St.
(406) 245-3138
Great Falls
901 River Drive S.
(406) 453-5471

NEBRASKA

Lincoln
545 "L" St.
(402) 432-7525

NEW HAMPSHIRE

Manchester
300 Gay St.
(603) 627-3881

NEW JERSEY

Clifton
400 Allwood Rd.
(201) 773-1000
Trenton
530 U.S. Route #130
Yardville
(609) 585-1100

NEW MEXICO

Albuquerque
1820 Bellamah N.W.
(505) 242-2791

NEW YORK

Albany
Brown and Ind. Rds.
(518) 459-8080
Binghamton
Broome Ind. Pk.
Kirkwood
(607) 775-1120
Buffalo
2585 Walden Ave.
(716) 685-2323
Rensselaer
175 Underhill Blvd.
Syracuse
(516) 921-7200
New York City
1 Hudson River Dr.
Croton-on-Hudson
(914) 271-6201
Rochester
1480 East Henrietta Rd.
(716) 442-1800
Suffolk
Yaphank Ave. and Park St.
Yaphank
(516) 924-7400
Syracuse
Mid er Park Dr.
(315) 437-1201

NORTH CAROLINA

Asheville
Route #2, Azalea Road
(704) 298-5274
Charlotte
3300 Parkside Dr.
(704) 394-3171
Greensboro
3005 Flagstone Dr.
(919) 275-9431

Raleigh

3531 Tannehill Dr.
(919) 876-4430
Wilmington
319 Marboro St.
(919) 799-5200

OHIO

Akron
2644 Gilchrist Rd.
(216) 794-1140
Cincinnati
4710 Cues Dr.
(513) 874-4123
Cleveland
19100 Holland Rd.
(216) 234-1378
Columbus
2100 Refugee Rd.
(614) 445-8256
Dayton
5150 Webster St.
(513) 276-5986
Toledo
2815 Hill Ave.
(419) 536-3721

OKLAHOMA

Oklahoma City
5519 N.W. Fourth St.
(405) 948-0737
Tulsa
5717 North Mingo
(918) 272-2211

OREGON

Eugene
3445 W. 1st Ave.
(503) 345-4356
Portland
10515 S.W. Allen Avenue
Beaverton
(503) 643-8611

PENNSYLVANIA

Lancaster
3639 Hemphill Industrial
Park
(717) 285-4544
Philadelphia
801 First Ave.
King of Prussia
(215) 265-4800
Pittsburgh
Hunker Rd. and Rt. 119
New Stanton
(412) 242-9100
Scranton
150 Pittston Ave.
Yatesville-Pittston
(717) 855-2901

RHODE ISLAND

Providence
170 Jefferson Blvd
Warwick
(401) 463-7700

SOUTH CAROLINA

Charleston
Bennett Ind. Park
(803) 554-6191
Columbia
855 Brookwood Dr.
(803) 771-7740
Greenville
Hayward Road
(803) 288-2020

TENNESSEE

Bristol
100 Paty Indus. Blvd.
(615) 968-4121
Chattanooga
201 East 28th St.
(615) 698-8076
Knoxville
1301 Mitchell St. N.E.
(615) 546-4441
Memphis
4287 Pilot Dr.
(901) 365-2100
Nashville
331 28th Ave. N.
(615) 383-7160

TEXAS

Amarillo
80 Lakeside Drive
(806) 372-5706
Austin
2416 East Sixth St.
(512) 478-7406
Beaumont
6550 Oakcrest Drive
(713) 892-8720
Corpus Christi
230 Omaha Dr.
(512) 984-3231
Dallas
1800 John Connally Dr.
Carrollton
(214) 242-4251

El Paso

6900 Market St.
(915) 776-6353
Fort Worth
4747 Mark IV Parkway
(817) 625-2351
Houston
650 Gellhorn Dr.
(713) 675-1721
Lubbock
702 East 44th St.
(806) 747-3628
San Antonio
535 North W. White Rd
(512) 333-8110
Tyler
8th Street & Lawhon Ave
Crawtown
(214) 877-3161

UTAH

Salt Lake City
2875 S. 300 W.
(801) 468-9281
VERMONT
Burlington
Pine Haven Shore Road
Shelburne, Vt.
(802) 985-2511

VIRGINIA

Lynchburg
Graves Mill Rd.
Timorlake
(804) 238-9241
Norfolk
200 Price St.
Virginia Beach
(804) 499-5961
Richmond
Corner Dabney &
Bathlehem Rds.
(804) 355-9187

WASHINGTON

Bellingham
829 Cornwell Avenue
(206) 733-6000
Seattle
12815 N.E. 178th St.
Woodinville
(206) 486-0741
Spokane
6815 E. Mission
(509) 928-3030
Tacoma
2302 Ross Way
(206) 383-4578

WASHINGTON, D.C.

Washington, D.C.
8121 Ardwick-Ardmore Road
Landover, Maryland
(301) 322-2270
West Washington, D.C.
11800 Balls Ford Rd
Manassas, Virginia
(703) 381-5147

WEST VIRGINIA

Charleston
Rock Branch Ind. Pk.
Poca, W. Va.
(304) 755-8153

WISCONSIN

Madison
703 Mayfair Ave.
(608) 241-3874
Milwaukee
5059 North 119th St.
(414) 464-7900
Wausau
809 S. 62nd Ave.
(715) 842-0651

Canadian Branches

Georgia-Pacific Building
Materials, LTD.
Calgary
8209-30th St. S.E.
Calgary, Alberta
(403) 278-4436
London
100 Thames Street North
Ingersoll, Ontario
(519) 485-4431
Montreal
4650 Notre Dame St. East
Montreal, Quebec
(514) 253-0300
Quebec City
P.O. Box 15250
Postal Terminal
Quebec City, Quebec
(418) 692-2671
Toronto
173 Carver Drive
Rexdale, Ontario
(416) 745-2444
Vancouver
918 River Dr.
Richmond, B.C.
(604) 273-7621
Winnipeg
1500 Clarence Avenue
Winnipeg, Manitoba
(204) 453-9027

GYPSUM/SALES OFFICES

CALIFORNIA
2300 Palmdale Ave.
P.O. Box 24373
Oakland—(415) 352-8100

DELAWARE
Wilmington Marine Terminal
P.O. Box 319
Wilmington—302/686-7221

GEORGIA
125 Otley Drive N.E.
P.O. Box 13505 Sta. K.
Atlanta—404/873-6381

ILLINOIS
10450 Waveland Ave.
Franklin Park—312/678-8968

TEXAS
1800 John Connally Drive
Carrollton—214/242-4261

WASHINGTON, D.C.
8121 Ardwick-Ardmore Road
P.O. Box 1468
Landover, Md.—301/773-3320

GYPSUM EXPORT DEPT.
PENNSYLVANIA
1506 Race St.
Philadelphia, Pa.—215 548-1811