FILE NAME: Avondale (AVD)

DATE: 197н Wl·y˝мф

DOC#: AVDмпс

DOCUMENT DESCRIPTION: aŜY˝2π !ăōŜăű2ă lŜl·fűK {űl·yŘl·ℕŘă ø⁄ŭűK !űűl·ŎKY˝Ŝyűă

SHIPBUILDERS COUNCIL OF AMERICA
WATERGATE SIX HUNDRED | WASHINGTON, D. C. 20037

January 19, 1972

To: ACCIDENT PREVENTION COMMITTEE

M. P. Redford, Chairman
Harry H. Howard
J. Radcliffe Maumenee
Maurice Mosier
Harold J. Morgan
William L. Rich
Austin Shean
Paul Sousa
J. Samuel Stratton
R. A. Stubblefield
Manuel C. Val Dez
Edward Verderane
G. P. Walls
Searle T. Walton

Subject: Asbestos Health Standards

Enclosed are excerpts from the FEDERAL REGISTER of January 11 and 12, 1972, and a self explanatory Labor Department news release pertaining to permanent Asbestos Health Standards and extension of these standards to shipyards.

Please note that written views will be considered if submitted by February 11, 1972. Oral data, views and arguments will be received by an examiner at a hearing March 14 in Washington. Persons desiring to appear at the hearing must file a notice by March 3.

The question arises as to whether the Council should submit comment on this proposal?

Your reaction is urgent.

E. P. Ruddy
Secretary

PLAINTIFF'S EXHIBIT
SBCA 5042
exhibitsticker.com

NEWS

U. S. DEPARTMENT OF LABOR
OFFICE OF INFORMATION, WASHINGTON, D. C. 20210

USDL - 72-27

(202) 961-3914

FOR RELEASE: Immediate
Monday, January 10, 1972

JOB SAFETY AGENCY SETS RULEMAKING ON ASBESTOS HEALTH STANDARD

A proposed rulemaking proceeding to make permanent the existing emergency standard on asbestos was announced today by the Labor Department's Occupational Safety and Health Administration (OSHA).

The emergency standard was issued December 7. It reduced the permissible level of asbestos dust from 12 fibers per milliliter greater than 5 microns long to 5 such fibers for an eight-hour time-weighted average airborne concentration.

The latter level is the essential basis of the proposed rulemaking. Related standards dealing with monitoring, sampling, medical examinations, and the use of signs are also proposed.

George C. Guenther, Assistant Secretary of Labor for Occupational Safety and Health, said a hearing on the proposal will be held March 14 in Conference Room B of the Departmental Auditorium in Washington. Written comments will be accepted until February 11, and those wishing to appear in person must notify OSHA by March 3.

The Assistant Secretary also announced that an advisory committee will be appointed and asked to submit written recommendations to him concerning the proposals within 45 days from the publication of the notice in the Federal Register.

Guenther also announced that the emergency standard for asbestos was being widened to include the ship repairing, shipbuilding, shipbreaking and longshoring industries.

Announcement of the actions on asbestos will be published in the Federal Register January 11.

# # #

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[29 CFR Part 1910]

STANDARD FOR EXPOSURE TO ASBESTOS DUST

Notice of Proposed Rule Making

Section 6(c) of the Williams-Steiger Occupational Safety and Health Act o 1970 (84 Stat. 1596; 29 U.S.C. 655) pro vides that upon the publication of a emergency temporary standard in th FEDERAL REGISTER the Secretary of Labo shall commence a rule making proceed ing in accordance with section 6(b of the Act, and that the emergenc standard as published shall also serv as a proposed rule for the proceeding. A emergency temporary standard concern ing exposure to asbestos dust was pub lished in the FEDERAL REGISTER on De cember 7, 1971 (36 F.R. 23207). Accord ingly, pursuant to section 6 (b) and (c of the Williams-Steiger Occupationa Safety and Health Act of 1970 (84 Sta 1593, 1596; 29 U.S.C. 655), 29 CF 1910.4, and Secretary of Labor's Orde No. 12–71 (36 F.R. 8754), it is hereb proposed to amend 29 CFR Part 1910 a set forth below. The proposals includ the emergency temporary standard an additional proposed rules on subsidiar issues.

Interested persons are invited to sub mit, both orally and in writing, data views, and arguments concerning thes proposals.

Written data, views, and argumen may be mailed to the Office of Safety an Health Standards, Room 305, 400 Fir Street NW., Washington, DC 20210, with in 30 days after the publication of th notice in the FEDERAL REGISTER. The data views, and arguments will be availab for public inspection and copying at th Office of Safety and Health Standard except as to matters the disclosure which is prohibited by law.

Oral data, views, and arguments wi be received by Hearing Examiner Arthu Goldberg, at a hearing beginning at a.m. on March 14, 1972, in Conferen Room B, Departmental Auditorium, 14t Street and Constitution Avenue NW Washington, DC. Persons desiring to a pear at the hearing must file with th Office of Safety and Health Standards notice of intention to appear, no lat than March 3, 1972. The notice mu state the name and address of the pe son to appear, the capacity in which h will appear, and the approximate amou of time required for his presentatio The notice must also include, or be a companied by, a statement of the pos tion to be taken with regard to the pr posed rules.

The oral proceedings shall be report verbatim, and transcripts shall be ava able for inspection to any interested pe son on such conditions as the presidi

wheels, and drills, shall be provided with local exhaust ventilation and dust collectors in accordance with the American National Standard Fundamentals Governing the Design and Operation of Local Exhaust Systems; ANSI Z9.2—1971.

(3) Employees exposed to the spraying of asbestos, to the demolition of pipes, structures, or equipment covered or insulated with asbestos, or to the demolition of insulating strippings, shall be provided with respiratory protective devices in accordance with paragraph (c)(3) of this section.

(4) Asbestos cement, mortar, coatings, grout, and plaster shall be mixed in closed bags or other closed containers.

(5) Asbestos waste and scrap shall be collected and disposed of in sealed bags or other closed containers.

(6) Accumulation of asbestos dust shall be removed, as soon as practicable, and only by vacuum cleaners.

(e) *Warning signs*—(1) *Posting.* Warning signs shall be provided and displayed at each location where asbestos dust hazards are present. Signs shall be posted at least 50 feet in each direction from the location where the hazard is present, and at intervals of not more than 100 feet along each edge of the area where the hazard is present.

(2) *Sign specifications.* The warning signs shall conform to the requirements for 20" x 14" vertical format signs specified in § 1910.145(d)(2), and to this paragraph. The signs shall display the following legend in the white panel, with letter sizes and styles of a visibility at least equal to that specified in the notation in the following column to the right:

Legend:	*Notation*
Asbestos	1" Sans Serif Gothic or Block.
Dust Hazard	¾" Sans Serif Gothic or Block.
Follow these	¼" Gothic.
Safety and Health Rules.	¾" Sans Serif Gothic or Block.
1. Avoid breathing dust.	¼" Gothic.
2. Wear your respirator.	¼" Gothic.
3. Do not remain in area unless your work requires it.	¼" Gothic.
Asbestos dust may cause asbestosis, a severe lung disease, and is implicated in the development of certain cancers. Control of exposure to asbestos dust helps protect against these hazards.	14 point Gothic.

(3) *Spacing.* Spacing between lines shall be at least equal to the height of the upper of any two lines, except that the spacing between "Following these" and "Safety and Health Rules" shall be at least ¾".

(f) *Monitoring*—(1) *Personal.* Employees engaged in the particular operations or using the particular tools specified in paragraph (d) of this section, or exposed to concentrations of asbestos dust in excess of the limits specified in paragraph (c)(3) of this section shall be monitored in accordance with this paragraph.

(i) *Method.* Dust samples shall be collected from within the normal breathing zone of the employees in their normal working posture. Employees wearing respiratory protective devices shall have the sample taken from a point located on the exterior of the respirator facepiece.

(ii) *Procedure.* The sampling procedure shall be such as to permit the determinations required by paragraph (a) of this section.

(iii) *Sampling duration.* The sampling duration shall be for a period of not less than 15 consecutive minutes.

(iv) *Sampling frequency.* Sampling periods shall be of such number and pattern as to represent accurately the exposure of the employees over their working period.

(2) *Environmental.* Environmental monitoring shall be conducted in all areas in which employees are exposed to concentrations of asbestos dust in excess of the limits specified in paragraph (a) of this section.

(i) *Method.* Asbestos dust samples shall be collected from areas which are representative of the concentration of airborne asbestos dust which may reach the breathing zone of exposed employees.

(ii) *Procedure.* Sampling procedure shall be such as to permit the determinations required by paragraph (a) of this section.

(iii) *Sampling duration.* Sampling duration shall be for a period of not less than 15 consecutive minutes.

(iv) *Sampling frequency.* Sampling periods shall be of such number and pattern as to represent accurately the exposure of the employees over their working period.

(g) *Medical examinations.* The employer shall provide, or make available at his cost, appropriate medical examinations on a periodic basis to any employee who is exposed to asbestos dust in excess of the limits specified in paragraph (a) of this section.

(h) *Records.* (1) Every employer shall maintain records of the personal and environmental monitoring, and of the medical examinations, required by paragraphs (f) and (g) of this section. Such records shall be maintained for at least 20 years.

(2) The records of monitoring shall be made available for inspection and copying to the Secretary of Labor and to his designated representatives.

(3) The records of medical examinations shall be made available only to the Secretary of Labor, to the Secretary of Health, Education and Welfare, to designated representatives of either of them, and, at the request of the employee or former employee examined, to his physician.

3. A new § 1910.19 is proposed to be added to Subpart B, reading as follows:

§ 1910.19 Asbestos dust.

Section 1910.93a shall apply to the exposure of every employee to asbestos dust in every employment and place of employment covered by § 1910.12, 1910.13, 1910.14, 1910.15, or 1910.16 of this Subpart B, in lieu of any different standard on exposure to asbestos dust which would otherwise be applicable by virtue of any of those sections.

(Sec. 6, 84 Stat. 1593; 29 U.S.C. 655. 29 CFR 1910.4; Secretary of Labor's Order No. 12-71, 36 F.R. 8754)

Signed at Washington, D.C., this 6th day of January 1972.

G. C. GUENTHER,
Assistant Secretary of Labor.

[FR Doc.72-402 Filed 1-11-72;8:45 am]

Title 29—LABOR

Chapter XVII—Occupational Safety and Health Administration, Department of Labor

PART 1910—OCCUPATIONAL SAFETY AND HEALTH STANDARDS

Standard for Exposure to Asbestos Dust in Ship Repairing, Shipbuilding, Shipbreaking, and Longshoring

Pursuant to section 6(c) of the Williams-Steiger Occupational Safety and Health Act of 1970 (84 Stat. 1596; 29 U.S.C. 655) and Secretary of Labor's Order No. 12-71 (36 F.R. 8754), 29 CFR 1910.13, 1910.14, 1910.15, and 1910.16 are hereby amended as set forth below, in order to prescribe an emergency temporary standard concerning the exposure of employees to asbestos dust.

Sections 1910.13, 1910.14, 1910.15, and 1910.16 adopt, and extend the applicability of, maritime safety and health standards originally published in 29 CFR Parts 1501, 1502, 1503, and 1504, now redesignated as 29 CFR Parts 1915, 1916, 1917, and 1918 (see 36 F.R. 25232). Those standards permit the exposure of employees to concentrations of asbestos dust so high as to constitute a great danger to the employees. The immediate adoption of the emergency temporary standard set forth below, which is the same as that promulgated for industries in general on December 7, 1971 (36 F.R. 23207) is necessary to protect employees from that danger.

In addition, 29 CFR 1910.93a (36 F.R. 23208) is amended by correcting a clerical error in paragraph (g) thereof.

Part 1910 of Title 29 of the Code of Federal Regulations is amended as follows:

1. In § 1910.13, a new paragraph (c) is added, reading as follows:

§ 1910.13 Ship repairing.

* * * * *

(c) The standards prescribed in § 1910.93a shall apply in the case of exposure of any employee to asbestos dust, in lieu of any different standards otherwise required by Part 1915 of this chapter (formerly Part 1501 of this title).

2. In § 1910.14, a new paragraph (c) is added, reading as follows:

§ 1910.14 Shipbuilding.

* * * * *

(c) The standards prescribed in § 1910.93a shall apply in the case of the exposure of any employee to asbestos dust, in lieu of any different standards otherwise required by Part 1916 of this chapter (formerly Part 1502 of this title).

3. In § 1910.15, a new paragraph (c) is added, reading as follows:

§ 1910.15 Shipbreaking.

* * * * *

(c) The standards prescribed in § 1910.93a shall apply in the case of exposure of any employee to asbestos dust, in lieu of any different standards otherwise required by Part 1917 of this chapter (formerly Part 1503 of this title).

4. In § 1910.16, a new paragraph (c) is added, reading as follows:

§ 1910.16 Longshoring.

* * * * *

(c) The standards prescribed in § 1910.93a shall apply in the case of exposure of any employee to asbestos dust, in lieu of any different standards otherwise required by Part 1918 of this chapter (formerly Part 1504 of this title).

5. In § 1910.93a (36 F.R. 23208), paragraph (g) is revised to read as follows:

§ 1910.93a Asbestos dust.

* * * * *

(g) All cleanup of asbestos dust shall be performed by vacuum cleaners. No dry sweeping or blowing of dust shall be performed.

(Sec. 6(c), 84 Stat. 1596; 29 U.S.C. 655. Secretary's Order No. 12-71, 36 F.R. 8754)

Effective date. These amendments shall become effective immediately upon publication in the FEDERAL REGISTER (1-11-72).

Signed at Washington, D.C., this 6th day of January 1972.

G. C. GUENTHER,
Assistant Secretary of Labor.

[FR Doc.72-401 Filed 1-10-72;8:49 am]

NEWS | U. S. DEPARTMENT OF LABOR
OFFICE OF INFORMATION, WASHINGTON, D. C. 20210

00712

USDL -- 72-62

(202) 961-3914

FOR RELEASE: A. M. Editions
Monday, January 31, 1972

LABOR DEPARTMENT NAMES ASBESTOS HEALTH ADVISORY PANEL

The appointment of a five-member Advisory Committee on Asbestos to study health standards for that substance was announced today by the Occupational Safety and Health Administration (OSHA).

George C. Guenther, Assistant Secretary of Labor for Occupational Safety and Health who heads OSHA, said the committee will assist him in setting permanent health standards to protect workers from excessive exposure to asbestos dust.

Guenther said the Advisory Committee will hold several preliminary hearings on proposed permanent standards. The first such meeting will take place February 3, at 9 A.M., in Conference Room 107C, Department of Labor, 14th Street and Constitution Avenue.

Hearings on the proposed permanent standards begin March 14 in Conference Room B of the Departmental Auditorium in Washington.

An emergency temporary standard issued December 7 is the basis of the proposed permanent standards. Related permanent standards dealing with monitoring, sampling, medical examinations and the use of signs also are proposed.

The emergency temporary standard set permissible levels at 5 fibers per milliliter greater than 5 microns long for an eight-hour time-weighted average airborne concentration.

"In its preliminary meetings," Guenther explained, "the Advisory Committee will review the proposed standards, establish operating rules, discuss pertinent sections of the Act, and review asbestos exposure criteria developed by the National Institute for Occupational Safety and Health (NIOSH).

All the meetings and hearings will be open to the public.

- MORE -

Guenther said the Advisory Committee consisted of:

Edwin C. Hyatt, Industrial Hygiene Group Leader, Los Alamos Scientific Laboratory, Los Alamos, N.M., chairman.

Jack Baliff, industrial hygienist, New York State Department of Labor, New York City.

Dr. Joseph K. Wagoner, Director, Division of Field Study and Clinical Investigation, National Institute for Occupational Safety and Health, Cincinnati.

Isaac Weaver, Director of Environmental Controls, Raybestos-Manhattan Corporation, Manheim, Pa.

Andy Haas, Safety Director, Asbestos Workers International Union, Washington.

# # #

NEWS

U. S. DEPARTMENT OF LABOR
OFFICE OF INFORMATION, WASHINGTON, D. C. 20210

USDL 72-69

(202) 961-3914

FOR RELEASE: A.M. Editions
Thursday, February 3, 1972

PROPOSED RULEMAKING ON CRANE AND DERRICK SAFETY STANDARDS EXTENDED TO MAY 1

An extension to May 1 of proposed rulemaking proceedings on standards for boom angle indicators, load indicators, weight-moment indicators and overload protection devices on cranes and derricks was announced today by the Occupational Safety and Health Administration (OSHA).

George C. Guenther, Assistant Secretary of Labor for Occupational Safety and Health who heads OSHA, said a notice of the proposed rulemaking was announced in the Federal Register on September 28.

After consideration of public comments submitted in writing and orally at a hearing on November 10 and 11, the Advisory Committee on Construction Safety and Health recommended that the record be reopened to permit further comments on the feasibility of the proposed standards, Guenther said.

On December 31 the record was reopened until January 15, he said, "but since then we have received additional requests for more time. The Advisory Committee recommended a further extension to May 1, and that recommendation has been accepted."

Guenther said written comments on the proposed standards may be mailed to the OSHA Office of Safety and Health Standards, Room 305, 400 First Street, N.W., Washington, D. C. 20210.

# # #