

Thursday May 1, 1997

PLAINTIFF'S EXHIBIT

ASA-1429

OTHER WO
9613921 - 8/14/96
outlet distribution flux
Converter cottrell

Munsell, Peggy

From: Munsell, Peggy
To: Parnell, Stan
Cc: Borunda, L A; Castor, Larry
Subject: Power House Asbestos Removal
Date: Wednesday, February 26, 1997 2:59PM

9705595 - 3/31/97
Asb insulation comp. 1.7
Pong #6 W.R.

Stan,


9707321 4/29/97
AP#1 Safety
showers

Louie and I went over the first projected project for Asbestos removal equipment needs.

Louie is going to be rerouting the #7 air injector line. This project will need some asbestos removed. In that same area, the exhaust pipe to the #7 turbo condensate pump is continually being worked on and also needs to have the Asbestos removed.

This is the list of asbestos that I would like to see taken care of in the month of March.


1. Remove 4'x4' yellow air cell asbestos on the east elbow of the #7 air injector / steam line.
2. Remove approximately 5 foot of the yellow air cell asbestos insulation on the exhaust of #7 turbo condensate pump.
3. Remove the old water PIPE (approximately 80 feet) line which is no longer in use. This pipe can be wrapped in plastic and cut down with the asbestos in place. This pipe parallels the #7 turbo condensate pipe in the basement.
4. Remove approximately 200 feet 150lb steam line in the east bay on the main floor of the Power house. This pipe is no longer in use and contains friable asbestos which in my opinion, because it is no longer in use, may as well be removed instead of patching up and still having to maintain it. It too can be wrapped in plastic and cut out in sections with the asbestos intact. Because of it's size, this will be a little more difficult. Your cost will be in disposal.



3/5 WO 9703797

18 X 16

Hall way
+
SKIPS



Tim Jones
778 3813

all
min.
Tenn
4/7/97
follow

136 sq feet
58
194 sq feet counsel room
288 Skips room plus half way

Munsell, Peggy

From: Munsell, Peggy
To: Parnell, Stan
Cc: Borunda, L A; Castor, Larry
Subject: Power House Asbestos Removal
Date: Wednesday, February 26, 1997 2:59PM


Stan,

Louie and I went over the first projected project for Asbestos removal based on employee exposure and equipment needs.

Louie is going to be rerouting the #7 air injector line. This project will need some asbestos removed. In that same area, the exhaust pipe to the #7 turbo condensate pump is continually being worked on and also needs to have the Asbestos removed.

This is the list of asbestos that I would like to see taken care of in the month of March.

1. Remove 4'x4' yellow air cell asbestos on the east elbow of the #7 air injector / steam line.
2. Remove approximately 5 foot of the yellow air cell asbestos insulation on the exhaust of #7 turbo condensate pump.
3. Remove the old water PIPE (approximately 80 feet) line which is no longer in use. This pipe can be wrapped in plastic and cut down with the asbestos in place. This pipe parallels the #7 turbo condensate pipe in the basement.
4. Remove approximately 200 feet 150lb steam line in the east bay on the main floor of the Power house. This pipe is no longer in use and contains friable asbestos which in my opinion, because it is no longer in use, may as well be removed instead of patching up and still having to maintain it. It too can be wrapped in plastic and cut out in sections with the asbestos intact. Because of it's size, this will be a little more difficult. Your cost will be in disposal.



3/5 WO 9703797