SALESMAN'S CALL REPORT

544 (Rev. 9/56)

CUSTOMER'S NAME: Kentucky Hydrocarbon Corp.

DATE: 5-21-57

STREET ADDRESS:

CALLS REQ'D PER YEAR: 2

CITY, ZONE AND STATE: Maytown, Floyd County, Ky.

AFFILIATION: Equitable Gas Corp., Pittsburgh, Pa.

INDUSTRY: Gas Transmission

PERSONNEL CONTACTED (Full Name and Title)	MAILING LIST (*Show Category) *PUT ON	*TAKE OFF	SHOW "ON" OR "OFF" MEMO PAD	MAGAZINE
L. E. Roberts, Supt.				
I. Bouch, Engr.				

OFFICE ROUTING

Indicate routing by checking the appropriate department below

- [x] ADMIN. SERVICES
- [ ] FINE CHEMICALS
- [ ] INTERMEDIATES
- [ ] PLASTICISERS
- [ ] AG. CHEMICALS
- [ ] FARM CHEMICALS
- [ ] PETRO. CHEMS.
- [x] FUNCT. FLUIDS
- [ ] INDUST. FLUIDS
- [ ] RESINS
- [ ] PAPER CHEMS.
- [ ] SALES PROJECTS
- [x] FILE

CC: Cleveland Office, Cincinnati Office, Dr. R.E.Kelly

CONTRACTS BOOKED AND ACTION REQUESTED

Dr. Kelly - Will you please write letter as requested with copy to Atlanta

Thanks you

REMARKS

Messrs. Roberts and Bouch.

PYDRAUL AC : Followed up on information given in Mr. Wilde's sales report of 4-23-57; this is a new compressor station being erected here and expected to be in full operation by June 15. Was advised that they have purchased 20 gals. of Pydraul through their parent company, the Equitable Gas Co. at Pittsburgh and it is now being used in two compressors. These are small compressors used for stepping starting up the large gas boosters. They have a third compressor in which they intend to use Pydraul, which will furnish compressed air for, among other things, an air-mask. They are concerned about possible carry over of Pydraul mist into the air supply which might be furnished to an air-mask with toxic effect on the wearer of the mask. Mr. Bouch spoke with someone in St. Louis about this matter but could not recall his name. He was told that there would be no more chance of a toxic effect using Pydraul than if petroleum oil were used. Since this seems to be a matter of real concern to them, I told Mr. Roberts that our Dr. Kelly could probably furnish an opinion as to the hazard. He was very pleased with this and would like such an expression from Dr. Kelly very much.

WITH. MR. LOVEJOY : Would you please write Dr. Kelly in line with the above and request such an opinion to be addressed to Mr. Roberts. The use of Pydraul in this new compressor station is apparently a test area on the part of Equitable Gas Corp. and if they find it successful, it is entirely possible that they will adopt Pydraul throughout their subsidiary operating companies.

Thank you.

DISTRICT OFFICE	SALESMAN	DATE REC'D	DATE TYPED
Atlanta jf	C. B. Singleton	5-21-57	5-21-57

EXTRA COPY

MONS 080361