ATTORNEY WORK

P.W. GANN
FEB 5, 1973

PCB - General Customer Mailings

Date	Signed	Group	Copy Address	Copy Letter	Purpose or Content
Feb. 9, 1970	D. A. Olson	FFG		X (1)	Alert to PCB enviro problem, reformulating, < 54% O.K., A-1254 and A-1260 bad actors.
Feb. 18, 1970	D. A. Olson	Ind. & Diel.		X (18)	Alert to PCB enviro problem, <54% O.K., FR-1 and FR-2 O.K., A-1254 and A-1260 bad actors.
Feb. 19, 1970	W. E. Schalk	P - Dist		X (25)	Alert to PCB enviro problem. Will also alert customer.
Feb. 24, 1970				No	(See March 2, 1970, memo by C. Paton
Feb. 27, 1970	W. E. Schalk	P - Cust	X	X (26)	Alert to PCB enviro problem, A-1254 and A-1260 bad actors.
Apr. 29, 1970	W. E. Schalk	P - Dist		X (27)	Immediate discontinuance of all PCB's as carrier for insecticide/ pesticide (excludes terphenyls).
May 11, 1970	D. A. Olson	FFG - Diel.		X (19)	Refer to Feb. 18, 1970, letter, proper disposal of PCB fluids written to transformer customers.
May 25, 1970	W. E. Schalk	P - Dist		X (29)	Discontinue sale of PCB's August 30, 1970, for modifier and plasticizer use.
June 1 -May 1970	W. E. Schlak	P - Cust		X (28)	Refer to Feb. 27, 1970, letter. Discontinue sale of PCB's August 30, 1970, for modifier and plasticizer uses.
June 8, 1970 (Mailed June 10, 1970)	J. R. Fallon	Hx - Food	X	X (12)	Food industry discontinue PCB sales July 31, 1970.

0472600

PCB - General Customer Mailings
Page 2

Date	Signed	Group	Copy Address	Copy Letter	Purpose or Content
June 11, 1970	N. P. Johnson	Ind. Cust.		X (2)	Alert Pydrauls containing PCB's are reformulated.
Aug. 6, 1970	P. G. Benignus	Diel.		X (20)	MCS-1016, alert to converting to MCS-1016.
Aug. 14, 1970	W. E. Schalk	P - Dist		X (30)	Summarize latest PCB info and aroclc Plasticizer Bulletin O/PL-306 is replaced.
Aug. 14, 1970	W. E. Schalk	P - Cust		X (31)	Refers to Feb. 27, 1970, and June 1, 1970, mailings of PCB withdrawal from market; last shipment Aug. 30, 1970. Latest PCB enviro info; new bulletin; continue to sell A-1221 and A-5442 and A-5460. Return for credit policy.
Aug. 27, 1970	N. T. Johnson	Ind. Same approach as June 11, 1970 using July 1970 IDM		X (3)	Announce Pydraul F-9 containing PCB is replaced with Pydraul F-9-A.
Aug. 31, 1970	W. E. Schalk	P		No	Announce termination of PCB sales for plasticizer (see Sept. 30, 1971 letter).
SEPT 23, 1970	Walter Wagchef	P ← May not have been sent		X	
SEPT 30, 1970	W. E. SCHALK	P		X	
Sept.28-Oct.12 1970	R. Graham	Diel	X	X	Incinerator ready early 1971; PCB disposal.
Oct. 26, 1970	D. Hall	Ind.		X (9)	Santosac I & II contain PCB; FDA guide line. A-1242, A-1248, A-1254 no longer for sale.
Nov. 25, 1970	J. R. Fallon	FFG - Hx	X	X (13)	FR-2 and FR-3 discontinued Dec. 31, 1970; replaced by FR-1. Reason: FR-2 and FR-3 have limited market.

attached new product bulletin,
Ref. to Aug 31, 1970 letter, product line now PCT, in CLP and blends.

0472601

PCB - General Customer Mailings
Page 3

Date	Signed	Group	Copy Address	Copy Letter	Purpose or Content
Dec. 15, 1970	R. Graham	Diel.		X	Request for info on PCB contaminate solids for 1971 disposal.
Feb. 1, 1971	C. L. Bradford	Ind.	Edited some list as 1-31-72 letter per Pat, check L.B.	X (4)	Refers to Feb. 1970 alert letter o PCB; Pydraul 312, 135, 230, 540-A and A-200 contain PCB; reformulate to non PCB's Pydraul 312A, 135A, 230-A, 540B, A-200-B.
Feb. 18, 1971	P. G. Benignus	Diel.		No (21)	Refers to Aug. 6, 1970, letter on MCS-1016; going commericial with MCS-1016 to replace A-1242 which contains some higher PCB's.
	Pat got Test from L.B				
April 15, 1971	C. L. Bradford	Ind.		X (5)	Caution on PCB; new Pydrauls conta no PCB.
Aug. 17, 1971	J. J. Roder	FFG-HX OEM	X	X (14)	Policy of restrictive sales of PCB fluids effective immediately; requ OEM discontinue use of FR fluids.
Sept. 27, 1971	R. E. Hatton	Ind.		X (10)	Letter to Adams Carbide Corp. (Don't know if general mailing.) Reminder that Santovac 122 contains PCB; alert on FDA; warns not for food use.
Sept. 30, 1971	W. E. Schalk	P		X (32)	Refers to Aug. 31, 1970, letter; new Aroclors are non PCB's; are based on chloro terphenyls and monochloro biphenyl. FDA O.K. not obtained. Don't use in food areas.
Oct. 26, 1971	D. E. Rauch	FFG-Hx	Not a gen. mailing, a response letter.	~~No~~ X	Conv. FR system to T-55; returned used FR.
Dec. 15, 1971	H. Bergen	FFG-Hx OEM	X	X (15)	Announce FR termination, return policy conv. team.

0472602

Date	Signed	Group	Copy Address	Copy Letter	Purpose or Content
Dec. 31, 1971	H. Bergen	Ind.	X	X (11)	Announce Santovac 122 termination; return used Santovac.
Dec. 31, 1971	W. E. Schalk	P	X	X (33)	Announce termination of polychloro terphenyls for plasticizers and other open systems effective March 31, 1972.
Jan. 31, 1972	H. Bergen	Ind.	X	X (6)	Announce termination of polychloro terphenyls. All pydrauls will be reformulated by June 30, 1972.
Feb. 4, 1972	H. Bergen	Diel.	X	X (22)	Announce H.H. policy.
Feb. 7, 1972	T. L. Gossage	Diel.	X	X (23)	Refers to Jan. 15, 1972, as H.H. policy effective.
Feb. 7, 1972	J. J. Roder	Ht-X OEM	X	X	Not issued; see March 1972 issue.
Feb. 28, 1972	T. L. Gossage	Diel.	X	X (24)	Announce no direct sales to transformer repair shops and for top-up.
Feb. 28, 1972	H. S. Bergen	~~Ind.~~	some as Jan 31, 1972	X	New Pydraul fluids available April 1972.
March 1972	J. J. Roder	FFG - Hx OEM	X	X (16)	Refers to Aug. 1971 letter; reques conv. to non PCB.
March 6, 1972	C. Paton	FFG - Hx Food	X	X (17)	Food - PCB survey to confirm no longer uses PCB
March 15, 1972	H. S. Bergen	Ind.	same as Jan 31, 1972	X	New Pydrauls - list
April 1972	W. B. Papageorge	Hx & Diel.	X	X (34)	FDA alert; avoid food and enviro pollution.
May 25, 1972	C. Paton	FFG Hx & Diel.	X	X	Termination of free incineration effective July 1, 1972; states new incineration policy.

0472603

PCB-ARCH0744600