

From: Marie Gorkem <marie.gorkem@kreab.com>
Sent: den 19 november 2021 16:10
To: Jenny Ivarsson; Mattias Carlsson Feng; John Joyce; Stefan Posner
Cc: Claire Prost; Tamara Quatrano; Maria Morera; Angelika Karpa
Subject: Filtration / follow up to Ahlstrom Munksjö call / additional input
Attachments: AM follow-up - Call with KEMI - C6 versus other PFAS_20211117.pdf

Follow Up Flag: Följ upp
Flag Status: Flagged

Dear Jenny, dear All,

First of all, we would like to thank you for our discussion on 20 October about alternatives to C6 chemistry for filtration applications.

We wanted to follow up with you with additional facts, especially on ePTFE membranes, but also with more information on PFPE/C2 and C4.

We hope you find this further input useful, Ahlstrom Munksjö remains available for any questions,

Thank you for your consideration,
Best regards,
Marie



WORLDWIDE

Marie Gorkem

Partner

Kreab

2/4, Rond-Point Schuman, BE-1040 Brussels, Belgium

Tel +32 2 7376941

Mob +32 475 46 12 34

marie.gorkem@kreab.com

www.kreab.com

EU Transparency Register ID Number: 1078390517-54

This communication is only intended for the use of the individual or entity, to which it is directed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If received in error please notify us immediately, delete this e-mail and destroy all copies.